Bogotá, D. C., 05 de septiembre de 2023

Informe de supervisión correspondiente al mes de agosto del año 2023, en atención a las funciones establecidas en los artículos 83 y subsiguientes de la Ley 1474 de 2011, en concordancia con la Resolución No. 00154 del dieciséis (16) de abril del dos mil dieciocho (2018) *"Por la cual se actualiza el Manual de Contratación del Fondo Rotatorio de la Policía".*

1. Información del Supervisor

Grado	Teniente Coronel
Nombre y apellidos	RODRIGO CARRERO BARRERA
C.C.	80.017.178
Cargo en la dependencia	Jefe Grupo Abastecimientos Aeronáuticos
Unidad de dependencia	DIRAN-ARAVI
Correo electrónico	diran.aravi-gruab1@correo.policia.gov.co
Teléfono	3143013881

2. Información del Contrato

No. de Proceso	SUBASTA-005-2023			
Tipo de Contrato	Suministro			
Contrato No.	042-2-2023			
Unidad	ÁREA DE AVIACIÓN POLICIAL			
Objeto	SUMINISTRO CONSUMIBLES PARA EL AREA DE AVIACIÓN DE LA DIRECCIÓN ANTINARCÓTICOS-POLICÍA NACIONAL			
Valor Inicial	$3.184.374.999,99			
Valor Adición	$1.200.000.000,00			
Valor Total	$4.384.374.999,99			
Plazo de ejecución	Fecha de Inicio		Fecha Terminación	
30-11-2023	12-07-2023		31-11-2023	
Aplica Acta de inicio	**SI**		**NO**	**x**
Fecha de Acta de inicio	**N/A**			

3. Información del Contratista

Nombre Representante legal	C.C	Razón social Contratista	NIT
María Fernanda Rodríguez Castillo	52.449.804	Unión Temporal Consumibles Aeronáuticos PONAL	901.516.560-7

4. Información Presupuestal

No. Certificado de Disponibilidad Presupuestal SIIF	Fecha	Valor
10023	25/04/2023	$ 769.230.769,23
10123	25/04/2023	$ 673.076.923,07
9823	25/04/2023	$ 961.538.461,54
9923	25/04/2023	$ 780.528.846,15

No. Registro Presupuestal del Compromiso SIIF	Fecha	Valor
59223	06/07/2023	$ 961.538.461,54
59323	06/07/2023	$ 780.528.846,15
59423	06/07/2023	$ 769.230.769,23
59523	06/07/2023	$ 673.076.923,07


ADICIÓN:

No. Certificado de Disponibilidad Presupuestal SIIF	Fecha	Valor
17423	23/08/2023	$1.200.000.000,00
No. Registro Presupuestal del Compromiso SIIF	**Fecha**	**Valor**
75023	24/08/2023	$1.200.000.000,00

Nota 1: En caso de requerirse información presupuestal adicional, anexar cuadro detallado de las mismas.

5. Actividades y/o Eventos Desarrollados por el contratista y supervisor o interventor. (Incluir información en materia ambiental y de seguridad y salud en el trabajo de acuerdo a lo establecido en el contrato y anexar soportes. (Si aplica)

Mediante correo electrónico del 23/08/2023, se solicita por parte del supervisor cumplimiento en materia ambiental y de seguridad y de salud en el trabajo de acuerdo a lo establecido en el contrato.



Solicitud cumplimiento SG-SST

DIRAN ARAVI-PED
Para: Leonardo Garzon <comercial@flylogistic.aero>
CC: DIRAN ARAVI-GRUAB1
Cco: INGENIERIA FLY LOGISTIC SAS <ingenieria@flylogistic.aero>
Mié 23/08/2023 8:19

ES UN HONOR SER POLICÍA
MINISTERIO DE DEFENSA NACIONAL
POLICÍA NACIONAL
DIRECCIÓN DE ANTINARCÓTICOS
COMPAÑIA ANTINARCOTICOS REGIONAL No 1

Policía Nacional
"Dios y Patria"
Cordial saludo


Como supervisor del Contrato No. 042-2-2023, celebrado entre el Fondo Rotatorio de la Policía Nacional y la Unión Temporal CONSUMIBLES AERONAUTICOS PONAL 2023, cuyo objeto es **"SUMINISTRO CONSUMIBLES PARA EL ÁREA DE AVIACIÓN DE LA DIRECCIÓN DE ANTINARCÓTICOS-POLICÍA NACIONAL"** y en aras de la ejecución del mismo. De manera atenta me permito solicitar al contratista el cumplimiento de la clausula No 16 de las condiciones técnicas adicionales de obligatorio cumplimiento

"El contratista deberá presentar certificación suscrita por el representante legal y/o el responsable de seguridad y salud en el trabajo, en la cual se indique el porcentaje de cumplimiento del Sistema de Gestión de Seguridad y Salud en el Trabajo (SG-SST) de acuerdo a lo establecido en la Resolución No.0312 de 2019"

Lo anterior se requiere con plazo 23 de agosto 17:00 horas con el fin de adelantar el tramite pertinente ante el Fondo Rotatorio de la Policía

Atentamente,

Teniente Coronel RODRIGO CARRERO BARRERA
Supervisor contrato 042-2-2023



Solicitud cumplimiento SG-SST

DIRAN ARAVI-PED
Para: Leonardo Garzon <comercial@flylogistic.aero>
CC: DIRAN ARAVI-GRUAB1
Cco: INGENIERIA FLY LOGISTIC SAS <ingenieria@flylogistic.aero>
Mié 23/08/2023 8:19

ES UN HONOR SER POLICÍA

MINISTERIO DE DEFENSA NACIONAL
POLICÍA NACIONAL
DIRECCIÓN DE ANTINARCÓTICOS
COMPAÑIA ANTINARCOTICOS REGIONAL No 1

Policía Nacional
"Dios y Patria"
Cordial saludo

Como supervisor del Contrato No. 042-2-2023, celebrado entre el Fondo Rotatorio de la Policía Nacional y la Unión Temporal CONSUMIBLES AERONAUTICOS PONAL 2023, cuyo objeto es "**SUMINISTRO CONSUMIBLES PARA EL ÁREA DE AVIACIÓN DE LA DIRECCIÓN DE ANTINARCÓTICOS-POLICÍA NACIONAL**" y en aras de la ejecución del mismo. De manera atenta me permito solicitar al contratista el cumplimiento de la clausula No 16 de las condiciones técnicas adicionales de obligatorio cumplimiento

"El contratista deberá presentar certificación suscrita por el representante legal y/o el responsable de seguridad y salud en el trabajo, en la cual se indique el porcentaje de cumplimiento del Sistema de Gestión de Seguridad y Salud en el Trabajo (SG-SST) de acuerdo a lo establecido en la Resolución No.0312 de 2019"

Lo anterior se requiere con plazo 23 de agosto 17:00 horas con el fin de adelantar el tramite pertinente ante el Fondo Rotatorio de la Policía

Atentamente,

Teniente Coronel RODRIGO CARRERO BARRERA
Supervisor contrato 042-2-2023

El contratista mediante correo electrónico del 23 de agosto de 2023, da respuesta a la solicitud de anexar los soportes de SSGST (anexo al presente informe)



CERTIFICACION SALUD Y SEGURIDAD EN EL TRABAJO

comercial <comercial@flylogistic.aero>
Para: DIRAN ARAVI-PED
Mié 23/08/2023 9:31

CERTIFICACION SG-SST.pdf
117 KB

Buen día, anexo Certificación de salud y seguridad en el trabajo requerida, quedo atento a cualquier duda.
Saludo cordial.

FLY LOGISTIC SERVICIOS - REPUESTOS - SUMINISTROS AERONAUTICOS

Leonardo Garzón
Director Comercial
Fly Logistic S.A.S
PBX 601- 7689541
Calle 23D No.101B-30
Bogotá - Colombia

Declaración de Confidencialidad
La información contenida en este correo electrónico y los archivos asociados con este mensaje son para el uso exclusivo del destinatario y puede contener información privilegiada o confidencial sujeta a derechos de autor o constitutiva de secreto comercial protegida por la ley. Está estrictamente prohibido cualquier uso no autorizado, revelación, copia o distribución de este mensaje y sus archivos asociados. Si usted cree que ha recibido este mensaje por error, por favor póngase en contacto con el remitente inmediatamente y elimine el correo electrónico y todos los archivos asociados con este mensaje. No se garantiza que cualquier comunicación por correo electrónico que enviamos esté libre de virus antes de salir de nuestro sistema informático; no aceptamos ninguna responsabilidad por cualquier pérdida o daño que pueda causar al sistema informático del destinatario.

Responder Reenviar

5.1 Actividades y/o Eventos Desarrollados por el Contratista

Al correo electrónico diran.arvi-ped@policia.gov.co el contratista informa que el ítem 131 está fuera de mercado, solicitando su cambio y anexando las fichas técnicas del nuevo producto ofertado, para ser analizado por esta supervisión.



CARTA INFORME PRODUCTO DESCONTINUADO

comercial <comercial@flylogistic.aero>
Para: DIRAN ARAVI-PED
CC: contratos2@desvareaereo.com
Mar 01/08/2023 8:14

CARTA INFORME PRODUCTO... 234 KB
katsu_gasolina (1).pdf 7 MB

2 archivos adjuntos (7 MB) Guardar todo en OneDrive - POLICÍA NACIONAL DE COLOMBIA Descargar todo

Respetado Coronel buen dia, anexo carta con información del ítem 131 del Pedido 1, del contrato 042-2-23, el cual según nuestros proveedores, se encuentra ya fuera de producción, anexamos ficha técnica para la evaluación del comité técnico y su aprobación de entrega en remplazo del ítem solicitado, quedo atento a su gentil respuesta.,

Saludo Cordial

FLY LOGISTIC SERVICIOS - REPUESTOS - SUMINISTROS AERONÁUTICOS

Leonardo Garzón
Director Comercial
Fly Logistic S.A.S
PBX 601- 7689541
Calle 23D No.101B-30
Bogotá - Colombia

El 01/08/2023, el contratista realiza la entrega del siguiente material en las instalaciones de la Compañía de Aviación Guaymaral.

No DE CONTRATO 042-2-2023								
CONTRATISTA : UNION TEMPORAL CONSUMIBLES AERONAUTICOS PONAL 2023								
PEDIDO 1 ENTREGA 1 (COAGY) 01-08-2023								
Ítem	INSCRITO		Parte No.	Descripción	Cant.	U/M	Valor Unitario	Valor Total
	No.	Ítem						
2	INSCRITO	4	HCX-46 FRANING	FILTRO DE ACEITE	12	EA	$ 42.520,09	$ 510.241,08
3	INSCRITO	5	31325BPX-T1	POLIURETANO AZUL	2	KIT	$ 1.511.825,58	$ 3.023.651,16
14	INSCRITO	33	FS1242	FILTRO DE COMBUSTIBLE PRIMARIO	12	EA	$ 203.146,84	$ 2.437.762,08
21	INSCRITO	49	MIL-T-6095	THINNER EXTRAFINO DE 52 GL	4	DRUM	$ 8.967.088,69	$ 35.868.354,76
23	INSCRITO	52	DA7801	FILTRO DE AIRE	12	EA	$ 985.314,13	$ 11.823.769,56
26	INSCRITO	56	31495WPX-T1	POLIURETANO BLANCO BRILLANTE	10	KIT	$ 1.322.847,39	$ 13.228.473,90
40	INSCRITO	79	31799LPX-T1	POLIURETANO COLOMBIAN POLICE BLUE METALLIC	5	KIT	$ 2.834.672,97	$ 14.173.364,85
42	INSCRITO	83	4415122	FILTRO SEPARADOR DE AGUA	12	EA	$ 288.014,90	$ 3.456.178,80
43	INSCRITO	84	TOLUENO	TOLUENO X 5 GL	5	PAIL	$ 147.975,10	$ 739.875,50
54	INSCRITO	103	31139APX-T1	POLIURETANO GRIS MATE	2	KIT	$ 1.322.847,39	$ 2.645.694,78
64	INSCRITO	123	CEE BEE R-256	REMOVEDOR DE PINTURA X 5 GL	2	PAIL	$ 1.889.781,98	$ 3.779.563,96
76	INSCRITO	151	WYPALL X 80 REGULAR	WYPALL X-80 REGULAR	50	RO	$ 66.142,37	$ 3.307.118,50
89	INSCRITO	172	AD9318-FD	EPOXY PRIMER MIL-PRF-23377K TY 1 CL C2	2	KIT	$ 850.401,89	$ 1.700.803,78
116	INSCRITO	230	31147CPX-T1	CLEAR URETHANE	5	KIT	$ 1.322.847,39	$ 6.614.236,95
138	INSCRITO	277	31675LPX-T1	POLIURETANO VERDE METALIZADO	2	KIT	$ 2.834.672,97	$ 5.669.345,94
155	INSCRITO	321	ALCOHOL ISOPROPILICO CANECA	ALCOHOL ISOPROPILICO TT-I-735 CANECA X 55GL	6	DRUM	$ 11.161.612,43	$ 66.969.674,58
166	INSCRITO	343	PAPEL KRAFT	PAPEL KRAFT ROLLO DE 160 CM X 200 METROS DE LARGO, PAPEL DE 60 GRAMOS	35	RO	$ 118.111,37	$ 4.133.897,95
174	INSCRITO	359	31788LPX-T1	POLIURETANO GRIS METALIZADO	5	KIT	$ 2.834.672,97	$ 14.173.364,85
83	INSCRITO	162	Honey Bee 60T	SERVICE,WASTE DISPOSAL PAIL	1	EA	$ 2.314.982,93	$ 2.314.982,93
TOTAL ENTREGADO								$ 196.570.355,91

El 04/08/02023 el contratista, realiza entrega del siguiente material en las instalaciones de la Compañía Antinarcóticos de Aviación Guaymaral.

No DE CONTRATO 042-2-2023								
CONTRATISTA : UNION TEMPORAL CONSUMIBLES AERONAUTICOS PONAL 2023								
PEDIDO No. 01 ENTREGA 2 (COAGY) 04/08/2023								
Ítem del pedido	CONTRATO		Parte No.	Descripción	Cant.	U/M	Valor Unitario	Valor Total
	No.	Ítem						
4	INSCRITO	12	MS20995C20	LOCK WIRE	24	LB	$ 280.435,56	$ 6.730.453,44
5	INSCRITO	13	MS28775-015	O-RING	20	EA	$ 5.457,12	$ 109.142,40
16	INSCRITO	39	MS24694S60	SCREW,MACHINE	100	EA	$ 1.961,71	$ 196.171,00
17	INSCRITO	40	350689-1	SOCKET FLUORESCENT LIGHTS	10	EA	$ 36.751,96	$ 367.519,60
18	INSCRITO	41	PC458	CROCUS CLOTH 9" x 11" PACK X 5	2	EA	$ 552.557,84	$ 1.105.115,68
20	INSCRITO	47	WD-40	Lubricante Multiusos 382 ml/11 oz.	150	EA	$ 31.086,91	$ 4.663.036,50
22	INSCRITO	50	M25988/1-037	PACKING	50	EA	$ 24.253,89	$ 1.212.694,50
28	INSCRITO	59	26560201	FILTRO DE COMBUSTIBLE PRIMARIO	10	EA	$ 189.483,49	$ 1.894.834,90
29	INSCRITO	60	M27500-22TG3T14	CABLE X 1000 FT	1	RO	$ 5.214.267,07	$ 5.214.267,07
30	INSCRITO	61	MS29561-247	PACKING	20	EA	$ 17.735,65	$ 354.713,00
32	INSCRITO	66	CH-48110-1	OIL FILTER	15	EA	$ 359.563,87	$ 5.393.458,05
33	INSCRITO	67	BT-237	FILTRO DE ACEITE	10	EA	$ 113.690,09	$ 1.136.900,90
35	INSCRITO	71	MS24694S53	SCREW,MACHINE	200	EA	$ 985,31	$ 197.062,00
36	INSCRITO	74	AMS-QQ-A-250/5	SHEET METAL 0,020	5	EA	$ 1.515.867,90	$ 7.579.339,50
38	INSCRITO	76	AS3085-014	O-RING	100	EA	$ 2.880,15	$ 288.015,00
41	INSCRITO	81	MS29513-124	PACKING	100	EA	$ 8.337,27	$ 833.727,00
45	INSCRITO	88	6000-2	TEMP-PLATE	5	EA	$ 522.199,91	$ 2.610.999,55
46	INSCRITO	89	MS24665-377	PIN COTTER	400	EA	$ 6.063,47	$ 2.425.388,00
48	INSCRITO	91	JNT-K8S	SCRAPER PLASTIC	4	EA	$ 146.627,95	$ 586.511,80
50	INSCRITO	94	AMS-QQ-A-250-2024-T3-0.040	SHEET METAL	3	EA	$ 2.243.484,49	$ 6.730.453,47
52	INSCRITO	98	2599	LIJA Stikit De 3m 2599 P80	3	RO	$ 497.680,70	$ 1.493.042,10
56	INSCRITO	107	AN525-10R6	SCREW,MACHINE	200	EA	$ 2.501,18	$ 500.236,00
57	INSCRITO	108	TAPE MASKING 3/4 in	CINTA ENMASCARAR 233+ DE 18MM X 55MT= 3/4"	325	RO	$ 8.584,34	$ 2.789.910,50
59	INSCRITO	114	14310	Devcon® 14310 2-Ton - 25 mL Tube	7	TB	$ 236.822,75	$ 1.657.759,25
60	INSCRITO	115	TAPE MASKING 1/4 in	CINTA ENMASCARAR 233+ DE 6MM X 55MT= 1/4"	250	RO	$ 5.779,90	$ 1.444.975,00
62	INSCRITO	118	051131-07515	Scotch-Brite Roloc Blue 2"	200	EA	$ 44.069,72	$ 8.813.944,00
67	INSCRITO	128	BROCHA 1"	BROCHA PELO DE MARTA	25	EA	$ 82.067,56	$ 2.051.689,00
69	INSCRITO	133	AN960JD10L	WASHER	360	EA	$ 2.122,22	$ 763.999,20
72	INSCRITO	141	151394	VELCRO BLACK LOOP 50 MM X 25M	3	RO	$ 76.536,17	$ 229.608,51
73	INSCRITO	144	SIMONIZ	LIMPIADOR DE TAPIZADO ESPUMA x 400ml	100	EA	$ 25.417,57	$ 2.541.757,00
74	INSCRITO	147	AN381-2-16	PIN COTTER 1/16	12	EA	$ 909,52	$ 10.914,24
79	INSCRITO	155	BROCHA 1" IN	BROCHA 1" IN	100	EA	$ 3.496,10	$ 349.610,00
87	INSCRITO	168	AN960-416	WASHER	100	EA	$ 1.743,25	$ 174.325,00
95	INSCRITO	193	MIL-H-5606	HIDRAULICO 756	1	QT	$ 137.977,71	$ 137.977,71
96	INSCRITO	194	M81969/1-03	REMOVAL AND INSERT PLASTICO VERDE	20	EA	$ 70.533,89	$ 1.410.677,80
109	INSCRITO	216	BROCHA 2" IN	BROCHA 2" IN	100	EA	$ 14.078,88	$ 1.407.888,00
110	INSCRITO	218	AMS-QQ-A-250-2024-T3-0.020	SHEET METAL	5	EA	$ 1.515.867,90	$ 7.579.339,50
112	INSCRITO	222	AN525-832R7	SCREW	1000	EA	$ 2.349,60	$ 2.349.600,00
122	INSCRITO	241	TAPE MASKING 1 1/2 in	CINTA ENMASCARAR 233+ DE 36MM X 55MT = 1 1/2 PULGADA	200	RO	$ 20.948,24	$ 4.189.648,00
126	INSCRITO	255	BROCHA 2"	BROCHA PELO DE MARTA	25	EA	$ 82.067,56	$ 2.051.689,00
129	INSCRITO	262	AS3209-237	PACKING PREFORMED	30	EA	$ 22.738,02	$ 682.140,60
139	INSCRITO	278	MS20995CY15-48	LOCKWIRE COPPER	1	LB	$ 3.902.374,52	$ 3.902.374,52
143	INSCRITO	288	AN525-832R8	SCREW,MACHINE	200	EA	$ 2.425,39	$ 485.078,00
144	INSCRITO	290	BROCHA 3"	BROCHA PELO DE MARTA	30	EA	$ 82.067,56	$ 2.462.026,80
145	INSCRITO	294	CR3243-4-2	RIVET,BLIND	100	EA	$ 242.538,86	$ 24.253.886,00
146	INSCRITO	295	7440	SCOTCH-BRITE REF 7447 X ROLLO DE 6 PULGADAS X 30PIES	2	RO	$ 358.113,69	$ 716.227,38
149	INSCRITO	301	1300L	SCOTCH GRIP RUBBER ADHESIVE 1300L	15	QT	$ 535.056,28	$ 8.025.844,20
153	INSCRITO	310	CEPILLO DE COBRE	CEPILLO DE COBRE	40	EA	$ 5.952,81	$ 238.112,40
157	INSCRITO	326	OVEROLES TYVEK DUPONT	OVEROLES TYVEK DUPONT	100	EA	$ 26.263,24	$ 2.626.324,00
164	INSCRITO	340	MS20995C32	LOCK WIRE	15	LB	$ 87.313,99	$ 1.309.709,85
166	INSCRITO	343	PAPEL KRAFT	PAPEL KRAFT ROLLO DE 160 CM X 200 METROS DE LARGO, PAPEL DE 60 GRAMOS	35	RO	$ 118.111,37	$ 4.133.897,95
171	INSCRITO	354	151405	VELCRO NEGRO HEMBRA X 25 MTS	3	RO	$ 68.882,55	$ 206.647,65
173	INSCRITO	357	MIL-PRF-23699	OIL MOTOR 2380	153	QT	$ 149.254,98	$ 22.836.011,94
175	INSCRITO	362	MS20995CY20	LOCKWIRE COPPER	1	LB	$ 2.998.247,77	$ 2.998.247,77
TOTAL ENTREGADO								$ 166.454.922,23

Al correo electrónico diran.aravi-ped@policia.gov.co del del 09/08/2023, el contratista solicita a la supervisión prorroga al contrato 042-2-2023.



comercial <comercial@flylogistic.aero>
Para: DIRAN ARAVI-PED
Mié 09/08/2023 16:39

CARTA SOLICITUD PRORROG...
2 MB

Respetado Coronel buenas tardes, anexo carta de solicitud de prorroga a la fecha final del contrato 042-2-2023, se anexan documentos de soporte y copias de las remisiones entregadas, quedamos pendientes a su gentil respuesta, saludo cordial.

FLY LOGISTIC SERVICIOS - REPUESTOS - SUMINISTROS AERONÁUTICOS

Leonardo Garzón
Director Comercial
Fly Logistic S.A.S
PBX 601- 7689541
Calle 23D No.101B-30
Bogotá - Colombia

Declaración de Confidencialidad
La información contenida en este correo electrónico y los archivos asociados con este mensaje son para el uso exclusivo del destinatario y puede contener información privilegiada o confidencial sujeta a derechos de autor o constitutiva de secreto comercial protegida por la ley. Está estrictamente prohibido cualquier uso no autorizado, revelación, copia o distribución de este mensaje y sus archivos asociados. Si usted cree que ha recibido este mensaje por error, por favor póngase en contacto con el remitente inmediatamente y elimine el correo electrónico y todos los archivos asociados con este mensaje. No se garantiza que cualquier comunicación por correo electrónico que enviamos esté libre de virus antes de salir de nuestro sistema informático; no aceptamos ninguna responsabilidad por cualquier pérdida o daño que pueda causar al sistema informático del destinatario.

Mediante correo electrónico del 14/08/2023 el contratista da respuesta a la supervisión sobre la viabilidad de la adición y prorroga solicitada el FORPO.



VIABILIDAD ADICION Y PRORROGA CTO 042-2-203

comercial <comercial@flylogistic.aero>
Para: DIRAN ARAVI-PED; Ingenieria <ingenieria@flylogistic.aero>
Lun 14/08/2023 15:37

CARTA RESPUESTA ADICION ...
129 KB

Buenas tardes, me permito enviar carta respuesta a su solicitud, quedamos pendientes de su información, saludo cordial

FLY LOGISTIC SERVICIOS - REPUESTOS - SUMINISTROS AERONÁUTICOS

Leonardo Garzón
Director Comercial
Fly Logistic S.A.S
PBX 601- 7689541
Calle 23D No.101B-30
Bogotá - Colombia

Declaración de Confidencialidad
La información contenida en este correo electrónico y los archivos asociados con este mensaje son para el uso exclusivo del destinatario y puede contener información privilegiada o confidencial sujeta a derechos de autor o constitutiva de secreto comercial protegida por la ley. Está estrictamente prohibido cualquier uso no autorizado, revelación, copia o distribución de este mensaje y sus archivos asociados. Si usted cree que ha recibido este mensaje por error, por favor póngase en contacto con el remitente inmediatamente y elimine el correo electrónico y todos los archivos asociados con este mensaje. No se garantiza que cualquier comunicación por correo electrónico que enviamos esté libre de virus antes de salir de nuestro sistema informático; no aceptamos ninguna responsabilidad por cualquier pérdida o daño que pueda causar al sistema informático del destinatario.

El 18/08/02023 el contratista entrega el siguiente material en las instalaciones de la Compañía Antinarcóticos de Aviación Bogota**.**

No DE CONTRATO 042-2-2023								
CONTRATISTA : UNION TEMPORAL CONSUMIBLES AERONAUTICOS PONAL 2023								
PEDIDO No. 01 ENTREGA 3 (COABO) 18/08/2023								
Ítem del pedido	CONTRATO		Parte No.	Descripción	Cant.	U/M	Valor Unitario	Valor Total
	No.	Ítem						
6	INSCRITO	14	11.00-12	TIRE	10	EA	$ 6.711.744,95	$ 67.117.449,50
9	INSCRITO	23	BT-339	FILTRO DE ACEITE	12	EA	$ 61.417,91	$ 737.014,92
58	INSCRITO	110	394018	AIR FILTER	12	EA	$ 123.430,22	$ 1.481.162,64
61	INSCRITO	117	691035	FUEL FILTER	10	EA	$ 60.634,72	$ 606.347,20
71	INSCRITO	138	B3.1	BATERIAS F5-16NP 350 AMP	12	EA	$ 3.589.040,17	$ 43.068.482,04
75	INSCRITO	150	9.00X6	TIRE	4	EA	$ 6.251.765,22	$ 25.007.060,88
133	INSCRITO	268	18 X 5,5-10	TIRE	18	EA	$ 3.622.534,55	$ 65.205.621,90
168	INSCRITO	347	222K68-2	TIRE	4	EA	$ 2.953.632,85	$ 11.814.531,40
TOTAL ENTREGADO								$ 215.037.670,48


El dia 28 de agosto de la presente anualidad, el contratista entrega el siguiente material en la Compañía Antinarcóticos de Aviación Bogotá

No DE CONTRATO 042-2-2023								
CONTRATISTA : UNION TEMPORAL CONSUMIBLES AERONAUTICOS PONAL 2023								
PEDIDO No. 01 ENTREGA 4 (COABO) 28/08/2023								
Ítem del pedido	CONTRATO		Parte No.	Descripción	Cant.	U/M	Valor Unitario	Valor Total
	No.	Ítem						
170	INSCRITO	352	318K28-1	TIRE	16	EA	$ 6.518.132,07	$ 104.290.113,12
TOTAL ENTREGADO								$ 104.290.113,12

5.2. Actividades Desarrolladas por el Supervisor o Interventor

El material recepcionado el 01/08/2023, 04/08/2023, 18/08/2023 y 28/08/2023, se recibe por parte de esta supervisión y del personal técnico sin novedad especial, cumpliendo con lo estipulado en las condiciones técnicas y con la documentación soporte requerida.

Mediante correo electrónico del 04/08/2023, se le solicita indica al contratista que en el correo del 01/08/2023, no es el requerido por ETTA y por lo tanto se solicita la cancelación del item en el pedido 1.



DIRAN ARAVI-PED
Para: comercial <comercial@flylogistic.aero>
Vie 04/08/2023 11:0

MINISTERIO DE DEFENSA NACIONAL
POLICÍA NACIONAL
DIRECCIÓN DE ANTINARCÓTICOS
COMPAÑIA ANTINARCÓTICOS REGIONAL No 1

Policía Nacional
"Dios y Patria"
Cordial saludo

En atencion al correo del dia 01/08/2023, donde se informa el cambio de marca del item 131, y en atencion a loindicado por el señor Subintedente Jhon Pinzon de ETTA COABO, el material no es requerido con esas conidciones para Aviacion Policial, por parte de esta supervision se solicita la cancelación del item 131 del pedido 1

Atentamente,

Teniente Coronel. RODRIGO CARRERO BARRERA
Supervisor Contrato 042-2-2023

Mediante correo electrónico del 14/08/02023 y comunicado No GS-2023-093383-DIRAN, se envío al contratista la solicitud de viabilidad y prorroga de contrato 042-2-2023, hasta el 30/11/2023 y adición por $1.200.000.000,00, haciendo énfasis que debe cumplir con las condiciones técnicas como se han establecido inicialmente.



IABILIDAD ADICION Y PRORROGA CTO 042-2-203

DIRAN ARAVI-PED
Para: Leonardo Garzon <comercial@flylogistic.aero>
CC: DIRAN ARAVI-GRUAB1
Lun 14/08/2023 14:43

GS-2023-093383-DIRAN VIA...
424 KB

MINISTERIO DE DEFENSA NACIONAL
POLICÍA NACIONAL
DIRECCIÓN DE ANTINARCÓTICOS
COMPAÑIA ANTINARCÓTICOS REGIONAL No 1

Policía Nacional
"Dios y Patria"
Cordial saludo


En atencion a las necesidades que surgen dentro de la operacion aerea, como supervisor del CTO 042-2-2023 y teniendo en cuenta que se encuentra en ejecución el contrato de suministro No 042-2-2023, en el Fondo Rotatorio de la Policía, cuyo objeto es "SUMINISTRO CONSUMIBLES PARA EL ÁREA DE AVIACIÓN DE LA DIRECCIÓN DE ANTINARCÓTICOS-POLICÍA NACIONAL. Me permito remitir al contratista el documento GS-2023-093383-DIRAN

Atentamente,

Teniente Coronel. RODRIGO CARRRERO BARRERA
Supervisor Contrato 042-2-2023

Mediante comunicado oficial No GS-2023-093469-DIRAN, esta supervisión radica ante la dirección del FORPO, solicitud de adición, prorroga y aclaratorio al contrato 042-2-2023. (anexo al presente informe).

Mediante correo electrónico del 22/08/2023, se solicita a contratista anexar información adiciona con el propósito de radicar ante el FORPO, la factura de venta No 1



Solicitud entrega informacion

DIRAN ARAVI-PED
Para: Leonardo Garzon <comercial@flylogistic.aero>
CC: DIRAN ARAVI-GRUAB1
Cco: INGENIERIA FLY LOGISTIC SAS <ingenieria@flylogistic.aero>
Mar 22/08/2023 12:36

ES UN HONOR SER POLICÍA

MINISTERIO DE DEFENSA NACIONAL
POLICÍA NACIONAL
DIRECCIÓN DE ANTINARCÓTICOS
COMPAÑÍA ANTINARCÓTICOS REGIONAL No 1

Policía Nacional
"Dios y Patria"
Cordial saludo

Como supervisor del Contrato No. 042-2-2023, celebrado entre el Fondo Rotatorio de la Policía Nacional y la Unión Temporal CONSUMIBLES AERONAUTICOS PONAL 2023, cuyo objeto es **"SUMINISTRO CONSUMIBLES PARA EL ÁREA DE AVIACIÓN DE LA DIRECCIÓN DE ANTINARCÓTICOS-POLICÍA NACIONAL"** y en aras de la ejecución del mismo. De manera atenta me permito solicitar al contratista que para tramitar la factura No 1 ante el fondo rotatorio se hace necesario de manera urgente hacer llegar a este correo la siguiente documentación:

- RUT
- CERTIFICACION DE APORTES PARAFISCALES (ICBF, SENA, Y CAJA COMPENSACION FAMILIAR-CCF) Y CERTIFICACION DE PAGO AL SISTEMA GENERAL SEGURIDAD SOCIAL
- CERTIFICACIÓN BANCARIA NO MAYOR A LOS 30 DIAS
- ANEXO 13 FORMATO DE INFORMACION TRIBUTARIA PARA DESCUENTOS DE LEY
- DECLARACION DE IMPORTACION DE LOS BIENES RELACIONADOS EN LA FACTURA 1 SI APLICA

5.3. Actividades a realizar en los contratos de Mantenimientos preventivos y correctivos.

5.3.1 Especificar el tipo de Mantenimiento realizado:

Tipo de Mantenimiento	Marque con una X el mantenimiento correspondiente	Descripción de actividades Desarrolladas
Preventivo	N/A	N/A
Correctivo	N/A	N/A
Preventivo y Correctivo	N/A	N/A

5.3.2. Incluir cotizaciones del mercado cuando se requiera elementos no contemplados inicialmente en el contrato y este lo permita, anexar la información de costos y usos finales.

5.4 Manifestar la verificación y el cumplimiento total de las especificaciones técnicas de los bienes y servicios recibidos de acuerdo al contrato en su totalidad (aquí se relaciona todo el componente técnico ya sea bienes y servicios, en el cual el supervisor literal por literal, manifiesta la verificación y el cumplimiento de cada requerimiento por parte del Contratista)**.**

ANEXO ESPECIFICACIONES TÉCNICAS ANEXO No. 01

ITEM	NÚMERO DE PARTE	DESCRIPCIÓN	U/M	ESPECIFICACIÓN TÉCNICA	OBSERVACIONES
1	AMS-QQ-A-250-2024-T3-0.032	SHEET METAL	EA	Lamina de aluminio 2024-T3 de 0.032 de 48" X 144" - (4 X 12 ft.)	
2	10605000	Tape, Adhesive, Reflectorized Sheeting	RO	Tape, Adhesive, Reflectorized Sheeting	
3	284-50	FIBRA DE CARBON / STYLE 284-50 X 50 YARDAS	RO	FIBRA DE CARBON / STYLE 284-50 X 50 YARDAS, presentacion rollo	
4	HCX-46 FRANING	FILTRO DE ACEITE	EA	FILTRO DE ACEITE	RECIBIDO
5	MIL-PRF-85285E Type I- IV 15048	POLIURETANO AZUL	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I-IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	RECIBIDO
6	AMS-QQ-A-250/6	SHEET METAL 0,025	EA	Lamina de aluminio AMS-QQ-A-250/6, 0,025	
7	DWDCO	DRILLS 27/64	EA	BROCA COBALTO DWDCO SERIES 27/64	
8	DWDCO40	DRILLS No 40	EA	BROCA COBALTO DWDCO SERIES No 40	
9	205-076-034-007	FILTER	EA	FILTER	
10	HCS2101-04-60V	FILM, BAGGING NYLONX 1000FT (APPROX 333YDS)	RO	High temperature Nylon Film which can be used for cures up to 401 °F (205 °C), Tensile Strength 80MPa, Elongation MD: 300%, TD: 300% Width 30 in (open 60 in)	
11	AS3209-144	PACKING OIL ESCAVATION	EA	PACKING OIL ESCAVATION	
12	MS20995C20	LOCK WIRE	LB	MS20995C20 Stainless Steel 0.020" Diameter Safety Wire - 1 lb Roll	RECIBIDO
13	MS28775-015	O-RING	EA	O-RING	RECIBIDO
14	11.00-12	TIRE	EA	TIRE 11.00-12 PLY RATING 10,Rated Speed (MPH) 160, Maximum Braking Load (Lbs) 11890, Rated Inflation (PSI) 60	RECIBIDO
15	PA2824	FILTRO DE AIRE	EA	FILTRO DE AIRE	

16	MIL-H-83282	HIDRAULICO 782	QT	ROYCO 782 is synthetic hydraulic fluid developed to meet the severe duty demands of today's military and industrial equipment, suitable for use in applications operating at temperatures from -40°C to 205°C, qualified to MIL-SPEC: MIL-PRF-83282D	
17	LOCTITE SF 7649	Activador a base de disolvente / 4,5 OZ	EA	Activador para adhesivos y selladores anaeróbicos de Loctite,peso específico @ 25 °C 0,79, Viscosidad @ 20 °C, mPa·s (cP) 2, Tiempo de Secado a 20 °C, segundos 30 y 70	
18	MIL-PRF-85285E Type I- IV 37038	POLIURETANO NEGRO MATE	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I-IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	
19	1-480698-0	HOUSING FLUORESCENT LIGHTS	EA	HOUSING FLUORESCENT LIGHTS	
20	CR3553-5-8	REMACHE PACK X 100	EA	REMACHE PACK X 100	
21	AS568-110	O-RING	EA	O-RING	
22	MIL-PRF-85285E Type I- IV 17038	POLIURETANO NEGRO BRILLANTE	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I-IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	
23	BT-339	FILTRO DE ACEITE	EA	FILTRO DE ACEITE	RECIBIDO
24	AMS-QQ-A-250/6.	SHEET METAL 0,032	EA	Lamina de aluminio AMS-QQ-A-250/6 0,032	
25	DWDCO3/32	DRILLS 3/32	EA	BROCA COBALTO DWDCO SERIES 3/32	

26	DWDN35/64	DRILLS 35/64	EA	BROCA H.S.S DWDN SERIES 35/64	
27	459M08-2	TIRE	EA	SIZE 450X190-5 PLY RATING 10,Rated Speed (MPH) 190, Maximum Braking Load (Lbs) 5400, Rated Inflation (PSI) 75	
28	MOBIL 28	GREASE RED MOBIL 28 / 4.4 lb can	TRR	Supreme performance, high temperature, antiwear grease Oil Separation, 30 hr. at 177ºC, ASTM D 6184, vol-% 2.5, Evaporation Loss, ASTM D 2595, 22 hrs @ 177ºC, vol-% 5.2, COLOR RED	
29	CR3553-5-10	REMACHE PACK X 100	EA	REMACHE PACK X 100	
30	DWDACX61/16	DRILLS 1/16	EA	BROCA HSS DWDA/C SERIES 6" 1/16	
31	HCS2114	Flash Tape (cinta azul de composite)	RO	Polyester tape backed with a fully pressure silicone adhesive, Maximum cure temperature 400 °F (204 °C), Standard size 1 " x 72 YD	
32	3033356	PARTS KIT,FLUID PRESSURE FILTER	EA	PARTS KIT,FLUID PRESSURE FILTER	
33	FS1242	FILTRO DE COMBUSTIBLE PRIMARIO	EA	FILTRO DE COMBUSTIBLE PRIMARIO	RECIBIDO
34	MS22759/16-2-9	M22759/16-2-9 White Tape Coated Fiberglass X 100 MT	RO	White Tape Coated Fiberglass X 100 MT	
35	99-4781-026	PACKING	EA	PACKING	
36	AA-59166 TYPE II	POLIURETANO ANTIDESLIZANTE FD-37030	KIT	Coating Compound, Nonslip, designed to meet A-A-59166, Type II, Volume Solids: 49.91 ± LO, Viscosity: 80-90 KU's, Weight Solids: 71.32 ± 1.0	
37	1700X16	TIRE	EA	TIRE 17.00-16 PLY RATING 12,Rated Speed (MPH) 160, Maximum Braking Load (Lbs) 23200, Rated Inflation (PSI) 60	
38	DWDCO20	DRILLS No 20	EA	BROCA COBALTO DWDCO SERIES No 20	
39	MS24694S60	SCREW,MACHINE	EA	SCREW,MACHINE	RECIBIDO
40	350689-1	SOCKET FLUORESCENT LIGHTS	EA	SOCKET FLUORESCENT LIGHTS	RECIBIDO
41	PC458	CROCUS CLOTH 9" × 11" PACK X 5	EA	Hojas de tela Crocus 9" × 11" PACK X 5	RECIBIDO
42	FS20000	FILTRO DE COMBUSTIBLE SECUNDARIOS	EA	FILTRO DE COMBUSTIBLE SECUNDARIO	
43	M25988/1-152	PACKING	EA	PACKING	
44	CR3553-5-9	REMACHE PACK X 100	EA	REMACHE PACK X 100	
45	DWDCO30	DRILLS No 30	EA	BROCA COBALTO DWDCO SERIES No 30	
46	99-4346-152	PACKING	EA	PACKING	

47	WD-40	Lubricante Multiusos 382 ml/11 oz.	EA	Producto Multiusos lubrica piezas móviles como bisagras, ruedas, rodillos, cadenas y engranajes. Protege contra el óxido y la corrosión en elementos como herramientas y equipos, PUNTO DE EBULLICIÓN: 150°C (300° F), PUNTO DE INFLAMABILIDAD:59°C (138 °F) (TCC)	RECIBIDO
48	AMS3374D Type 1	Primerless Silicone Firewall Sealant - 6 oz Cartridge	EA	Adhesive, solvent-free, thixotropic silicone paste,used as a coating, sealant, or filleting material in the construction, repair and maintenance of all types of aircraft. Excellent fire resistance to 3500°F (1927°C),Service temperature of -65°F to 400°F (-54°C to 204°C) Qualified to BMS 5-63, AMS3374, BAMS 552-004, and CMNP009	
49	MIL-T-6095	THINNER EXTRAFINO DE 52 GL	DRUM	Blush retarding thinner used in thinning cellulose nitrate dopes and lacquers, Specific gravity. 0.843-0.859, Non-volatile content (max) 10 mg/100 ml	RECIBIDO
50	M25988/1-037	PACKING	EA	PACKING	RECIBIDO
51	ASTM-D-329	ACETONA X 5 GL	PAIL	Acetone technical Meets ASTM-D-329, Flash point 1°F, CAS 67-64-1, Specific Gravity 0,7918, Purity. 99,8% by Weight.	
52	DA7801	FILTRO DE AIRE	EA	FILTRO DE AIRE	RECIBIDO
53	BMS-9-3-120	BMS9-3 TYPE D STYLE 120 CLOTH FIBERGLASS 38" 136 Yards	RO	BMS 9-3 Style 120 is typically used for interior cabin structures including seats, luggage bins, bulkheads, lavatories, wall panels and in honeycomb structures. Weave Style 4 Harness Satin, Breaking Strength Warp 160 lbf/in	
54	328Q28-2	TIRE	EA	SIZE 32X8.8R16 PLY RATING 12,Rated Speed (MPH) 190, Maximum Braking Load (Lbs) 16500, Rated Inflation (PSI) 140	
55	MIL-PRF-23827B	AEROSHELL GREASE 7 6.6 lb Can	TRR	Advance multipurpose grease, it is inhibited against corrosion and has excellent resistance to water, useful operating temperature range	

				is -73 °C to +120 °C meets MIL-PRF-23827	
56	MIL-PRF-85285E Type I- IV17925	POLIURETANO BLANCO BRILLANTE	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I-IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	RECIBIDO
57	75310-0530	LIMPIAVIDRIOS X 530cc	EA	Limpiavidrios 530 Cm3, -Es un agente limpiavidrios de secado rápido-y aplicación directa.-Producto Biodegradable-que no contiene amoniaco-y no irrita ni causa daño a quien lo usa	
58	6895177	ELEMENT FILTER FUEL PUMP	EA	ELEMENT FILTER FUEL PUMP	
59	26560201	FILTRO DE COMBUSTIBLE PRIMARIO	EA	FILTRO DE COMBUSTIBLE PRIMARIO	RECIBIDO
60	M27500-22TG3T14	CABLE X 1000 FT	RO	cables designed primarily for use in aircraft and ground support equipment, their high performance and versatility makes them ideal in a wide variety of general-purpose electrical and electronic applications. White Jacket 22 AWG 3 Conductor Shielded White Jacket 22 AWG 3 Conductor Shielded	RECIBIDO
61	MS29561-247	PACKING	EA	PACKING	RECIBIDO
62	MS25237-327	LAMP	EA	LAMP	
63	M-25988-1-916	PACKING	EA	PACKING	
64	DWDCO5/16	DRILLS 5/16	EA	BROCA COBALTO DWDCO SERIES 5/16	
65	MIL-G-6032	EZ TURN LUBRICANT FUEL LUBE TYPE 1 1LB	LB	Sealant and lubricant for oil and fuel line valves. Resistant to high temperatures, Worked Penetration 220 ASTM D-1403, Color Cream , Low Temperature Torque at 0° F - Starting Torque 55,250 g-cm ASTM D-1478	
66	CH-48110-1	OIL FILTER	EA	OIL FILTER	RECIBIDO
67	BT-237	FILTRO DE ACEITE	EA	FILTRO DE ACEITE	RECIBIDO

68	M25988/1-022	PACKING FUEL	EA	PACKING FUEL	
69	HL20PB86-6-8	HI LOK PIN COLLAR PACK X 100	EA	HI LOK PIN COLLAR PACK X 100	
70	DWDCO1/8	DRILLS 1/8	EA	BROCA COBALTO DWDCO SERIES 1/8	
71	MS24694S53	SCREW,MACHINE	EA	SCREW,MACHINE	RECIBIDO
72	Magnobond 6398-AB-1/PT	Thixotropic Paste Epoxy Adhesive - Pint Kit	PINT-KIT	Two-component thixotropic paste epoxy system designed for bonding metals and composite structures, Cure Schedule, 7 days @ 77°F or 1 hour @ 150°-250°F, Specific Gravity, Part A: 1.3,Part B: 1.0,Mix: 1.25	
73	HCS2411-035	FIBRA KEVLAR / 353-50 X 50 YARDAS	RO	The JPS Kevlar® Dry Fabric 353 is an aramid fiber reinforcement for use in aerospace applications where high strength, low weight, and impact resistance are essential, Style: 353, Weave: 4 Harness Satin,Dry Fabric Nominal Thickness: 9.4mil (.24mm)	
74	AMS-QQ-A-250/5	SHEET METAL 0,020	EA	Lamina de aluminio AMS-QQ-A-250/5 0,020	RECIBIDO
75	DA2570	FILTRO DE AIRE	EA	FILTRO DE AIRE	
76	AS3085-014	O-RING	EA	O-RING	RECIBIDO
77	MIL-P-87938	MEK PEROXIDE	GL	Methyl Ethyl Ketone Peroxide, CAS Nr: 1338-23-4, Viscosity at 20°C. 16 mPa s, Density at 20°C. 1,128 g/ml	
78	ABRASIVE 240 GRIT	Abrasive Cloth or Paper, X PLIEGO	EA	Abrasive Cloth or Paper, X PLIEGO	
79	MIL-PRF-85285E Type I- IV	POLIURETANO COLOMBIAN POLICE BLUE METALLIC	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I-IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	RECIBIDO
80	WF336680	FILTER ELEMENT OIL	EA	FILTER ELEMENT OIL	
81	MS29513-124	PACKING	EA	PACKING	RECIBIDO
82	MIL-T-81772B TIPO I	THINNER TIPO I X 5 GL	PAIL	POLYURETHANE THINNER This product conforms to MIL-T-81772, Type I, MIN. FLASH POINT ºF (ºC) 22ºF (- 5ºC) is intended for use with:MIL-PRF-83231, 83286, 85285,	

				85322 (2 Part Aliphatic Polyurethane Coatings).MIL-DTL-46168 (2 Part CARC Polyurethane Coating)	
83	4415122	FILTRO SEPARADOR DE AGUA	EA	FILTRO SEPARADOR DE AGUA	RECIBIDO
84	TOLUENO	TOLUENO X 5 GL	PAIL	Nombre Comercial Tolueno, Fórmula Química C7H8, CAS 188-88-3, DENSIDAD 0.87 g/cc, PUNTO DE INFLAMACION 4° –9°C , INDICE DE REFRACCION. 1.4967.	RECIBIDO
85	DEWEZS1-9	SCREW EXTRACTORS X SET	EA	SCREW EXTRACTORS SET SIZE-RANGE 1-9 DEWEZS1-9	
86	MIL-G-81322	GREASE,AIRCRAFT Mobil grease 28, 13.4 oz tube	EA	General purpose aircraft Grease Supreme performance, high temperature, antiwear grease meets the quality level of U.S. Military Specification MIL-G-81322E, NLGI Grade 1.5	
87	DWDCO5/32	DRILLS 5/32	EA	BROCA COBALTO DWDCO SERIES 5/32	
88	6000-2	TEMP-PLATE	EA	TEMP-PLATE	RECIBIDO
89	MS24665-377	PIN COTTER	EA	PIN COTTER	RECIBIDO
90	24M-XHD 800CCA-1000MCA	BATERIA	EA	Bateria 24M-XHD Amperios de arranque en frío (CCA) 800, Amperios de arranque (CA)1000, Reserva de Capacidad (RC) 135 minutos	
91	JNT-K8S	SCRAPER PLASTIC	EA	SCRAPER PLASTIC	RECIBIDO
92	HCS2410-020	FIBERGLASS, DRY FABRIC, VOLAN 1 ROLL= 38" WIDE X 125 YDS	RO	Hexcel's HexForce® Fiberglass Dry Fabric 1581, Fire resistance, Thermal and electrical insulating properties, Fabric Thickness: 8.5mil (.22mm), Weave Style: 8 Harness Satin, Weave Style 8 Harness Satin, Breaking Strength Warp 450 lbf/in, Filling 380 lbf/in	
93	PR1428-B 1/2	ADHESIVE SEALANT	PINT-KIT	PR-1428 CLASS B is a two-part manganese dioxide cured, polysulfide compound. It has a service temperature range from -65°F (-54°C) to 250°F (121°C) Tested in accordance with MIL-S-8784 CLASS B	
94	AMS-QQ-A-250-2024-T3-0.040	SHEET METAL	EA	Lamina de aluminio 2024-T3 de 0.040 de 48" X 144" - (4 X 12 ft.)	RECIBIDO

95	5423	CINTA ANTIFRICCION MODEL S-18660	RO	3M 5423 UHMW Film Tape - 2" x 18 yds Reduces friction, noise and vibration on material handling equipment. Handles temperatures from –30°F to 225°F.	
96	VAC1-5SET	STEP DRILLS X SET	EA	STEP DRILL VAC SERIES 5 Piece Set #1, 2, 3, 4, 5 VAC1-5SET	
97	281881-001	BATERIAS 12 V. DELCO	EA	281881-001 DEKA BATTERY 12 VOLT-HOBART GROUND SYSTEM	
98	2599	LIJA Stikit De 3m 2599 P80	RO	LIJA Stikit De 3m 2599 P80	RECIBIDO
99	TELA DE GARZA	TELA DE GARZA X 100 MT	RO	TELA DE GARZA X 100 MT	
100	HCS2108-NP	FILM, RELEASE NON-PERFORATED 1 ROLL = 48" WIDTH X 200 YDS	RO	HCS2108-NP is an FEP resin base release film exhibits high elongation and excellent release characteristics, maximum use temperature 500 °F (260°C) Elongation MD: 160 %, TD: 200 %	
101	TAPE MASKING 2 in	CINTA ENMASCARAR 233+ DE 48MM X 55MT = 2"	RO	CINTA ENMASCARAR 233+ DE 48MM X 55MT = 2"	
102	MS24665-306	PIN COTTER	EA	PIN COTTER	
103	MIL-PRF-85285E Type I- IV 36231	POLIURETANO GRIS MATE	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I-IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	RECIBIDO
104	842921	OIL FILTER	EA	OIL FILTER	
105	CEPILLO CERDA METALICA	CEPILLO DE CERDA DE BRONCE	EA	CEPILLO DE CERDA DE BRONCE	
106	TSD27ST	BROCA No 27 TALADRO DE 90	EA	BROCA No 27 TALADRO DE 90	
107	AN525-10R6	SCREW,MACHINE	EA	SCREW,MACHINE	RECIBIDO
108	TAPE MASKING 3/4 in	CINTA ENMASCARAR 233+ DE 18MM X 55MT= 3/4"	RO	CINTA ENMASCARAR 233+ DE 18MM X 55MT= 3/4"	RECIBIDO
109	RG-400	RG-400 High- Coaxial Cable DXE-RG400-CTL X 500 FT	RO	Cable coaxial de RF flexible estándar RG-400 DXE-RG400-CTL X 500 FT	
110	394018 IAW 394018S	AIR FILTER	EA	AIR FILTER	RECIBIDO

111	DWDCO27	DRILLS No 27	EA	BROCA COBALTO DWDCO SERIES No 27	
112	TSD5/32ST	BROCA No 5/32 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 5/32	
113	PINCEL N:o 8 PLANO	PINCEL N:o 8 PLANO	EA	PINCEL N:o 8 PLANO	
114	14310	DEVCON® 14310 2-TON - 25 ML TUBE	TB	Extremely strong, medium-cure, water-resistant clear adhesive that will self-level after application, Color (Mixed) Clear,Service Temperature Dry, -40°F to 200°F, Impact Resistance 6.5 ft.-lb./in.(2), 14310 25 ml Dev-Tube	RECIBIDO
115	TAPE MASKING 1/4 in	CINTA ENMASCARAR 233+ DE 6MM X 55MT= 1/4"	RO	CINTA ENMASCARAR 233+ DE 6MM X 55MT= 1/4"	RECIBIDO
116	TSD40ST	BROCA No 40 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 40	
117	691035	FUEL FILTER	EA	FUEL FILTER	RECIBIDO
118	051131-07515	SCOTCH-BRITE ROLOC BLUE 2"	EA	Scotch-Brite Roloc Blue 2"	RECIBIDO
119	DWDCO7/32	DRILLS 7/32	EA	BROCA COBALTO DWDCO SERIES 7/32	
120	HCS2108-P5	FILM, RELEASE PERFORATED, 48" X 200 YD	RO	HCS2108-P5 FILM, RELEASE PERFORATED, 48" X 200 YD	
121	MS9388-009	PACKING	EA	PACKING	
122	SKF 17699	RADIAL SHAFT SEAL	EA	RADIAL SHAFT SEAL	
123	CEE BEE R-256	REMOVEDOR DE PINTURA X 5 GL	PAIL	High-performing paint stripper for removing urethanes, epoxies, primers and enamels Conforms To MIL-R-81294	RECIBIDO
124	MIL-T81772B TIPO II	THINNER TIPO II X 5 GL	PAIL	EPOXY THINNER This product conforms to MIL-T-81772, Type II, MIN. FLASH POINT ºF (ºC) 32ºF (0ºC) Epoxy Thinner is intended for use with:MIL-DTL-24441 Paint & Primer all Types.MIL-PRF-22750 Epoxy Polyamide Coatings,MIL-PRF-23236 Epoxy Primers & Coatings,MIL-PRF-23377 Epoxy Polyamide Primer Coatings,MIL-DTL-53022 Epoxy Primer,MIL-PRF-4556 Epoxy Primer & Topcoat	
125	WK1030	MAIN FILTER	EA	MAIN FILTER	
126	M27500-22TG2T14	CABLE X 1000 FT	RO	White Jacket 22 AWG 2 Conductor Shielded Cable, MaterialTin Plated Copper/ETFE	

127	CPC	CPC GRADO 2	GL	Class II Solvent cutback corrosion preventive compound, FLASH PMCC Minimum 106°F, Specific Gravity @60°F (15.6 °C) 0.88, CURE TIME 24 HOURS	
128	BROCHA 1"	BROCHA PELO DE MARTA	EA	BROCHA PELO DE MARTA	RECIBIDO
129	LIMPIADOR DE TAPICERIA	LIMPIADOR DE TAPICERIA ESPUMA 400ml	EA	LIMPIADOR DE TAPICERIA ESPUMA 400ml	
130	TSDDST	BROCA LETRA D TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE D	
131	305447-3079-G1	16 HP VANGUARD ENGINE	EA	479cc Vanguard Series Engine With 1 In. Tapped 3/8 - 24 Keyway Crankshaft (CARB)	
132	HYSOL EA9320NA	AERO EPOXY ADHESIVE 1 QT KIT	QT / KIT	LOCTITE EA 9320NA AERO is a two-component paste adhesive with good peel strength as well as elevatedtemperature resistance. The temperature of the separate components prior to mixing is notcritical, but should be close to room temperature (77°F/25°C)	
133	AN960JD10L	WASHER	EA	WASHER	RECIBIDO
134	M25988-1-152	PACKING	EA	PACKING	
135	S-12490	GUANTES DE NITRILO	BOX	GUANTES DE NITRILO	
136	HUT12260	DRILL GAUGES	EA	DRILL GAUGES Wire Gauge Sizes #1 to 60 HUT12260	
137	RTV106	MOMENTIVE SEALANT RED, 10.1 OZ CARTRIDGE	TB	RTV106 sealant is paste-consistency sealant,standard strength hightemperature sealant.Application Rate,(g/min) 400,Tack-Free Time, min. 20	
138	B3.1	BATERIAS FS-16NP 350 AMP	EA	BATERIA DE 350 AMP F5-16NP	RECIBIDO
139	214-040-812-003	SEAL, GREASE	EA	SEAL, GREASE	
140	DWDN9/16	DRILLS 9/16	EA	BROCA H.S.S DWDN SERIES 9/16	
141	151394	VELCRO BLACK LOOP 50 MM X 25M	RO	VELCRO BLACK LOOP 50 MM X 25M	RECIBIDO
142	AS3209-162	PACKING PREFORMED	EA	PACKING PREFORMED	
143	DWDCO25/64	DRILLS 25/64	EA	BROCA COBALTO DWDCO SERIES 25/64	
144	SIMONIZ	LIMPIADOR DE TAPIZADO ESPUMA x 400ml	EA	LIMPIADOR DE TAPIZADO ESPUMA x 400ml	RECIBIDO
145	DWDCO3/16	DRILLS 3/16	EA	BROCA COBALTO DWDCO SERIES 3/16	
146	CRC 5-56	LUBRICANTE 5-56 PENETRANTE 400CC	EA	Producto multiuso de mantenimiento en spray. Acaba con el óxido y la	

				corrosión, desplaza el agua y elimina el óxido y la suciedad. 400 ml, Peso específico (@ 20ºC): 0.82, Punto de inflamación (vaso cerrado) : 78ºC, Viscosidad (@ 40 ºC) : 26 mPa.s	
147	AN381-2-16	PIN COTTER 1/16	EA	PIN COTTER 1/16	RECIBIDO
148	MIL-PRF-85285E Type I- IV 16251	POLIURETANO GRIS BRILLANTE	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I-IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	
149	AS5685, 0,041	LOCK WIRE	LB	Steel, Corrosion Resistant, Safety Wire AS5685, 0,041" Diameter	
150	9.00X6	TIRE	EA	TIRE 9.00-6 PLY RATING 10,Rated Speed (MPH) 120, Maximum Braking Load (Lbs) 6530, Rated Inflation (PSI) 58	RECIBIDO
151	WYPALL X 80 REGULAR	WYPALL X-80 REGULAR	RO	WYPALL X-80 REGULAR	RECIBIDO
152	400642-003	VOLTIMETRO 28V DC	EA	VOLTIMETER DC 400642-003 HOBART	
153	EC-776	3M™ SCOTCH-WELD™ FUEL RESISTANT COATING EC-776 QUART	QT	General purpose, solventbased adhesive/coatings with good adhesion to synthetic rubber, metal, glass,and many plastics, Flash Point (Closed Cup)55°F (13°C) Viscosity 1500 ± 500 cps, Color Transparent Amber	
154	VAC5	STEP DRILLS	EA	STEP DRILLS 12 STEPS, RANGE 1 /4”–1-3/8”x8ths VAC5	
155	BROCHA 1" IN	BROCHA 1" IN	EA	BROCHA 1" IN	RECIBIDO
156	PR1440-A 1/2	ADHESIVE SEALANT	PINT-KIT	PR-1440 CLASS A is an aircraft integral fuel tank sealant, Cured specific gravity 1.57 / Non volatile content % 86, Tested in accordance with AMS-S-8802	
157	04016	LPS 04016 NOFLASH ELECTRO CONTACT CLEANER 12OZ, CLEAR	EA	LPS 04016 (07416) non-flammable electro contact cleaner is ideal for removing dirt, moisture, dust, flux and	

				oxides. Boiling Point / Range 118°F (47.78°C), VOC Content 59.5% Water Solubility <0.14 g/L @ 68°F	
158	DWDN37/64	DRILLS 37/64	EA	BROCA H.S.S DWDN SERIES 37/64	
159	HCS 2125	SEALANT TAPE Black Roll – HCS2125	RO	HCS 2125 is a high temperature sealant tape for autoclave applications up to 450 °F (232 °C), solids 100%, non flammable, standar size 0.125"x.0.5" x32ft	
160	DWDCO13/64	DRILLS 13/64	EA	BROCA COBALTO DWDCO SERIES 13/64	
161	MS24617-33	SCREW	EA	SCREW	
162	Honey Bee 60T	SERVICE,WASTE DISPOSAL	EA	Acidic liquid cleaner developed for removal of hard water scale and accumulated waste materials from vacuum and re-circulating toilet systems in aircraft.Blue liquid, Surfactants biodegradable	RECIBIDO
163	400641-012	AMPERIMETRO	EA	Ammeter, DC, 0-2000 Amps, 50 mVDC	
164	AS3085-126	PACKING PREFORMED	EA	PACKING PREFORMED	
165	AMS-QQ-A-250-2024-T3-0.050	SHEET METAL	EA	Lamina de aluminio 2024-T3 de 0.050 de 48" X 144" - (4 X 12 ft.)	
166	A-A-2714	BAGS PLOTH	EA	BAGS PLOTH A-A-2714	
167	PERMALON 327	LUBRICANT, DRY FILM 14 OZ CAN AEROSOL	EA	Lubricant, Dry Film 14 OZ CAN Aerosol PERMALON 327	
168	AN960-416	WASHER	EA	WASHER	RECIBIDO
169	MS287784	O-RING	EA	O-RING	
170	ST3002-05	PACKING	EA	PACKING	
171	PR1428-A 1/2	ADHESIVE SEALANT	PINT-KIT	PR-1428 CLASS A is a low adhesion sealant Cured specific gravity 1.49 / Non volatile content % 92 Tested in accordance with MIL-S-8784 CLASS A	
172	AD9318-FD	EPOXY PRIMER MIL-PRF-23377K TY 1 CL C2	KIT	Fast Dry, Two Component Aeroprime Primer per MIL-PRF-23377K, Type I, Class C2, AD9318-FD Aeroprime Primer - Component A: Weight per Gallon: 12.1 lbs. +/- 0.2,Curing Agent - Component B, Weight per Gallon: 7.1 lbs. +/-0.2, Catalyzation Ratio: 3:1 by volume, Viscosity: 21 - 25" #2 Zahn	RECIBIDO
173	3029566	GASKET, FUEL NOZZLE	EA	GASKET, FUEL NOZZLE	

174	53039WPX	PRIMER PARA COMPUESTOS	KIT	High Build, Fast Drying, Urethane Primer Surfacer, used to eliminate mild imperfections in composite substrates, It meets and exceeds the performance requirements of MEP 10-070, Catalyzation Ratio: 3:1 by volume , Weight Solids:69.1% ± 1.0, Viscosity: 28 ± 5" #4 Ford Cup	
175	6873905	RING,RETAINING	EA	RING,RETAINING	
176	403809-002	SWITCH PRESION DE ACEITE	EA	SWITCH PRESION DE ACEITE	
177	PLIOBOND 20	SOLVENT BASED ADHESIVE PLIOBOND	PT	Pliobond 20 Is a general thermosetting adhesive that can be used to bond virtually all porous and nonporous substrates, Base synthetic Rubber, specific gravity 0.868, flash poitn 20°F, application temperature 40-100°F	
178	PGC13	PRIST ACRYLIC PLASTIC GLASS CLEANER 13 oz Aerosol Can	EA	Acrylic, plastic and glass cleaner. TESTED AGAINST FEDERAL TEST STANDARD METHOD NO. 406 AND MIL-P-008184D,works inside and outside the aircraft, and on metal and vinyl, without harming painted surfaces. 13 oz Aerosol Can	
179	RTV 732	DOWSIL 732 - 90 ML (3 OZ) TUBE	TB	General purpose silicone adhesive/sealant Stable and flexible from -60°C to +180°C (-76°F to +356°F), with short peaks up to +205°C (401°F) Complies with MIL-A-46106, Specific gravity 1.04	
180	S-10169	3M 3743 CARTON SEALING TAPE - CLEAR, 3" X 55 YDS MODEL NO.S-10169	RO	3m 3743 Cinta Transparente Para Cajas - Largo x Ancho 50 m x 76 mm -X ROLLO	
181	AXAREL 1000	CLEANING SOLVENT X 5 GL	PAIL	Approved MIL-PRF-680 Type I cleaner suitable for the replacement of isopropyl alcohol (IPA), acetone, methyl ethyl ketone (MEK), Low Toxicity, Non-Corrosive, Flash Point 127 °F (53 °C), Viscosity (25 °C) 1.36 cps	
182	DWDCO10	DRILLS No 10	EA	BROCA COBALTO DWDCO SERIES No 10	
183	ACF-50	ACF-50 LUBRICANT 10013 PURPLE, 13 OZ AEROSOL CAN	EA	Anti-corrosion/lubricant compound, that has been specifically designed for the	

				Aerospace Industry, qualified to Mil-C-81309E, Type II class I.	
184	DWDA/CX61/16	DRILLS 6¨ 1/16	EA	BROCA HSS DWDA/C SERIES 6" 1/16	
185	BINNER	LIMPIADOR DE PANTALLAS LCD x 50 ml	EA	LIMPIADOR DE PANTALLAS LCD x 50 ml	
186	A-701	PRIMER Zinc Phosphate Yellow (12 oz.)	EA	A self-etching primer that is chromate-free and chemically bonds with aluminum and steel to form a corrosion resistant base coat. Tack free – 10 minutes, Fully dry – 48 hours, Meets performance standards outlined in Federal Specification TTP1757B.	
187	MS3367-2-9	STRAP TIEDOWN, PACK X 100 PCS	EA	STRAP TIEDOWN, PACK X 100 PCS	
188	MS25488	PLUG CONTACTOR SALIDA	EA	PLUG CONTACTOR SALIDA	
189	DWDCO15/64	DRILLS 15/64	EA	BROCA COBALTO DWDCO SERIES 15/64	
190	TSD20ST	BROCA No 20 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 20	
191	MOBIL OIL JET 254	LUBRICATING OIL,AIR	QT	Extra high performance, synthetic aircraft-type gas turbine lubricant engineered to meet the performance requirements for gas turbine engines used in commercial and military aircraft The effective operating range of the lubricant is between -40°C (-40 °F) and 232°C (450°F). Specific Gravity 1.0044	
192	PR-1440B-1/2.	ADHESIVE SEALANT	QT / KIT	PR-1440 Class B is an aircraft integral fuel tank sealant. It has a service temperature range from -65°F (-54°C) to 250°F (121°C) Tack free time (hours)<4, Cure time to 35 A Durometer (hours) 12	
193	MIL-H-5606	HIDRAULICO 756	QT	Red-dyed, mineral oil based hydraulic fluid developed for the severe duty demands of aerospace and industrial service, Wide operating temperature range, Low temperature fluidity meets MIL-SPEC: MIL-PRF-5606H, Flash Point, COC, °F 231, API Gravity 30.8	RECIBIDO
194	M81969/1-03	REMOVAL AND INSERT PLASTICO VERDE	EA	REMOVAL AND INSERT PLASTICO VERDE	RECIBIDO
195	MS20995C25	LOCK WIRE	LB	MS20995C25 Stainless Steel 0.025" Diameter Safety Wire - 1 lb Roll	

196	22 X 6,75-10	TIRE	EA	TIRE 22X6.75-10 PLY RATING 10,Rated Speed (MPH) 190, Maximum Braking Load (Lbs) 8550, Rated Inflation (PSI) 125	
197	A-A-59303, Type T1	TALCUM POWDER, TECHNICAL GRADE,	LB	Powder 20.0 by weight magnesium oxide and 40.0 by weight magnesium oxide and 35.0 by weight silicon dioxide and 65.0 by weight silicon dioxide	
198	AN6235-3A	GREEN FILTER ELEMENT	EA	GREEN FILTER ELEMENT	
199	287562	SOLENOIDE ACELERACION JET X 4D	EA	SOLENOIDE ACELERACION JET X 4D	
200	6870032	FILTER ELEMENT LUBR	EA	FILTER ELEMENT	
201	D-321 R	MOLYKOTE Anti-Friction Coating Spray, 312 gm	EA	For metal/metal combinations with slow to medium fast movements and high loads. Suitable for the permanent lubrication of highly stressed sliding guides with low sliding speeds, Viscosity at 23°C (#3 cup) seconds 23, Density at 20°C g/ml 1.07 Service temperature range °C -180 to 450	
202	19.5 X 6.75-8 / -10	TIRE	EA	TIRE 19.5x6.75-8 PLY RATING 10,Rated Speed (MPH) 225, Maximum Braking Load (Lbs) 6400, Rated Inflation (PSI) 110	
203	DGF-123	GRAPHITE, 9 OZ AEROSOL	EA	Dry Graphite Film Spray is for pre-assembly and assembly lubrication, heat tolerant to 3000 °F, Dry in 2-3 min, excellent conductor for electrical applications.	
204	206-010-147-001	PLUG,PROTECTIVE	EA	PLUG,PROTECTIVE	
205	TSDFST	BROCA LETRA F TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE F	
206	HYSOL 934	Aero Epoxy Paste Adhesive, Quart Kit	QT / KIT	LOCTITE EA 934NA AERO is a two-component thixotropic paste adhesive, which cures at room temperature and possesses superior strength to 300°F/149°C and higher, MMM-A-132 Qualified,The temperature of the separate components prior to mixing is not critical, but should be close to room temperature (77°F/25°C)	
207	MIL-W-18723	AIRCRAFT SOLVENT TYPE WAX	GL	Wax that cleans and polishes aircraft fuselages ref mil-w-18723	

208	DWDCO5	DRILLS No 5	EA	BROCA COBALTO DWDCO SERIES No 5	
209	SHC 626	OIL TRANSMISION X 5 GL	PAIL	Aceite de excelente rendimiento para cojinetes y engranajes, diseñados para proporcionar un servicio destacado en terminos de protección de euipos, vida del aceite y operación sin problemas, alto indice de viscosidad y ausencia de ceras, Grado de viscosidad ISO 68, punto de congelamiento -48°C, punto de inflamación 236°C	
210	03116	CFC FREE ELECTRO CONTACT CLEANER	EA	Electro contact cleaner ASTM F-519, Type 1C, Boiling Point / Range 140.9°F (60.5°C), Flash Point Aerosol: < 1.4°F (< -17.0°C) TCC, Safe on Plastics, Fast Evaporating; Leaves No Residue.	
211	00216	LUBRICANTE LPS N°2	EA	Es un lubricante y protector de acción rápida y penetración profunda, proporciona un recubrimiento aceitoso ligero, Resistencia dieléctrica: 33 Kv.Punto de inflamación 175°F (79°C) TCC-dispensed liquid, Gravedad específica 0.82 – 0.86 @ 20°C, Rango de temperatura, 32°F (0°C) to 325°F (163°C)	
212	80183	PLASTIC CLEANER , 16 OZ	TB	Plastic Cleaner removes grease, stains and dirt, cleaning most plastics without scratching, Physical Form Liquid, Primary Container Type Can, NSN 7930014429667	
213	402788	BRUSH	EA	BRUSH	
214	DWD29J-DB-SET	QUALTECH DRILL BLANKS X SET	EA	DRILL SET Qualtech Drill Blanks DWD29J-DB-SET	
215	204-040-760-109	FILTER ELEMENT FLUID	EA	FILTER ELEMENT FLUID	
216	BROCHA 2" IN	BROCHA 2" IN	EA	BROCHA 2" IN	RECIBIDO
217	MIL-PRF-85285E Type I- IV 17886	POLIURETANO BEIGE BRILLANTE	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I-IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-	

				900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	
218	AMS-QQ-A-250-2024-T3-0.020	SHEET METAL	EA	Lamina de aluminio 2024-T3 de 0.020 de 48" X 144" - (4 X 12 ft.)	RECIBIDO
219	PR-1428, CLASS B-2	ADHESIVE SEALANT	QT / KIT	PR-1428 CLASS B is a two-part manganese dioxide cured, polysulfide compound. It has a service temperature range from -65°F (-54°C) to 250°F (121°C) Tested in accordance with MIL-S-8784 CLASS B Cured specific gravity 1.50 / Non volatile content % 97	
220	INS27021	INSERT BITS	EA	INSERT BITS W/ 1/4" SHANK PHILLIPS SIZE P2	
221	RTV 736	Dow Corning Xiameter RTV736 90 mL tube	TB	Dow Corning® 736 Nonslumping sealant designed for sealing and bonding applications exposed to temperatures as high as 315°C (600°F) for Aerospace gasketing,Sealing and encapsulating heating elements in appliances, Tack-Free Time minutes 17, Cure Time (3-mm [l/8-inch] thickness) 24 hours	
222	AN525-832R7	SCREW	EA	SCREW	RECIBIDO
223	BRIZZE 300ML	AMBIENTADOR AEROSOL 300 ML	EA	Solución efectiva que elimina los malos olores dejando una sensación de limpieza y frescura en el ambiente. Elimina el 99% de las bacterias, Rango de temperatura optimo 15-35°C, incoloro, Densidad 0,95 ± 0,05 gr/ ml.	
224	DWDCOD	DRILLS LETRA D	EA	BROCA COBALTO DWDCO SERIES SIZE D	
225	MIL-L-22851D	ACEITE AEROSHELL W100	QT	AeroShell Oil W100 is an ashless dispersant oil, promotes engine cleanliness, help reduce oil comsumption AeroShell W100 provides compatibility with other approved aircraft piston engine oils, AeroShell Oil W100 is produced to meet fully the SAE specification J-1899 (Grades SAE 30, 40, 50	

				and 60 respectively) SAE viscosity grade 50.	
226	CR3243-4-4	RIVET,BLIND	EA	RIVET,BLIND	
227	288380-001	RESISTOR 10 OHM 100 WATT (V44655)	EA	100W Fixed Resistor	
228	204-040-760109	FILTER ASSY	EA	FILTER ASSY	
229	ST3001-214	PACKING	EA	PACKING	
230	MIL-PRF-85285E Type I- IV	CLEAR URETHANE	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I-IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	RECIBIDO
231	DWDCO1/4	DRILLS 1/4	EA	BROCA COBALTO DWDCO SERIES 1/4	
232	4001	DOUBLE/BUBBLE® 04001 Red Epoxy Adhesive Sachet - 100/Box	EA	Extra fast setting, two–component, room temperature curing epoxy adhesive. The system will cure at as low as –18 °C (0 °F). Viscosity @ 25 °C,cps, part A:55,000, Flash Point, PMCC, °C Part A: 157	
233	204-040-760-105	FILTER ASSY	EA	FILTER ASSY	
234	CEE BEE A-882	SHAMPOO AERONAUTICO X 55 GL	DRUM	Water-dilutable general-purpose cleaner for aircraft exterior surfaces, Conforms To MIL-PRF-87937D Clear, water-dilutable solution	
235	M83461/1-212	PACKING	EA	PACKING	
236	WF336-680	FILTER ASSY	EA	FILTER ASSY	
237	DWDA/CX63/32	DRILLS 6¨ 3/32	EA	BROCA HSS DWDA/C SERIES 6" 3/32	
238	SAE J-1899	Aeroshell Synthetic Engine Oil-W15W50	QT	AeroShell Oil W 15 W 50 is a premium semi-synthetic multigrade ashless dispersant oil specifically developed for aviation piston engines. MIL-L-6082E replaced by These new SAE Standard J-1899 Lubricating Oil, Aircraft Piston Engine (Ashless Dispersant),SAE viscosity grade: Multigrade, flash point	

				220 min, total acidity mgKOH/g 1,0 max	
239	15W40 4T	ACEITE MOTOR	GL	15W40 4T Lubricante de motor 4 tiempos de alta calidad,Excelentes propiedades anti-desgaste que protegen los componentes del motor y el embrague, conllevando a reducir de los costos de mantenimiento,Viscosidad @ 100 ºC, cSt 14.2, Índice de Viscosidad 137, Punto de inflamación, ºC 232	
240	DWD15J-LH-SET	QUALTECH HSS LEFT HAND JOBBERS	EA	DRILL SET Qualtech HSS Left Hand Jobber	
241	TAPE MASKING 1 1/2 in	CINTA ENMASCARAR 233+ DE 36MM X 55MT = 1 1/2 PULGADA	RO	CINTA ENMASCARAR 233+ DE 36MM X 55MT = 1 1/2 PULGADA	RECIBIDO
242	TSD3/16ST	BROCA No 3/16 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 3/16	
243	PR-1440B-2	ADHESIVE SEALANT	QT / KIT	PR-1440 Class B is an aircraft integral fuel tank sealant. It has a service temperature range from -65°F (-54°C) to 250°F (121°C) Tack free time (hours)<8, Cure time to 35 A Durometer (hours) 16	
244	DWDCO17/64	DRILLS 17/64	EA	BROCA COBALTO DWDCO SERIES 17/64	
245	MIL-G-3545C	GRASA AEROSELL 5(6,6 LB)	EA	High temperature grease composed of a mineral oil thickened with Microgel, Meets MIL -G- 3545C, The useful operating temperature range is -23°C to +177 °C.	
246	DWDCO1/2	DRILLS 1/2	EA	BROCA COBALTO DWDCO SERIES 1/2	
247	MIL-PRF-12070	FOG OIL CALSOL 810/MIL PRF-12070E	EA	HIGH VISCOSITY-GRAVITY CONSTANT (VGC) PROCESS OIL, Viscosity @ 40 °C (cSt) 20.6, API Gravity @ 60 °F 24.1, Specific Gravity @ 60 °F 0.9091, Viscosity-Gravity Constant 0.871, Molecular Weight 305, Pour Point (°F) -58, Maximum Oil Loading (PHR) for Various Neoprenes: (GNA 20) (WHV 22)	
248	SP-1/4FR100	SPIROBAND	MT	Spiral band spiral cable wrap SP-1/4FR100	
249	TSDGST	BROCA LETRA G TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE G	

250	A-A-59298	Tape, Adhesive, Pressure Sensitive	RO	Tape, Adhesive, Pressure Sensitive A-A-59298	
251	ADHESIVE HYSOL EA960	Hysol EA 960F Epoxy Adhesive Kit	QT / KIT	LOCTITE EA 960F AERO (fast) is a fairing and smoothing compound for exterior aircraft surfaces. It is a twocomponent system, which cures rapidly at room temperature.Viscosity, @ 77°F PART A 6500 Poise PART B 600 Poise, Pot Life (100 gram mass) 30 minutes @ 77°F/25°C Method - ASTM D 2471	
252	48"X96"X5mm.	PLEXI GLASS 48” x 96” SHEET	EA	Clear Acrylic Sheets offer excellent clarity, impact strength and economical performance in a lightweight plastic material. Plexiglass sheet is a common reference term for acrylic sheets, PLEXI GLASS 48” x 96” SHEET	
253	SAE20W50	ACEITE MOTOR	GL	Aceite mineral, Proporciona una muy buena protección al motor y ayuda a fomentar la larga vida útil del mismo, Grado SAE20W50, Índice de viscosidad, ASTM D 2270 (141), Punto de fluidez, °C, ASTM D 97 (-30), Punto de inflamación, °C, ASTM D 92 (230)	
254	038088-08	FILTER	EA	FILTER	
255	BROCHA 2"	BROCHA PELO DE MARTA	EA	BROCHA PELO DE MARTA	RECIBIDO
256	SP-1-FR	SPIROBAND	MT	Spiral band spiral cable wrap SP-1 -FR	
257	MIL-PRF-16173 GR1 / GL	CPC ANTICORROSIVO GRADO 1	GL	Solvent cutback, firm film, black asphaltic corrosion preventive compound, approved under Military Specifications MIL-PRF-16173E, Grade 1, for Class I, / Flash, PMCC*, Minimum 105°F, / Specific Gravity @ 60 F (15.6 C) 0.88 / Approximate Dry to Touch Time @ 77 F (25 C) 2 hours	
258	RTV133	RTV133 Black Silicone Electrical Sealant - 10.1 oz Cartridge	TB	RTV133 black, one-component, ready-to-use Operating temperature range of -60~205°C (-70~400°F), Application Rate, gm/min. 650, Tensile Strength, kg/cm2(lb/in2) 46 (650)	

259	3950	EDGE SEALER 8 OZ CAN	EA	Designed for edge sealing of film edges in heavily used areas, clear liquid, material Acrylic/Vinyl solution in Xylene, clear, Minimum viscosity : 300 Centipoise, Service temperature -51°C to +65°C	
260	DWDCO27/64	DRILLS 27/64	EA	BROCA COBALTO DWDCO SERIES 27/64	
261	105/206B	WEST SYSTEM EPOXY RESIN KIT	KIT	Used for general coating and bonding applications when extended working and cure time are needed or to provide adequate working time at higher temperatures, Acceptable ratio range by weight 4.84 : 1 to 6.19 :1, Mix viscosity (at 72°F) ASTM D-2393 (725 cps), Specific gravity 1.18	
262	AS3209-237	PACKING PREFORMED	EA	PACKING PREFORMED	RECIBIDO
263	LUBRIBOND	LUBRI-BOND® 220 12 OZ AEROSOL CAN	EA	Air drying, MoS2 based solid film lubricant with an epoxy binder system, Density:* 8.3 ± 0.5 lb/gal (995 ± 60 grams/liter), Flash Point: 45°F (7°C),Good corrosion resistance, Fair chemical resistance, Suitable for field applications.	
264	DWDA/CX61/8	DRILLS 6¨ 1/8	EA	BROCA HSS DWDA/C SERIES 6" 1/8	
265	DWDN3/8	DRILLS 3/8	EA	BROCA H.S.S DWDN SERIES 3/8	
266	VINIPEL	VINIPEL 45 Cm X 400 Mt	RO	VINIPEL 45 Cm X 400 Mt	
267	RTV102	Momentive Sealant RTV102 8 oz White, 2.8 oz tube	TB	RTV102, sealants are standard strength paste consistency products which can be applied to vertical and overheadsurfaces where pourable/self-leveling sealants are not practical. Specific Gravity 1.05 Tack-Free Time, minutes 20, Tear Strength, kg/cm (lb/in) 8 (45)	
268	18 X 5,5-10	TIRE	EA	TIRE 18X5.5 PLY RATING 10,Rated Speed (MPH) 210, Maximum Braking Load (Lbs) 6000, Rated Inflation (PSI) 140	RECIBIDO
269	SUPERKOTE 2000	REFRIGERANTE MOTOR	GL	Anticongelante/ Refrigerante, Líquido verde fluorescente	

270	MEK	METHIL ETHIL CETONA X 5 GL	PAIL	METIL ETIL CETONA MEK, CAS 78-93-3, Fórmula molecular C4H8O, Punto de Fusión: -87 (-125°F), Masa molar: 72,11 g/mol, Presión de Vapor: 71 a 20 °C	
271	MAT403	Heavyweight15" x 20"100 pads per bag	EA	PIG Absorbent Mat Pad: 28 oz Volume Absorbed Per Pad, 22 gal (100 Pads),MaterialPolypropylene Perforated Size10 in x 15 in	
272	DWDCO7	DRILLS No 7	EA	BROCA COBALTO DWDCO SERIES No 7	
273	DWD15J-TN-SET	QUALTECH HSS TIN COATED JOBBERS	EA	DRILL SET Qualtech HSS TIN Coated Jobbers	
274	DPAS-30W	TAPAOIDOS	BOX	TAPAOIDOS	
275	TAPE MASKING 1/2 in	CINTA ENMASCARAR 233+ DE 12MM X 55MT = 1/2"	RO	CINTA ENMASCARAR 233+ DE 12MM X 55MT = 1/2"	
276	KD651511	FILTER KIT	EA	FILTER KIT	
277	MIL-PRF-85285E Type I- IV	POLIURETANO VERDE METALIZADO	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I-IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	RECIBIDO
278	MS20995CY15-48	LOCKWIRE COPPER	LB	COOPER SAFETY WIRE MS20995CY15-48	RECIBIDO
279	PWC06-002	PETROLATUM VV-P-236 - 1 lb Can	LB	Petrolatum white PWC06-002 /VV-P-236 colorless, white grease-like technical grade	
280	TSD1/8ST	BROCA No 1/8 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 1/8	
281	A-A-3097	ADHESIVE LOCTITE 404, 4 oz	EA	LOCTITE 404 está diseñado para la unión de componentes plásticos y elastómeros, donde sea necesaria una fijación muy rápida. Cianoacrilato de Etilo, Peso específico @ 25 °C 1.09, Temperatura de Transición Vítrea , ASTM E 228, °C 120	

282	HYSOL EA9392	Loctite EA 9392 AERO Epoxy Adhesive Gray 1 qt Kit	QT / KIT	LOCTITE EA 9392 AERO is a two-component paste adhesive, which cures at room temperature and possesses excellent shear strength at high temperatures Viscosity @ 77°F PART A 4,200 Poise, PART B 6,600 Poise Pot Life (100 g mass) 75 minutes @ 77°F/25°C Method - ASTM D2471 in water bath	
283	00116	LUBRICANT,SOLID FILM LPS1	EA	Lubricante que proporciona una capa delgada y seca que penetra en las grietas, resistente al aceite, polvo y acumulacion de suciedad, punto de inflamación 175 °F, gravedad especifica .840 aprox, Temperatura de descongelación -35°F	
284	PR1782 B-1/2	ADHESIVE SEALANT	SEMKIT	PR-1782 Class B is a low density, aircraft fuel tank and general purpose sealant It has a service temperature range from -54°C to 121°C (-65°F to 250°F) Tack free time (Hours)<5, Cure time to 35 Shore A* Durometer (hours) 7	
285	TSD10ST	BROCA No 10 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 10	
286	CS3204A1/2 Flamemaster	SEALING COMPOUND	PINT-KIT	fuel resistant sealant for use on integral fuel tanks and pressurized cabins as well as other areas subject to contact with aircraft fuels, lubricants, oils, water and/or weathering. meets AMS-S-8802E Type 2, Mixing Ratio (by weight) 100:10, Non Volatile Content 86%	
287	486719-055	FUEL SENDER	EA	FUEL SENDER 486719-055	
288	AN525-832R8	SCREW,MACHINE	EA	SCREW,MACHINE	RECIBIDO
289	DWDCO16	DRILLS No 16	EA	BROCA COBALTO DWDCO SERIES No 16	
290	BROCHA 3"	BROCHA PELO DE MARTA	EA	BROCHA PELO DE MARTA	RECIBIDO
291	ST3001-145	PACKING	EA	PACKING	
292	MIL-PRF-85285E Type I- IV13655	POLIURETANO AMARILLO	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I-IV, Mix Ratio: 3 : 1 by Volume, Application	

				Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	
293	DWDA/CX65/32	DRILLS 6¨ 5/32	EA	BROCA HSS DWDA/C SERIES 6" 5/32	
294	CR3243-4-2	RIVET,BLIND	EA	RIVET,BLIND	RECIBIDO
295	7440	SCOTCH-BRITE REF 7447 X ROLLO DE 6 PULGADAS X 30PIES	RO	SCOTCH-BRITE REF 7447 X ROLLO DE 6 PULGADAS X 30PIES	RECIBIDO
296	MS24694S-60	SCREW	EA	SCREW	
297	DWDCOG	DRILLS LETRA G	EA	BROCA COBALTO DWDCO SERIES SIZE G	
298	02591	3M LIJA STIK GRANO 220 ROLLO Roll 2-3/4" x 45 yd	RO	3M LIJA STIK GRANO 220 ROLLO Roll 2-3/4" x 45 yd	
299	MS29561-237	PACKING	EA	PACKING	
300	3044590-01	KIT FUEL MINIFOLD PACKING Y GASKET	KIT	KIT FUEL MINIFOLD PACKING Y GASKET	
301	1300L	SCOTCH GRIP RUBBER ADHESIVE 1300L	QT	3M™ Neoprene High Performance Rubber & Gasket Adhesives 1300 and 1300L are the most versatile of our rubber and gasket adhesives. Meets specification requirements of MMM-A-121. Temperature performance range is -30°F (-34°C) to 300°F (149°C). Bonding Range: up to 8 minutes.	RECIBIDO
302	DWD115J-DB-SET	QUALTECH DRILL BLANKS	EA	Qualtech Drill Blanks DWD115J-DB-SET	
303	TAPE MASKING 1 in	CINTA ENMASCARAR 233+ DE 24MM X 55MT = 1"	RO	CINTA ENMASCARAR 233+ DE 24MM X 55MT = 1"	
304	DWDN1/16	DRILLS 1/16	EA	BROCA H.S.S DWDN SERIES 1/16	
305	SP-1/2 FR25	SPIROBAND	MT	Spiral band spiral cable wrap SP-1/2 FR25	
306	MIL-G-21164	GRASA AEROSHELL 17	GL	AEROSHELL 17 IAW AEROSHELL 64 6,6 lb can Extreme pressure Airframe Grease, meets MIL-G-21164	
307	NAS1329H4K200L	RIV NUT BLIND	EA	RIV NUT BLIND	
308	00316	LUBRICANTE LPS N°3, 11 OZ	EA	Forms a transparent, soft, waxy film for protection and lubrication,Penetrates to displace moisture, Conforms to: Mil-PRF-16173E Grade 2, Flash Point: (TCC) 100°F (40°C) minimum,Pour Point: 0°F (- 18°C) Propellant: Carbon Dioxide	

309	DWDA/CX63/16	DRILLS 6¨ 3/16	EA	BROCA HSS DWDA/C SERIES 6" 3/16	
310	103760	CEPILLO DE COBRE	EA	Cepillo de cerdas de cobre multiusos de plastico color negro	RECIBIDO
311	MS9386-126	ORING	EA	O-RING	
312	HCS2103NP	HCS2103-NP – ® – Non-Porous Full Roll (38in x 100yds)	RO	Release Fabric Teflon Is a non-porous release teflon coated fiberglass designed for release and resin restriction. Thickness 3 mils (.007in), (0.8mm), maximum use temp 550 °F (288 °C)	
313	DWDCOH	DRILLS LETRA H	EA	BROCA COBALTO DWDCO SERIES SIZE H	
314	TSD5ST	BROCA No 5 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 5	
315	SILICONE SPRAY 8034	SILICONE SPRAY 8034, 10.5 OZ AEROSOL	EA	Industrial grade silicone forms a clear, thin, non-sticky, water repellent lubricating film. Use at temperatures between 40°F and 110°F (5°C and 43°C), Color: Colorless, transparent, Specific gravity @70°F 0.70	
316	HYSOL EA 9340	Loctite Hysol 9340 Epoxy Adhesive - 5 lb Kit	KIT	Loctite® Hysol® 9340 is a general purpose adhesive with exceptional high temperature performance. Pot Life @ 77°F, 100 grams mins mixed 90, Cure Schedule 3 Days @ 77°F,Test Temp °F -40, Typical Value 2100, Hardness, Shore D >80	
317	206-076-034-003	ELEMENT FILTER	EA	ELEMENT FILTER	
318	AV8	CORROSION PREVENTIVE,AIRCRAFT PAIL X 5GL	PAIL	Super-Penetrating, Water-Displacing, Corrosion Inhibiting Compound, hydrocarbon with 0.5% aromatics max, flash point 104°F (40°C), viscosity 71 sec. Meets MIL-C-16173 D, GRADE 4	
319	DUL5SET	SOLID CARBIDE BUR SETS	EA	SOLID CARBIDE BUR SETS (SA42, SA43, SC42, SD42, SE41, SF42, SG41, SG43, SH41, SM43 & SN42) 11 PC	
320	RTV108	MOMENTIVE SEALANT RTV108 TRANSLUCENT, 2.8 OZ TUBE	TB	RTV108 sealants are standard strength paste consistency products which can be applied to vertical and overhead surfaces where pourable/self-leveling sealants are not practical. Tack-Free- Time 20 min,	

				Elongation % 400, Hardness Shore A 30	
321	ALCOHOL ISOPROPILICO CANECA	ALCOHOL ISOPROPILICO TT-I-735 CANECA X 55GL	DRUM	Meets Grade A estándar for TT-I-735, Purity >99,8%,Acidity (% of acetic acid) ≤0.001, Density @ 20 °C 0.785—0.786 g/mL , Specific gravity @20 °C / 20 °C 0.785—0.787 g/mL	RECIBIDO
322	AV100	CORROSION PREVENTIVE,AIRCRAFT X 5GL	PAIL	Heavy duty water displacing, corrosion inhibiting compound, Flash Point 38 °C / 100 °F minimum , Density at 23 °C (73 °F) 990 kg/m³ , Application Temperature 15 to 30 °C / 60 to 85 °F , Colour Transparent, beige , Film Appearance Firm waxy film	
323	NLGI GRADE 2	AERIOL THIXOGREASE2 GREASE 3810-0 BROWN, 425 G TUBE	TB	Aviation Grease uses an advanced thickening agent and superior additive technology which exhibits a high resistance to water washout, and is ideal for preventing corrosion on components which can result in longer life and increased productivity, 3810-0 (425g tube x60) Meets or Exceeds the following: BELL Consumable Material Ref C-561, Density @ 20°C (g/mL) 1.05, Pour Point (°C) -15 (5 °F)	
324	PWC09-005	SILICONE GREASE	EA	Hylomar PL32M (Medium) Aerograde Highly engineered, polyester-urethane based non-setting and nonhardening gasketing compound, for use in the aeronautical industry for sealing joints in jet turbine engines NSN 8030-99-220-2370	
325	AMS-S-8802 (PS890 B 1/2)	ADHESIVE SEALANT	QT / KIT	P/S 890 Class B is an aircraft integral fuel tank sealant. It has a service temperature range from -65°F (-54°C) to 250°F (121°C), with intermittent excursions up to 275°F (135°C).with AMS-S-8802 Class B specification, Tack free time (hours) <4, Cure time to 35 A Durometer (hours) 30, Cured specific gravity 1.55	

326	OVEROLES TYVEK DUPONT	OVEROLES TYVEK DUPONT	EA	OVEROLES TYVEK DUPONT	RECIBIDO
327	MS35769-26	GASKET	EA	GASKET	
328	3070542-01	FILTER FUEL PUMP	EA	FILTER FUEL PUMP	
329	3010880	GASKET	EA	GASKET	
330	B34994-8	CLEANEAR SAMPLING KIT, OIL	KIT	CLEANEAR SAMPLING KIT, OIL	
331	PWC06-023	ANTI-SEIZE X LB	LB	Lubricante para roscas a base de aceite es para uso en acero inoxidable y aleaciones de alta temperatura. Puede funcionar a temperaturas de hasta 1500 °F (815 °C).Pratt & Whitney Canadá Especificación: PWC06-023	
332	MIL-PRF-85285E Type I- IV 11350	POLIURETANO ROJO	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I-IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	
333	MIL-G-7711A 14 oz Tube	AEROSHELL GREASE 6 14 oz Tube	TB	General purpose airframe grease for use in antifriction bearings, gearboxes and plain bearings within the temperature range of -40°C to + a121°Cm, meets MIL-G-7711A	
334	130-AA	GREASE UTILITY 16 OZ TUBE	TB	Grease designed for those applications where a grease type lubricant possessing extremely good water repellency and superior lubrication characteristics are desired. NLGI No. 1, Mineral Oil Viscosity: cSt @ 40°C (135)	
335	TT-N-95, Type II	ALIPHATIC NAPTHA	GL	TT-N-95B, TYPE II: For cleaning acrylic plastics, VOLATILE ORGANIC COMPOUNDS.... 706 - 766 grams/liter, SPECIFIC GRAVITY .708 - .768 , DENSITY. 5.89 - 6.39 lbs/gal	
336	AS3208-18	ORING	EA	O-RING	
337	AS3209-235	PACKING PREFORMED	EA	PACKING PREFORMED	
338	800L5	GUANTES DE NITRILO	BOX	GUANTES DE NITRILO	

339	HCS2102-10	Heatcon HCS2102-10 Breather Full Roll (60in x 50yds)	RO	The Breather/Bleeder Cloth HCS2102-10 QMF17 is a needlepunch polyester breather system commonly used as a vacuum transfer medium in the vacuum bagging process 10oz Weight, Used at pressures up to 200 psi (13.8 bars) Max. recommended use temp: 400°F (204°C).	
340	MS20995C32	LOCK WIRE	LB	MS20995C32 Stainless Steel 0.032" Diameter Safety Wire - 1 lb Roll	RECIBIDO
341	DWDA/CX61/4	DRILLS 6¨ 1/4	EA	BROCA HSS DWDA/C SERIES 6" 1/4	
342	MIL-C-5040, Type III	Cord, Fibrous, Nylon, X 100 FT	RO	Military Specification MIL-C-5040 Type III Black Paracord X 100 FT	
343	PAPEL KRAFT	PAPEL KRAFT ROLLO DE 160 CM X 200 METROS	RO	PAPEL KRAFT ROLLO DE 160 CM X 200 METROS	RECIBIDO
344	DWDCO57	DRILLS No 57	EA	BROCA COBALTO DWDCO SERIES No 57	
345	LUBEREX 10-1206	LUBEREX 10-1206	EA	Superior calcium stearate base grease compound for general use in industry, Part No. 10-1206 2 fl. oz. Tube	
346	TSD30ST	BROCA No 30 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 30	
347	222K68-2	TIRE	EA	SIZE 22X6.5-10 PLY RATING 6,Rated Speed (MPH) 190, Maximum Braking Load (Lbs) 4200, Rated Inflation (PSI) 68	RECIBIDO
348	MIBK	METHIL ISOBUTIL CETONA X 5 GL	PAIL	Methyl isobutyl ketone (MIBK) is a clear, colorless organic liquid compound. MIBK is used as a chemical intermediate, a solvent for manufacturing paints, Molecular Weight 100.2 g/mol, Freezing Point -84.7°C (-120°F), Boiling Point @ 760mmHg 115°C (239°F)	
349	M25988/1-916	PACKING FUEL	EA	PACKING FUEL	
350	HUT80	INDEXES & DISPENSERS	EA	80PC Wire Gauge Sizes #1 to #80	
351	DWDN17/32	DRILLS 17/32	EA	BROCA H.S.S DWDN SERIES 17/32	
352	318K28-1	TIRE	EA	SIZE 31X9.75-14 PLY RATING 12,Rated Speed (MPH) 190, Maximum Braking Load (Lbs) 16650, Rated Inflation (PSI) 115	RECIBIDO
353	RTV730	DOWSIL 730 White Solvent Sealant - 90 mL Tube	TB	One-component fluorosilicone adhesive/sealant, Stable and flexible from -65ºC	

				(-85ºF) to 260ºC (500ºF), Acetoxy cure system.	
354	VELCRO	VELCRO NEGRO MACHO Y HEMBRA X 25 MTS	RO	VELCRO NEGRO MACHO Y HEMBRA X 25 MTS	RECIBIDO
355	MS24693-S29	SCREW	EA	SCREW	
356	HYSOL EA956NA	LOCTITE ADHESIVE	QT / KIT	Hysol EA 956 is a two-component adhesive, which has excellent elevated temperature strength. Viscosity, 77°F PART A 350 Poise, PART B 20 Poise, MIXED 162 Poise, Viscosity, 25°C PART A 35 Pa·S, PART B 2 Pa·S.	
357	MIL-PRF-23699	OIL MOTOR 2380	QT	Turbine oil qualified and approved for MIL-PRF-23699,Viscosity, Kinematic @ 100°C 4.97 mm/s, Flash Point 265 °C	RECIBIDO
358	MS28778-4	PACKING	EA	PACKING	
359	MIL-PRF-85285E Type I- IV	POLIURETANO GRIS METALIZADO	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I-IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	RECIBIDO
360	TSD1/4ST	BROCA No 1/4 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 1/4	
361	HYSOL EA 9309.3NA	LOCTITE® EA 9309.3NA AERO Adhesive Quart Kit	QT / KIT	LOCTITE EA 9309.3NA AERO is a toughened two-part paste adhesive. It contains 5 mil/0.13 mm glass beads for bondline thickness control, Pot Life (450 gram mass) 35 minutes @ 77°F/25°C Method - ASTM D2471 in water bath. Density (g/ml) PART A 1.15, PART B 1.0	
362	MS20995CY20	LOCKWIRE COPPER	LB	MS20995CY20 Copper 0.020 Diameter Breakaway Wire - 1 lb Roll	RECIBIDO
363	609	LOCTITE 609, 50 ML	EA	Designed for the bonding od cylindrical fitting parts, tested for Mil-R-46082B, Specific gravity @ 25°C, 50 mL (1.69 oz) Bottle	

364	JET OIL 254	MIL-PRF-23699	QT	Aircraft-type gas turbine lubricantApproved against U.S. Military Specification Mil-PRF23699F High Thermal Stability (HTS) Flash Point, ºC (ºF), ASTM D 92 254 (489), Fire Point, ºC (ºF) 288 (550)	
365	1741040-01	FACE FILTER OIL	EA	FACE FILTER OIL	
366	CADMIUM LHE 5070 /SPS50705LT	PLATING SOLUTION BOTTLE X 5 LT OR 5 BOTTLES X LT	EA	Cadmium CODE 5070, Purity of deposit: >99%, ph: 7,7 type : ferous & non ferrous, Specification AMS 2451 /4B, UN2922, Corrosive Liquid, Toxic.	

NOTA: Para el mes de agosto de la presente vigencia, se realiza la calificación del cumplimiento de las especificaciones técnicas de los items relacionados, toda vez que se han recibido elementos consumibles según lo estipulado en el contrato de suministro No. 042-2-2023 de manera parcial.

CONDICIONES TECNICAS ADICIONALES DE OBLIGATORIO CUMPLIMIENTO

ITEM	ESPECIFICACIONES DE VERIFICACION TECNICA	CUMPLE	NO CUMPLE
1	En el momento de la entrega de los productos, el contratista deberá presentar al personal técnico y almacenista y facilitar el certificado de conformidad o la respectiva información que permita establecer la trazabilidad del producto (certificado de conformidad (COC), certificado de análisis, informe de prueba, FORMA 8130-3, o equivalentes (EASA Form 1, TCCA Form One en caso que aplique), emitido por la casa fabricante respectiva con cada elemento. En dichos documentos deberá figurar el lote, fecha de fabricación y fecha de expiración en los casos aplicables y especialmente para ítems que tengan tiempo de vencimiento. Los elementos consumibles, insumos y químicos aeronáuticos deberán entregarse en el embalaje propio con el que el fabricante los ofrece en el mercado	**X**	
2	El contratista presentará mediante carta de compromiso y brindará respaldo postventa y/o garantía de los productos (1 AÑO) en cualquier momento en caso que sea requerido un cambio del material por defectos o inconsistencias documentales. Cuando se requiera hacer efectiva la garantía, el oferente se compromete a cumplirla en un tiempo máximo de 10 días calendario, asumiendo en su totalidad los gastos que se generen en dicho proceso.	**X**	
3	**ENTREGA DE INSUMOS CONSUMIBLES NO PREVISTOS EN LA LISTA** La Dirección de Antinarcóticos en cabeza del supervisor del Contrato podrá solicitar productos y/o consumibles adicionales o imprevistos a los descritos anteriormente. **Procedimiento para la adquisición:** El supervisor podrá realizar un estudio de mercado (tres cotizaciones incluida la del contratista, el cual deberá suministrar la cotización con un plazo no superior a 5 días calendario). El futuro contratista tendrá la obligación de suministrar los consumibles adicionales previo cumplimiento de los siguientes pasos: 1. Aprobación por parte del supervisor. 2. Requerimiento formal de los consumibles al contratista.	NO APLICA DURANTE LA PRESENTE VIGENCIA	
4	Análisis de precio del CONSUMIBLE NO PREVISTO		

	Dentro de las funciones de verificación y control de precios por parte del supervisor del contrato, tratándose de los elementos no matriculados y que sean solicitados vía cotización; El funcionario supervisor podrá; · solicitar al contratista que presente un mejor valor de venta debido a la tendencia histórica de adquisición del componente o de cotizaciones en el mercado, en cuyo caso el contratista deberá verificar esta situación y ajustar su oferta a los precios del mercado si esto resulta viable, En caso contrario deberá sustentar los motivos por los cuales no puede realizar los ajustes antes mencionados.		
5	El contratista se compromete a que en todos los casos los productos y/o consumibles a adquirir deben cumplir con las características técnicas aprobadas por el fabricante debidamente certificado y en condición NUEVO.	**X**	
6	**TIEMPOS DE ENTREGA:** Por tratarse de un contrato de suministro (Tracto sucesivo), los elementos requeridos serán entregados en un plazo máximo de 20 días calendario para la entrega de productos nacionales contados a partir de la solicitud del supervisor del contrato; los elementos que sean objeto de importación tendrán como máximo un tiempo de entrega de 60 días calendario, de acuerdo a las necesidades de la institución, previa coordinación con el supervisor del contrato. En el evento que por programación de producción del fabricante de un ítem se exceda los 15 días para su entrega, esta se podrá extender siempre y cuando no supere los términos de ejecución del contrato y previa certificación emitida por la casa fabricante.	**X**	
7	El oferente deberá suministrar la última versión del material producto y/o consumible, y en el evento que un ítem sea objeto de actualización tecnológica por parte del fabricante se deberá coordinar con el supervisor del contrato para su aceptación.	**X**	
8	Para los productos y/o consumibles que tienen vida útil, no se recibirán elementos consumibles insumos y químicos aeronáuticos que tenga menos del 60% de vida útil (Shelf life), para aquellos elementos consumibles que su vida útil sea inferior a 18 meses, no se recibirán elementos que tengan menos del 90% de la vida útil (shelf life), a menos que exista concepto de validación por parte del Inspector de la Línea o Taller y en coordinación con el Supervisor del Contrato y se considere necesidad del servicio.	**X**	
9	El contratista se compromete a suministrar junto con los elementos físicos la declaración de importación de dichos bienes debidamente tramitada.	**X**	
10	El contratista se compromete que durante la ejecución y liquidación del contrato se cumplirá con la normatividad ambiental vigente. Igualmente, el contratista entregará en medio magnético y físico, las hojas de seguridad –MSDS- material safety data sheets-, de los elementos químicos y las traducciones simples o certificadas al idioma español.	**X**	
11	Punto de contacto y servicio 24 horas. Para garantizar una fluida ejecución del contrato, el futuro contratista se compromete a colocar a disposición del Supervisor, un representante con teléfono fijo y/o celular que atienda las solicitudes 24 horas al día. En el momento de la celebración del contrato deberá informarse por escrito especificando la anterior información. Los tiempos de respuesta para cotización de elementos no deberán exceder 5 días hábiles en un número de hasta 30 ítems. De requerirse un tiempo mayor esto será previamente concertado con el Supervisor del Contrato.	**X**	
12	El embalaje observará las normas internacionales de transporte de mercancía estipuladas por la OACI.	**X**	
13	**PROCEDIMIENTO DE CANCELACIONES Y AMPLIACIONES DE PLAZO DE ENTREGA.**	**X**	

	En el caso de darse situaciones referentes a la no consecución de un ítem por razones atribuibles UNICAMENTE a la rigidez de la programación de su producción en fábrica, o ser considerado un ítem descontinuado, el futuro contratista deberá dentro de los siguientes 10 días calendario a la solicitud informar por escrito así: Presentar documento emitido por el fabricante o distribuidor autorizado del fabricante referente a las razones por las cuales dicho(s) elemento(s) no pueden ser suministrados o la necesidad de extender su plazo de entrega. Referente a **CANCELACIONES DE ITEMS** el supervisor del contrato podrá cancelar uno o varios ítems después de haber radicado la respectiva solicitud del consumible al contratista, siempre que no haya transcurrido 15 días hábiles		
14	El oferente que participe en el presente proceso, debe presentar junto con la oferta copia del CERTIFICADO DE CARENCIA DE INFORMES POR TRÁFICO DE ESTUPEFACIENTES PARA EL MANEJO DE SUSTANCIAS Y PRODUCTOS QUÍMICOS CONTROLADOS CON UNA FECHA DE VIGENCIA MÍNIMA A LA FECHA DE EJECUCIÓN DEL FUTURO CONTRATO MAS 3 MESES, expedida por EL MINISTERIO DE JUSTICIA Y DEL DERECHO – SUBDIRECCION DE CONTROL Y FISCALIZACION DE SUSTANCIAS QUIMICAS Y ESTUPEFACIENTES, A NOMBRE EXCLUSIVAMENTE DEL PROPONENTE (no se acepta la presentación de certificado de terceros), cuya duración debe estar vigente desde la presentación de la oferta, hasta como mínimo el término de ejecución más 3 meses por temas de garantía, permitiéndose como oferente poder garantizar la disponibilidad de las cantidades mínimas para suministrar las sustancias controladas en los bienes que apliquen en el presente estudio previo, requiriendo cantidades mínimas así:	**X**	
15	El contratista deberá dar cumplimiento a lo establecido en el Decreto 1496 del 6 de agosto del 2018, en lo que respecta con la adopción del sistema globalmente armonizado de clasificación y etiquetado de productos químicos- sga de la organización de las naciones unidas, sexta edición revisada 2015 y de acuerdo a los tiempos establecidos por el ministerio de trabajo, agricultura, y desarrollo rural, transporte y salud y protección social, de acuerdo a las competencias establecidas en el presente decreto.	**X**	
16	El contratista deberá presentar junto con la oferta certificación suscrita por el representante legal y/o el responsable de seguridad y salud en el trabajo, en la cual se indique el porcentaje de cumplimiento del Sistema de Gestión de Seguridad y Salud en el Trabajo (SG-SST) de acuerdo a lo establecido en la Resolución No.0312 de 2019.	**X**	
17	El contratista deberá entregar 3 (tres) bombas manuales de extracción de líquidos, y por cada caneca de 50 galones o más deberá entregar kit de reenvase de consumibles compuesto de 5 envases de 5 galones y guantes de seguridad	**X**	

SUSTANCIA REQUERIDA	**ACTIVIDAD**	**CANTIDAD**	**UNIDAD**
ACETONA	ABC	80	KG
ALCOHOL ISOPROPILICO	ABC	800	KG
METIL ETHIL CETONA MEK	ABC	600	KG
METIL ISOBUTIL CETONA MIBK	ABC	250	KG
THINNER	ABC	1200	GL
TOLUENO	ABC	200	KG

Nota: Las cantidades aquí exigidas son el resultado de proyección del consumo en un año de estas sustancias controladas por las diferentes Compañías Antinarcóticos de Aviación.


5.5 Registro Fotográfico

RECEPCIÓN DE BIENES 01/08/2023









RECEPCIÓN DE BIENES 04/08/2023









RECEPCIÓN DE BIENES 18/08/2023





RECEPCIÓN DE BIENES 28/08/2023





6. Actividades de Control y Pagos

ENTREGAS REGISTRADAS					
Cantidad	**Descripción**	**No. Factura**	**Valor**	**Fecha - recibo a satisfacción**	**Valor acta -recibo a satisfacción**
12	FILTRO DE ACEITE	1	$ 510.241,08	22/08/2023	$363.025.278,14
2	POLIURETANO AZUL		$ 3.023.651,16		
12	FILTRO DE COMBUSTIBLE PRIMARIO		$ 2.437.762,08		
4	THINNER EXTRAFINO DE 52 GL		$ 35.868.354,76		
12	FILTRO DE AIRE		$ 11.823.769,56		
10	POLIURETANO BLANCO BRILLANTE		$ 13.228.473,90		
5	POLIURETANO COLOMBIAN POLICE BLUE METALLIC		$ 14.173.364,85		
12	FILTRO SEPARADOR DE AGUA		$ 3.456.178,80		
5	TOLUENO X 5 GL		$ 739.875,50		
2	POLIURETANO GRIS MATE		$ 2.645.694,78		

2	**REMOVEDOR DE PINTURA X 5 GL**		**$ 3.779.563,96**		
50	**WYPALL X-80 REGULAR**		**$ 3.307.118,50**		
2	**EPOXY PRIMER MIL-PRF-23377K TY 1 CL C2**		**$ 1.700.803,78**		
5	**CLEAR URETHANE**		**$ 6.614.236,95**		
2	**POLIURETANO VERDE METALIZADO**		**$ 5.669.345,94**		
6	**ALCOHOL ISOPROPILICO TT-I-735 CANECA X 55GL**		**$ 66.969.674,58**		
35	**PAPEL KRAFT ROLLO DE 160 CM X 200 METROS DE LARGO, PAPEL DE 60 GRAMOS**		**$ 4.133.897,95**		
5	**POLIURETANO GRIS METALIZADO**		**$ 14.173.364,85**		
1	**SERVICE,WASTE DISPOSAL PAIL**		**$ 2.314.982,93**		
24	**LOCK WIRE**		**$ 6.730.453,44**		
20	**O-RING**		**$ 109.142,40**		
100	**SCREW,MACHINE**		**$ 196.171,00**		
10	**SOCKET FLUORESCENT LIGHTS**		**$ 367.519,60**		
2	**CROCUS CLOTH 9" × 11" PACK X 5**		**$ 1.105.115,68**		
150	**Lubricante Multiusos 382 ml/11 oz.**		**$ 4.663.036,50**		
50	**PACKING**		**$ 1.212.694,50**		
10	**FILTRO DE COMBUSTIBLE PRIMARIO**		**$1.894.834,90**		

1	**CABLE X 1000 FT**		**$ 5.214.267,07**		
20	**PACKING**		**$ 354.713,00**		
15	**OIL FILTER**		**$ 5.393.458,05**		
10	**FILTRO DE ACEITE**		**$ 1.136.900,90**		
200	**SCREW,MACHINE**		**$ 197.062,00**		
5	**SHEET METAL 0,020**		**$ 7.579.339,50**		
100	**O-RING**		**$ 288.015,00**		
100	**PACKING**		**$ 833.727,00**		
5	**TEMP-PLATE**		**$ 2.610.999,55**		
400	**PIN COTTER**		**$ 2.425.388,00**		
4	**SCRAPER PLASTIC**		**$ 586.511,80**		
3	**SHEET METAL**		**$ 6.730.453,47**		
3	**LIJA Stikit De 3m 2599 P80**		**$ 1.493.042,10**		
200	**SCREW,MACHINE**		**$ 500.236,00**		
325	**CINTA ENMASCARAR 233+ DE 18MM X 55MT= 3/4"**		**$ 2.789.910,50**		
7	**Devcon® 14310 2-Ton - 25 mL Tube**		**$ 1.657.759,25**		
250	**CINTA ENMASCARAR 233+ DE 6MM X 55MT= 1/4"**		**$ 1.444.975,00**		
200	**Scotch-Brite Roloc Blue 2"**		**$ 8.813.944,00**		
25	**BROCHA PELO DE MARTA**		**$ 2.051.689,00**		
360	**WASHER**		**$ 763.999,20**		
3	**VELCRO BLACK LOOP 50 MM X 25M**		**$ 229.608,51**		
100	**LIMPIADOR DE TAPIZADO ESPUMA x 400ml**		**$ 2.541.757,00**		
12	**PIN COTTER 1/16**		**$ 10.914,24**		

100	**BROCHA 1" IN**		**$ 349.610,00**		
100	**WASHER**		**$ 174.325,00**		
1	**HIDRAULICO 756**		**$ 137.977,71**		
20	**REMOVAL AND INSERT PLASTICO VERDE**		**$ 1.410.677,80**		
100	**BROCHA 2" IN**		**$ 1.407.888,00**		
5	**SHEET METAL**		**$ 7.579.339,50**		
1000	**SCREW**		**$ 2.349.600,00**		
200	**CINTA ENMASCARAR 233+ DE 36MM X 55MT = 1 1/2 PULGADA**		**$ 4.189.648,00**		
25	**BROCHA PELO DE MARTA**		**$ 2.051.689,00**		
30	**PACKING PREFORMED**		**$ 682.140,60**		
1	**LOCKWIRE COPPER**		**$ 3.902.374,52**		
200	**SCREW,MACHINE**		**$ 485.078,00**		
30	**BROCHA PELO DE MARTA**		**$ 2.462.026,80**		
100	**RIVET,BLIND**		**$ 24.253.886,00**		
2	**SCOTCH-BRITE REF 7447 X ROLLO DE 6 PULGADAS X 30PIES**		**$ 716.227,38**		
15	**SCOTCH GRIP RUBBER ADHESIVE 1300L**		**$ 8.025.844,20**		
40	**CEPILLO DE COBRE**		**$ 238.112,40**		
100	**OVEROLES TYVEK DUPONT**		**$ 2.626.324,00**		
15	**LOCK WIRE**		**$ 1.309.709,85**		
35	**PAPEL KRAFT ROLLO DE 160 CM X 200 METROS DE LARGO, PAPEL DE 60 GRAMOS**		**$ 4.133.897,95**		

3	**VELCRO NEGRO HEMBRA X 25 MTS**		**$ 206.647,65**		
153	**OIL MOTOR 2380**		**$ 22.836.011,94**		
1	**LOCKWIRE COPPER**		**$ 2.998.247,77**		
10	**TIRE**	**2**	**$ 67.117.449,50**	**18/08/2023**	**$ 215.109.670,48**
12	**FILTRO DE ACEITE**		**$ 737.014,92**		
12	**AIR FILTER**		**$ 1.481.162,64**		
10	**FUEL FILTER**		**$ 606.347,20**		
12	**BATERIAS F5-16NP 350 AMP**		**$ 43.068.482,04**		
4	**TIRE**		**$ 25.007.060,88**		
18	**TIRE**		**$ 65.205.621,90**		
4	**TIRE**		**$ 11.814.531,40**		
16	**TIRE**	**sin facturar**	**$ 104.290.113,12**	**28/08/2023**	**$104,290.113,12**

Año	Mes de Pago	No. Factura pagada	Valor	Valor amortizado por concepto de anticipo	Porcentaje del anticipo (%)
2023	JULIO	N/A	$ 0,00	$ 0,00	N/A
2023	AGOSTO	N/A	$ 0,00	$ 0,00	N/A
2023	SEPTIEMBRE	N/A	$ 0,00	$ 0,00	N/A
2023	OCTUBRE	N/A	$ 0,00	$ 0,00	N/A
2023	NOVIEMBRE	N/A	$ 0,00	$ 0,00	N/A
2023	DICIEMBRE	N/A	$ 0,00	$ 0,00	N/A
TOTAL			$ 0,00	$ 0,00	N/A
SALDO			$ 4.384.374.999,99	$ 0,00	N/A

7. Porcentajes de Ejecución

CONCEPTO	Fecha	% de ejecución
Porcentaje de ejecución física	**31/08/2023**	**15.56%**
Porcentaje de ejecución presupuestal	**31/08/2023**	**0%**

8. Aportes a la Seguridad Social y Parafiscales

Pagos de Aportes a la Seguridad Social y Parafiscales	Cumple	No cumple	Observaciones
Verificación cumplimiento Aportes parafiscales SENA, SALUD, EPS, ARL, Etc.	X		Se anexa con cuenta de facturación

9. Información Contrato Adición, Prórroga, Modificación, Suspensión, Reinicio y Aclaratoria

CLASE	No.	fecha	valor	Tiempo	Observaciones
Adición	1	24/08/2023	$1.200.000.000,00	N/A	Es pertinente dar continuidad al contrato con el fin de garantizar la puesta en funcionamiento y aeronvegabilidad de las aeronaves de la Policía Nacional.
Prorroga	1	24/08/2023	N/A	30/11/2023	
Modificación					N/A
Suspensión					N/A
Reinicio					N/A
Aclaratoria					N/A
Otros					N/A

Nota 1: El supervisor del contrato deberá verificar la publicación de los documentos que hacen parte del proceso contractual en la Plataforma Electrónica SECOP II o la plataforma que haga sus veces.

10. Información de Pólizas

Aseguradora		No. Póliza	Fecha de expedición	Valor Total Asegurado
SEGUROS MUNDIAL		CSC-100034353	11/07/2023	$5.769.179,50
Amparo	%	Valor	Fecha Inicio	Fecha Terminación
Cumplimiento	30	$955.312.500,00	06/07/2023	24/02/2024
Calidad	50	$1.592.187.500	06/07/2023	24/08/2024

ADICIÓN Y PRORROGA

Aseguradora		No. Póliza	Fecha de expedición	Valor Total Asegurado
SEGUROS MUNDIAL		CSC-100034353	6/07/2023	$3.507.500,00
Amparo	%	Valor	Fecha Inicio	Fecha Terminación
Cumplimiento	30	$1.315.312.500,00	24/08/2023	30/05/2024
Calidad	50	$2.192.187.500,00	24/08/2023	30/11/2024

Nota 2: En caso de requerirse actualización de pólizas anexar cuadro detallado de las mismas.

11. Información Debido Proceso

Plazo de ejecución	N/A
Motivo de presunto incumplimiento	N/A
Fecha en que se informa a la entidad el presunto incumplimiento	N/A
Fecha de citación inició de la actuación administrativa sancionatoria	N/A
Avances de la novedad presentada por el presunto incumplimiento	N/A
Estado a la fecha	N/A

Nota 3: La información aquí suministrada es la reportada por el (los) supervisor (es) del contrato, por lo tanto la veracidad, claridad y exactitud de la misma, será única y exclusivamente responsabilidad del supervisor.

12. Observaciones del Supervisor

N/A



Teniente Coronel **RODRIGO CARRERO BARRERA**
Supervisor Contrato No. 042-2-2023
C.C. 80.017.178