

319988 *Riedel-de Haën*

Cloroformo

Reactivo ACS, contiene etanol como estabilizador, ≥99,8%

Sinónimo(s)
tricloruro de metilidina; triclorometano







Inicie sesión para ver los precios y la disponibilidad específicos de la cuenta.

Los precios mostrados en el catálogo no incluyen los impuestos aplicables.

Iniciar sesión o crear una cuenta

TAMAÑO DEL PAQUETE*

Elige una opcion...

TIPO DE CONTENEDOR*

Elige una opcion...

CANTIDAD

1

Comentario

Consultar dispor

66,63€ each

AÑADIR A LA CESTA

SOLICITAR PRESUPUESTO

COMPARAR

ACS SOLVENTES USO GENERAL

- Solución económica para aplicaciones como HPLC a escala preparativa, limpieza y síntesis orgánica.
- Adecuado para aplicaciones menos exigentes, como HPLC isocrática de rutina.
- variaciones y reducción de prol contaminación por disolventes
- Todos los disolventes se prueb especificaciones de uso genera

Hi, welcome to **Honeywell Assist**, your guide to getting support with order status, product support, part availability and more

LETS GET STARTED

Marca	Número de registro de Beilstein	Números CAS (Todos)	Fórmula lineal	Número MDL
Riedel-de Haën	1731042	67-66-3	$CHCl_3$	MFCD00000826

Sinónimos
tricloruro de metilidina; triclorometano

Documentos



Certificado de Análisis (COA)
Ver COA reciente

Certificado de origen (COO)
Ver director de operaciones reciente

Hoja de datos de seguridad (SDS)

Especificaciones

Propiedad	Valor
Presión de vapor	160 mmHg (20 °C)
Identidad (RI)	cumpliendo
Pureza excluyendo estabilizador (GC)	Min. 99.8 %
Ethanol (GC)	0.5 - 1.0 Gew.%
Non-volatile matter	Max. 0.001 %
Lead (Pb)	Max. 0.05 ppm
Free chlorine	complying
Free acid and chloride	complying
Acetone, aldehydes (neßler test)	complying
Reaction against H_2SO_4	complying
APHA	Max. 10
Vapor Density	4.1 (vs air)

Comentario

Properties

Property	Value
Boiling Point/Range	60-62 °C (1.013 hPa)
Certification	ACS Reagent
Color	Colorless
Density	1.48 g/cm3 (20 °C)
Flashpoint	Not applicable
Form	Liquid
Grade	ACS Grade
Incompatible Materials	Strong bases, Alkaline earth metals, Plastic materials can be attacked, Alkali metals, Reactions with metals in powder form, Strong oxi
Lower Explosion Limit	Not applicable
Melting Point/Range	-63 °C
Partition Coefficient	1.97 (20 °C)
Purity Percentage	99.80
Purity Details	>=99.80%
Solubility	Soluble in most organic solvents
Solubility in Water	0.8 g/l (20 °C)
Upper Explosion Limit	Not applicable
Vapor Pressure	210 hPa (20 °C)
Viscosity	No data available
pH-Value	No data available
Storage Temperature	Ambient


Comentario

Safety Information

Property	Value
GHS Classification	

Property	Value
	 GHS08-Health Hazard  GHS06-Toxic
Precautionary Statements	Do not breathe dust/fumes/gas/mist/vapours/spray.;Wear protective gloves/protective clothing/eye protection/face protection.;In case of inadequate ventilation wear respiratory protection.
Hazard Class	6.1
Package Group	III
UN ID	UN1888

Recently Viewed Products



34850

Acetone

CHROMASOLV™, for HPLC, ≥99.8%

Comentario

Let's Connect!

Sign up to receive exclusive communications about offerings, events, news, surveys, special offers, and related topics via telephone, email and other forms of electronic communications.

SIGN UP

Quick Links

Servicios

Marcas

Industrias

Contáctenos

Compañía

Síganos

Copyright © 2023 Honeywell Internacional Inc.

Términos y condiciones

Declaracion de privacidad

No vendas mi información personal

Aviso de cookies

Cancelar suscripción global

Comentario