Bogotá, D.C., 18 de Enero de 2024

Informe de supervisión correspondiente al mes de diciembre del año 2023, en atención a las funciones establecidas en los artículos 83 y subsiguientes de la Ley 1474 de 2011, en concordancia con la Resolución No. 00154 del dieciséis (16) de abril del dos mil dieciocho (2018) *"Por la cual se actualiza el Manual de Contratación del Fondo Rotatorio de la Policía".*

1. Información del Supervisor

Grado	Capitán
Nombre y apellidos	LUIS MIGUEL OTALORA DUEÑAS
C.C.	1.032.387.805
Cargo en la dependencia	Responsable Ingeniería Aeronáutica
Unidad de dependencia	DIRAN-ARAVI
Correo electrónico	diran.avipo-gra@correo.policia.gov.co
Teléfono	3124332901

2. Información del Contrato

No. de Proceso	SUBASTA-005-2023			
Tipo de Contrato	Suministro			
Contrato No.	042-2-2023			
Unidad	ÁREA DE AVIACIÓN POLICIAL			
Objeto	SUMINISTRO CONSUMIBLES PARA EL AREA DE AVIACIÓN DE LA DIRECCIÓN ANTINARCÓTICOS-POLICÍA NACIONAL			
Valor Inicial	$3.184.374.999,99			
Valor Adición	$1.200.000.000,00			
Valor Total	$4.384.374.999,99			
Plazo de ejecución	Fecha de Inicio		Fecha Terminación	
22-12-2023	12-07-2023		22-12-2023	
Aplica Acta de inicio	**SI**		**NO**	**X**
Fecha de Acta de inicio	**N/A**			

3. Información del Contratista

Nombre Representante legal	C.C	Razón social Contratista	NIT
María Fernanda Rodríguez Castillo	52.449.804	Unión Temporal Consumibles Aeronáuticos PONAL	901.516.560-7

4. Información Presupuestal

No. Certificado de Disponibilidad Presupuestal SIIF	Fecha	Valor
10023	25/04/2023	$ 769.230.769,23
10123	25/04/2023	$ 673.076.923,07

9823	25/04/2023	$ 961.538.461,54
9923	25/04/2023	$ 780.528.846,15
No. Registro Presupuestal del Compromiso SIIF	Fecha	Valor
59223	06/07/2023	$ 961.538.461,54
59323	06/07/2023	$ 780.528.846,15
59423	06/07/2023	$ 769.230.769,23
59523	06/07/2023	$ 673.076.923,07

ADICIÓN:

No. Certificado de Disponibilidad Presupuestal SIIF	Fecha	Valor
17423	23/08/2023	$1.200.000.000,00
No. Registro Presupuestal del Compromiso SIIF	Fecha	Valor
75023	24/08/2023	$1.200.000.000,00

Nota 1: En caso de requerirse información presupuestal adicional, anexar cuadro detallado de las mismas.

5. Actividades y/o Eventos Desarrollados por el contratista y supervisor o interventor. (Incluir información en materia ambiental y de seguridad y salud en el trabajo de acuerdo a lo establecido en el contrato y anexar soportes. Si aplica)

En el informe de supervisión del mes de diciembre de 2023 se dio cumplimiento en materia ambiental y de seguridad y salud en el trabajo de acuerdo a lo establecido en el contrato y teniendo en cuenta la información anexa.

5.1 Actividades y/o Eventos Desarrollados por el Contratista

- El día 06/12/2023 el contratista realiza la entrega del siguiente material en las instalaciones de la compañía Antinarcóticos de Aviación Bogotá.

Ítem	CONTRATO		Parte No.	Descripción	U/M	CANT	VALOR UNITARIO	VALOR TOTAL
	No.	Ítem						
1	P1	90	24M-XHD 800CCA-1000MCA	BATERIA	2	EA	$ 1.078.187,35	$ 2.156.374,70
2	P1	281	A-A-3097	ADHESIVE LOCTITE 404, 4 oz	2	EA	$ 1.312.006,42	$ 2.624.012,84
3	P1	338	800L5	GUANTES DE NITRILO	10	BOX	$ 274.396,34	$ 2.743.963,40
4	P1	355	MS24693-S29	SCREW	100	EA	$ 2.046,42	$ 204.642,00
5	P2	11	PACKING OIL ESCAVATION	AS3209-144	200	EA	$ 9.474,17	$ 1.894.834,00
6	P2	26	DRILLS 35/64	DWDN35/64	6	EA	$ 30.921,56	$ 185.529,36
7	P2	96	STEP DRILLS X SET	VAC1-5SET	3	EA	$ 691.840,33	$ 2.075.520,99
8	P2	99	TELA DE GARZA X 100 MT	TELA DE GARZA	3	EA	$ 376.444,57	$ 1.129.333,71
9	P2	102	PIN COTTER	MS24665-306	1000	EA	$ 3.031,74	$ 3.031.740,00
10	P2	106	BROCA No 27 TALADRO DE 90	TSD27ST	12	EA	$ 13.252,10	$ 159.025,20
11	P2	113	PINCEL N:o 8 PLANO	PINCEL N:o 8 PLANO	200	EA	$ 3.023,65	$ 604.730,00
12	P2	140	DRILLS 9/16	DWDN9/16	6	EA	$ 32.438,11	$ 194.628,66
13	P2	142	PACKING PREFORMED	AS3209-162	100	EA	$ 41.686,37	$ 4.168.637,00
14	P2	146	Lubricante 5-56 penetrante 400cc	CRC 5-56	150	EA	$ 32.976,70	$ 4.946.505,00

15	P2	158	DRILLS 37/64	DWDN37/64	6	EA	$ 32.126,29	$ 192.757,74
16	P2	170	PACKING	ST3002-05	100	EA	$ 5.305,54	$ 530.554,00
17	P2	208	DRILLS No 5	DWDCO5	6	EA	$ 10.601,66	$ 63.609,96
18	P2	214	QUALTECH DRILL BLANKS X SET	DWD29J-DB-SET	10	EA	$ 1.667.454,69	$ 16.674.546,90
19	P2	224	DRILLS LETRA D	DWDCOD	6	EA	$ 15.500,94	$ 93.005,64
20	P2	229	PACKING	ST3001-214	200	EA	$ 13.642,81	$ 2.728.562,00
21	P2	231	DRILLS 1/4	DWDCO1/4	12	EA	$ 10.842,62	$ 130.111,44
22	P2	240	QUALTECH HSS LEFT HAND JOBBERS	DWD15J-LH-SET	35	EA	$ 1.083.845,55	$ 37.934.594,25
23	P2	242	BROCA No 3/16 TALADRO DE 90	TSD3/16ST	6	EA	$ 17.026,94	$ 102.161,64
24	P2	244	DRILLS 17/64	DWDCO17/64	6	EA	$ 12.689,89	$ 76.139,34
25	P2	265	DRILLS 3/8	DWDN3/8	50	EA	$ 7.299,28	$ 364.964,00
26	P2	273	QUALTECH HSS TIN COATED JOBBERS	DWD15J-TN-SET	10	EA	$ 757.933,95	$ 7.579.339,50
27	P2	289	DRILLS No 16	DWDCO16	50	EA	$ 7.389,05	$ 369.452,50
28	P2	297	DRILLS LETRA G	DWDCOG	6	EA	$ 13.733,99	$ 82.403,94
29	P2	309	DRILLS 6¨ 3/16	DWDA/CX63/16	6	EA	$ 9.156,00	$ 54.936,00
30	P2	346	BROCA No 30 TALADRO DE 90	TSD30ST	6	EA	$ 13.412,73	$ 80.476,38
31	P2	351	DRILLS 17/32	DWDN17/32	6	EA	$ 28.672,72	$ 172.036,32
32	P3	42	AEROSHELL GREASE 33	MIL PRF- 23827	2	EA	$ 1.538.250,00	$ 3.076.500,00
33	P3	63	LIQUIDO SODIUM HYPOCLORITE 10%	COMERCIAL	10	LT	$ 163.550,26	$ 1.635.502,60
34	P3	64	ACIDO ACETICO VINEGAR	COMERCIAL	1	EA	$ 471.144,00	$ 471.144,00
35	P3	65	CITRIC ACID CRYSTAL	COMERCIAL	1	EA	$ 468.800,00	$ 468.800,00
36	P4	7	AV8/AV100	DINITROL	2	CAN	$ 8.273.694,11	$ 16.547.388,22
37	P4	14	AS3208-05	PACKING	15	EA	$ 9.990,00	$ 149.850,00
38	P4	15	AS3209-013	PACKING	15	EA	$ 9.102,00	$ 136.530,00
39	P4	16	3033355 ALT 3070220-01	FILTER FUEL DESCARGA PAPEL	10	EA	$ 982.135,38	$ 9.821.353,80
40	P4	17	M25988/1-212	ORING FILTRO DESCARGA	10	EA	$ 35.520,00	$ 355.200,00
41	P4	18	M25988/1-928	ORING FILTRO DESCARGA COVER	15	EA	$ 49.728,00	$ 745.920,00
42	P4	19	MS9388-015 / AS3209-015	PACKING	15	EA	$ 37.074,00	$ 556.110,00
43	P4	20	AS3209-126 ALT MS9388-126	PACKING COVER P3	15	EA	$ 17.316,00	$ 259.740,00
44	P4	22	AS3209-014	PACKING	15	EA	$ 11.322,00	$ 169.830,00
45	P4	23	AS3209-015 / MS9388-015	O-RING	15	EA	$ 37.074,00	$ 556.110,00
46	P4	24	AS3209-143 ALT M83248/1-143	ORING FILTRO ACEITE	15	EA	$ 20.868,00	$ 313.020,00
47	P4	25	AS3209-224 ALT MS9388-224	ORING FILTRO ACEITE	10	EA	$ 21.312,00	$ 213.120,00
48	P4	26	AS3209-120 ALT MS9388-120	ORING FILTRO ACEITE	10	EA	$ 11.544,00	$ 115.440,00
49	P4	28	AS3209-143	PACKING	10	EA	$ 20.868,00	$ 208.680,00
50	P4	29	AS3209-120	PACKING	10	EA	$ 11.544,00	$ 115.440,00
51	P4	30	MS9021-268	SEAL	8	EA	$ 182.040,00	$ 1.456.320,00
52	P4	31	AEROSHELL No. 5	GRASA AEROSHELL No. 5	3	EA	$ 7.587.140,03	$ 22.761.420,09

53	P4	32	AN6227B12	PACKING	10	EA	$ 13.764,00	$ 137.640,00
54	P4	33	MS28775-012	PACKING-PREFORMED,	26	EA	$ 11.544,00	$ 300.144,00
55	P4	34	MS28775-122	PACKING-PREFORMED,	10	EA	$ 16.428,00	$ 164.280,00
56	P4	51	SKYDROL 500B-4 OR SKYDROL LD-4	HYDRAULIC	1	EA	$ 9.663.937,50	$ 9.663.937,50
57	P4	55	2595	LIJA STICK GRANO 180	60	EA	$ 870.104,32	$ 52.206.259,20
58	P4	56	2594	LIJA STICK GRANO320	40	EA	$ 870.104,32	$ 34.804.172,80
59	P4	58	4.00-8	TIRE	12	EA	$ 528.361,85	$ 6.340.342,20
60	P4	59	5.00-8	TIRE	12	EA	$ 402.560,00	$ 4.830.720,00
61	P4	60	6.00-9 6PR 84M	TIRE	4	EA	$ 624.282,50	$ 2.497.130,00
62	P4	61	4.10-6	TIRE	8	EA	$ 569.245,00	$ 4.553.960,00
63	P4	62	4-80-12	TIRE	4	EA	$ 347.522,50	$ 1.390.090,00
64	P4	63	20.5*8.0-10	TIRE	4	EA	$ 484.330,00	$ 1.937.320,00
65	P4	65	RTV 118	ADHESIVE SILICONE SEALANT TRANSLUCENT	6	EA	$ 729.479,79	$ 4.376.878,74
66	P4	67	GN3058	GRASA NYCO	6	EA	$ 815.850,00	$ 4.895.100,00
67	P4	68	56747	TEFLON LIQUIDO LOCTITE	1	EA	$ 590.150,00	$ 590.150,00

- El día 07/12/2023 el contratista realiza la entrega del siguiente material en las instalaciones de la Compañía Antinarcóticos de Aviación Policial Bogotá.

Ítem	CONTRATO		Parte No.	Descripción	U/M	CANT	VALOR UNITARIO	VALOR TOTAL
	No.	Ítem						
3	P1	37	17,00X16	TIRE	7	EA	$ 21.939.650,36	$ 153.577.552,52

- El día 13/12/2023 el contratista realiza la entrega del siguiente material en las instalaciones de la Compañía Antinarcóticos de Aviación Policial Guaymaral.

No	PEDIDO	ITEM	Parte No.	Descripción	U/M	CANT	V.UNITARIO	V.TOTAL
1	P1	86	MIL-G-81322	GREASE,AIRCRAFT MOBIL GREASE 28, 13.4 OZ TUBE	EA	20	$ 256.311,13	$ 5.126.222,60
2	P1	263	LUBRIBOND	LUBRI-BOND® 220 12 OZ AEROSOL CAN	EA	36	$ 310.358,89	$ 11.172.920,04
3	P1	342	MIL-C-5040, Type III	CORD, FIBROUS, NYLON, X 100 FT	RO	1	$ 771.427,90	$ 771.427,90
4	P1	345	LUBEREX 10-1206	LUBEREX 10-1206	EA	10	$ 97.496,64	$ 974.966,40
5	P2	276	KD651511	FILTER KIT	EA	25	$ 320.151,30	$ 8.003.782,50
6	P2	343	PAPEL KRAFT ROLLO DE 160 CM X 200 METROS DE LARGO, PAPEL DE 60 GRAMOS	PAPEL KRAFT	ROLLO	30	$ 118.111,37	$ 3.543.341,10
7	P3	2	SCOTCH 23	CINTA AISLANTE AUTOFUNDENTE 3/4"	EA	5	$ 344.568,00	$ 1.722.840,00

8	P3	3	STANICOIL EP-5	LUBRICANTES PARA REDUCTORES ISO VG20 PRESENTACION POR 5 GALONES	EA	1	$ 1.082.928,00	$ 1.082.928,00
9	P3	5	102980	CHAIN LUBE C1	EA	5	$ 213.304,00	$ 1.066.520,00
10	P3	9	VINIPEL	VINIPEL NEGRO 50 CMS X 1 ROLLO	RL	20	$ 164.080,00	$ 3.281.600,00
11	P3	11	BALDE	TOBO EN ALUMINIO (BALDE) ALUMINIO 45400	EA	5	$ 590.688,00	$ 2.953.440,00
12	P3	12	730015	KIT OMEGA REX E4	EA	6	$ 2.461.200,00	$ 14.767.200,00
13	P3	13	730010	KIT OMEGA REX E3	EA	4	$ 2.231.488,00	$ 8.925.952,00
14	P3	14	730045	KIT OMEGA REX E5	EA	4	$ 2.920.624,00	$ 11.682.496,00
15	P3	15	NF-1224	BLADE,HAND HACKSAW	EA	20	$ 49.224,00	$ 984.480,00
16	P3	16	48496	DISCO CORTE METAL 4 1/2	EA	10	$ 22.971,20	$ 229.712,00
17	P3	17	GTP-1101	ABRAZADERA DE CONEXIÓN A TIERRA MILITAR	EA	10	$ 1.854.104,00	$ 18.541.040,00
18	P3	18	GTP139115X150	WIRE CRIPS P/N GTP - 1391 x 150	EA	2	$ 3.445.680,00	$ 6.891.360,00
19	P3	19	GTP-3908	KOLOR KUT GASOLINE	EA	10	$ 1.706.432,00	$ 17.064.320,00
20	P3	21	B079YWGS58	SELLOS DE PLASTICO GIRATORIOS CON CABLE NUMERADOS PARA MEDIDORES	EA	1000	$ 6.563,20	$ 6.563.200,00
21	P3	22	TL-2935C-4	BOTE DE MUESTREO DE 1 GALÓN TAPÓN DE 3/4" - CON ORIFICIO PARA ALAMBRE DE SEGURIDAD	EA	6	$ 2.395.568,00	$ 14.373.408,00
22	P3	23	BOLT, HEX 3/8-16 UNC X 3.75 GR.5	BOLT, HEX 3/8-16 UNC X 3.75 GR.5	EA	40	$ 4.594,24	$ 183.769,60
23	P3	24	WASHER, FLAT 3/8 X 1	WASHER, FLAT 3/8 X 1	EA	40	$ 656,32	$ 26.252,80
24	P3	25	WASHER, SPLIT LOCK 3/8	WASHER SPLIT LOCK 3/8"	EA	40	$ 656,32	$ 26.252,80
25	P3	26	NUT HEX .3/8 – 16 UNC GR.5	NUT HEX .3/8 – 16 UNC GR.5	EA	40	$ 656,32	$ 26.252,80
26	P3	27	SCREW, SLOTTED PAN HEAD, 1/4 -20 UNC X 1.5	SCREW, SLOTTED PAN HEAD, 1/4 -20 UNC X 1.5	EA	40	$ 2.461,20	$ 98.448,00
27	P3	28	BOLT, HEX 3/8-16 UNC X 3.75 GR.5	BOLT, HEX 3/8-16 UNC X 3.75 GR.5	EA	40	$ 4.594,24	$ 183.769,60
28	P3	29	WASHER, FLAT 3/8 X 1	WASHER, FLAT 3/8 X 1	EA	40	$ 656,32	$ 26.252,80
29	P3	30	WASHER, SPLIT LOCK 3/8	WASHER, SPLIT LOCK 3/8	EA	40	$ 656,32	$ 26.252,80
30	P3	31	NUT HEX .3/8 – 16 UNC GR.5	NUT HEX .3/8 – 16 UNC GR.5	EA	40	$ 656,32	$ 26.252,80
31	P3	32	SCREW, SLOTTED PAN HEAD, 1/4 -20 UNC X 1.5	SCREW, SLOTTED PAN HEAD, 1/4 -20 UNC X 1.5	EA	40	$ 2.461,20	$ 98.448,00
32	P3	37	26366-080002	TUERCA M8	EA	30	$ 984,48	$ 29.534,40
33	P3	38	ABRAZADERA DE TORNILLO SINFÍN EN ACERO INOXIDABLE DE 50 MM	ABRAZADERA DE TORNILLO SINFÍN EN ACERO INOXIDABLE DE 50 MM	EA	200	$ 20.674,08	$ 4.134.816,00

35	P4	79	MASCARA MEDIA CARA MOLDEX 7002	MASCARA MEDIA CARA MOLDEX 7002	EA	10	$ 30.710,00	$ 307.100,00
36	P4	80	RESPIRADORES EMSAMBLADOS MULTIGASES/VAPORES 7600	RESPIRADORES ENSAMBLADOS MULTIGASES/VAPORES 7600	EA	75	$ 151.700,00	$ 11.377.500,00
37	P4	81	PREFILTRO MOLDEX 7000	PREFILTRO MOLDEX 7000	PACK DE 2	74	$ 38.850,00	$ 2.874.900,00
38	P4	82	RETENEDORES MOLDEX 7920	RETENEDORES MOLDEX 7920	PACK DE 2	33	$ 71.267,55	$ 2.351.829,15
39	P4	84	OVEROL TIBEK AMARILLO DuPont Tychem 2000	OVEROL TIBEK AMARILLO DuPont Tychem 2000	EA	80	$ 74.064,75	$ 5.925.180,00
40	P4	85	802603-01	MASCARA FULL FACE	EA	13	$ 865.781,50	$ 11.255.159,50
41	P4	86	Gafas 3m de Seguridad Antiempañante Gafas Protectoras 3m	GAFAS 3M DE SEGURIDAD ANTIEMPAÑANTE GAFAS PROTECTORAS 3M	EA	22	$ 26.196,00	$ 576.312,00
42	P4	87	Gafas de Protección 11873, Marco de espuma, Lentes Grises Antiempañante	GAFAS DE PROTECCIÓN 11873, MARCO DE ESPUMA, LENTES GRISES ANTIEMPAÑANTE	EA	24	$ 115.255,00	$ 2.766.120,00
	P2	279	PETROLATUM VV-P-236 - 1 lb Can	PWC06-002	51	LB	$ 306.284,00	$ 15.620.484,00

- El día 13/12/2023 el contratista realiza la entrega del siguiente material en las instalaciones de la compañía Antinarcóticos de Aviación Bogotá.

No	PEDIDO	ITEM	Parte No.	Descripción	U/M	CANT	V.UNITARIO	V.TOTAL
1	P1	199	287562 / V 288045-001	SOLENOIDE ACELERACION JET X 4D	EA	1	$ 4.547.603,69	$ 4.547.603,69
2	P1	213	402788	BRUSH	EA	4	$ 192.781,62	$ 771.126,48
3	P1	227	288380-001	RESISTOR 10 OHM 100 WATT UATT (V44655)	EA	6	$ 1.894.834,87	$ 11.369.009,22
4	P1	248	SP-1/4FR100	SPIROBAND	MT	50	$ 6.236,28	$ 311.814,00
5	P1	256	SP-1-FR	SPIROBAND	MT	20	$ 6.236,28	$ 124.725,60
6	P1	275	TAPE MASKING 1/2 in	CINTA ENMASCARAR 233+ DE 12MM X 55MT = 1/2"	RO	100	$ 6.158,80	$ 615.880,00
7	P1	287	486719-055 / 486719-005	FUEL SENDER	EA	2	$ 1.061.107,53	$ 2.122.215,06
8	P1	305	SP-1/2 FR25	SPIROBAND	MT	50	$ 6.236,28	$ 311.814,00
9	P1	328	3070542-01	FILTER FUEL PUMP	EA	4	$ 609.530,48	$ 2.438.121,92
10	P1	347	222K68-2	TIRE	EA	6	$ 2.953.632,85	$ 17.721.797,10
11	P1	363	609	LOCTITE 609, 50 ML	EA	1	$ 362.795,62	$ 362.795,62
12	P2	85	DEWEZS1-9	SCREW EXTRACTORS X SET	EA	3	$ 416.863,67	$ 1.250.591,01
13	P2	116	TSD40ST	BROCA No 40 TALADRO DE 90	EA	12	$ 12.368,63	$ 148.423,56
14	P2	122	SKF 17699	OIL SEAL GREASE	EA	10	$ 237.550,32	$ 2.375.503,20

15	P2	188	MS25488	PLUG CONTACTOR SALIDA	EA	10	$ 4.547.603,69	$ 45.476.036,90
16	P2	220	INS27021	INSERT BITS	EA	202	$ 6.141,79	$ 1.240.641,58
17	P2	285	TSD10ST	BROCA No 10 TALADRO DE 90	EA	12	$ 17.428,52	$ 209.142,24
18	P2	302	DWD115J-DB-SET	QUALTECH DRILL BLANKS	EA	2	$ 2.273.801,85	$ 4.547.603,70
19	P3	40	NUPOWER II	SHAMPOO	LT	15	$ 171.605,94	$ 2.574.089,10
20	P3	41	LOCTITE 222	FIJADOR DE TRABATUERCAS	EA	1	$ 395.667,20	$ 395.667,20
21	P3	43	MIL-L-25567	LEAK TEC No 16	EA	1	$ 289.374,29	$ 289.374,29
22	P3	45	HIDRAULIC FLUID	MIL-PRF-5606	EA	10	$ 3.549.753,60	$ 35.497.536,00
24	P3	47	MIL-PRF-81322	AEROSHELL GREASE 22	EA / LATA 6,6 LIBRAS	1	$ 1.353.660,00	$ 1.353.660,00
25	P3	49	MEP 18-005	ADHESIVE MASKING 25 MM	RL	2	$ 400.611,34	$ 801.222,68
26	P3	50	MIL-L-2567	LECK TEC 160X	EA	2	$ 202.505,59	$ 405.011,18
27	P3	52	VAR0000084	AEROSHELL 7 DC-ICING FLUID	EA	1	$ 1.833.594,00	$ 1.833.594,00
28	P3	54	COMERCIAL	POLITENO PELICULA	RL	1	$ 131.029,60	$ 131.029,60
29	P3	55	JAN-P-127	CINTA ADHESIVA	RL	2	$ 1.203.357,04	$ 2.406.714,08
30	P3	57	SP-77080/A SANI PAK	DESODORANTE EN POLVO INODORO	EA	1	$ 396.888,40	$ 396.888,40
31	P3	58	SP-97000QT/D SANI PACK	DESODORANTE LIQUIDO LAVAMANOS	LT	1	$ 1.964.811,90	$ 1.964.811,90
32	P3	59	MONOCHEM T-5NF	TOALLAS ABSORVENTES	BX / BX 12 UNIDADES	2	$ 192.182,88	$ 384.365,76
33	P3	60	MEPQ-09-075	CORROSION INHIBITING COMPOUND	LT	27	$ 1.038.701,38	$ 28.044.937,26
34	P3	62	BIOBOR JF MIL-S-53021A	BIOCIDER PRODUCER	EA	1	$ 2.872.533,36	$ 2.872.533,36
35	P4	4	CM6839	LAMP	EA	100	$ 7.654,21	$ 765.421,00
36	P4	5	6839BPE	LAMP	EA	70	$ 11.080,38	$ 775.626,60
	P4	10	3031272	GASKET	EA	8	$ 91.255,97	$ 730.047,76
37	P4	11	MIL-A-907	GRASE	EA	2	$ 766.752,48	$ 1.533.504,96
38	P4	12	MO-LITH	GRASE	EA	2	$ 424.038,97	$ 848.077,94
39	P4	35	1477245	GRASA AEROSHELL6	EA - PAIL DE 37,5 LB	3	$ 5.822.993,40	$ 17.468.980,20
40	P4	37	AN960-10L	NUT STOP	EA	38	$ 1.998,00	$ 75.924,00
41	P4	38	UPC66243810627 3*,035*1/4	DISCO DE CORTE	EA	50	$ 41.248,44	$ 2.062.422,00
42	P4	39	CR32124-2	RIVET CHERRY MAX	EA	1000	$ 10.434,00	$ 10.434.000,00
43	P4	40	CR32124-3	RIVET CHERRY MAX	EA	500	$ 13.542,00	$ 6.771.000,00
44	P4	41	CR32124-4	RIVET CHERRY MAX	EA	500	$ 13.320,00	$ 6.660.000,00
45	P4	42	CR32134-4	RIVET CHERRY MAX	EA	500	$ 8.880,00	$ 4.440.000,00
46	P4	43	CR32134-3	RIVET CHERRY MAX	EA	500	$ 11.544,00	$ 5.772.000,00
47	P4	44	CR32134-2	RIVET CHERRY MAX	EA	1000	$ 11.544,00	$ 11.544.000,00

48	P4	45	CR32424-2	RIVET CHERRY MAX	EA	500	$ 11.544,00	$ 5.772.000,00
49	P4	46	CR32424-4	RIVET CHERRY MAX	EA	500	$ 11.100,00	$ 5.550.000,00
50	P4	47	CR32434-2	RIVET CHERRY MAX	EA	500	$ 7.770,00	$ 3.885.000,00
51	P4	52	70006745734	GREEN MASKING TAPE 401 72 MM x 55 m 6.7	RL	100	$ 278.379,07	$ 27.837.907,00
52	P4	54	ALUMIPREP 33	ALUMIPRED 33	QT	15	$ 898.414,71	$ 13.476.220,65
53	P4	64	PWC09-003	ADHESIVE SILICONE SEALANT COMPOUND	QT	6	$ 641.918,55	$ 3.851.511,30
54	P4	66	A-A-3097	ADHESIVE SUPER BONDER	EA	6	$ 83.250,00	$ 499.500,00

- El día 14/12/2023 el contratista realiza la entrega del siguiente material en las instalaciones de la compañía Antinarcóticos de Aviación Policial Guaymaral.

No	PEDIDO	ITEM	Parte No.	Descripción	U/M	CANT	V.UNITARIO	V.TOTAL
1	P1	234	CEE BEE A-882	SHAMPOO AERONAUTICO X 55 GL	DRUM	15	$ 7.559.127,92	$ 113.386.918,80
2	P1	124	MIL-T81772B TIPO II	THINNER TIPO II X 5 GL	DRUM	2	$ 2.513.161,29	$ 5.026.322,58
3	P2	82	THINNER TIPO I X 5 GL	MIL-T-81772B TIPO I POLYURETANE	PAIL	6	$ 2.513.161,29	$ 15.078.967,74
4	P3	75	POLIKIT IV	POLIKIT IV	EA	10	$ 350.500,00	$ 3.505.000,00
5	P4	91	HASKC41000470-107AL	KIT EMPAQUES	EA	1	$ 27.334.138,50	$ 27.334.138,50
6	P4	94	PINTURA NEGRA TRAFICO PESADO PARA EXTERIOR	PINTURA NEGRA TRAFICO PESADO PARA EXTERIOR	EA	1	$ 1.452.250,00	$ 1.452.250,00
7	P4	77	31130GPX T-1	VERDE PALAS	KIT	14	$ 3.607.500,00	$ 50.505.000,00
8	P4	69	313206KPXT1	VERDE MILITAR	KIT	5	$ 3.607.500,00	$ 18.037.500,00
9	P4	96	MOLYKOTE 33	GRASA LUBRICANTE (TARRO) MOLYKOTE 33	E/A	5	$ 515.960,52	$ 2.579.802,60

- El día 22/12/2023 el contratista realiza la entrega del siguiente material en las instalaciones de la Compañía Antinarcóticos de Aviación Policial Guaymaral.

No	PEDIDO	ITEM	Parte No.	Descripción	U/M	CANT	V.UNITARIO	V.TOTAL
1	3	4	10012915	PINTURA EPOXICA GRIS KIT X GALON	GALON	10	$ 918.848,00	$ 9.188.480,00
2	3	7	10703034	PINTURA ESMALTE GRIS KIT PRESENTACON POR GALON	GALON	10	$ 1.575.168,00	$ 15.751.680,00
3	3	8	PINTURA DE ALTA TEMPERATURA NEGRA	PINTURA EN AEROSOL PARA ALTAS TEMPERATURAS NEGRA	AEROSOL	4	$ 82.040,00	$ 328.160,00
4	3	20	8814	PINTURA SPRAY NEGRO MATE	UNIDAD	10	$ 82.040,00	$ 820.400,00
5	4	89	OIL K&N	99-0551 / 990555	GL	4	$ 1.665.290,54	$ 6.661.162,17
6	4	94	BATERIAS RG24-15M/RG24-16	Concorde Battery® Premium Aircraft Battery RG24-15M	EA	5	$ 12.705.088,59	$ 63.525.442,97
7	P1	348	MIBK	METHIL ISOBUTIL CETONA X 5 GL	PAIL	1	$ 2.460.843,57	$ 2.460.843,57
8	P2	366	PLATING SOLUTION BOTTLE	CADMIUM LHE 5070	BOTTLE	1	$ 4.937.280,25	$ 4.937.280,25

9	P3	39	MANGUERA PARA COMBUSTIBLE DE 10MM	MANGUERA PARA COMBUSTIBLE DE 10MM	MT	10	$ 49.224,00	$ 492.240,00
10	P4	82	RETENEDORES MOLDEX 7920	RETENEDORES MOLDEX 7920	PACK DE 2 - PACK DE 2	2	$ 71.267,55	$ 142.535,10
11	P4	85	802603-01	MASCARA FULL FACE	EA - EA	2	$ 865.781,50	$ 1.731.563,00
12	P3	35	Sae J30r7	FUEL LINE HIGH TEMPERATURE RESISTAN1/4"	MT / METRO	10	$ 147.672,00	$ 1.476.720,00
13	P3	36	114310-13200	EMPAQUES DEL EXOSTO	EA / UNIDAD	50	$ 29.534,40	$ 1.476.720,00

- El día 22/12/2023 el contratista realiza la entrega del siguiente material en las instalaciones de la compañía Antinarcóticos de Aviación Policial Bogotá.

No	PEDIDO	IT	Parte No.	Descripción	U/M	CA	V.UNITARIO	V.TOTAL
	83	162	Honey Bee 60T	SERVICE,WASTE DISPOSAL PAIL	5	EA	$ 2.314.982,93	$ 11.574.914,63
	173	357	MIL-PRF-23699	OIL MOTOR 2380	1000	QT	$ 149.254,98	$ 149.254.980,75
	8	36	POLIURETANO ANTIDESLIZANTE FD-37030	AA-59166 TYPE II	15	KIT	$ 1.511.825,58	$ 22.677.383,70
	27	120	FILM, RELEASE PERFORATED, 48" X 200 YD	HCS2108-P5	1	RO	$ 15.477.902,93	$ 15.477.902,93
	45	181	CLEANING SOLVENT X 5 GL	AXAREL 1000	4	PAIL	$ 1.456.691,20	$ 5.826.764,80
	67	73	304K63-2	TIRE MLG	7	UNIDAD	$ 28.104.560,00	$ 196.731.920,00
	14	9	ELEMENT SCAVING OIL FILTER	**3036376** OR 3034508	5	EA	$ 13.631.226,20	$ 68.156.130,98
	70	48	MICROFLEX 93-260 GUANTES	MICROFLEX 93-260 GUANTES	5	BOX X 50	$ 170.200,00	$ 851.000,00
	119	70	PINTURA ALTA TEMPERATURA ALUMINIO	N-6974	5	GL	$ 6.401.584,51	$ 32.007.922,54
	126	76	PRIMER VERDE OSCURO	AD9325	14	KIT	$ 4.162.500,00	$ 58.275.000,00
	3	10	VF-61EP 1/2	FILTRO VELCOM P/N VF-61EP 1/2	UNIDAD	10	$ 8.950.000,00	$ 89.500.000,00
	3	34	22361	SEAL ASSEMBLY – SELF - LUBRICATED	UNIDAD	20	$ 918.848,00	$ 18.376.960,00
	4	96	FILTER ELEMENT 204-040-760-109	204-040-760-109	150 GM	4	$ 2.025.202,74	$ 8.100.810,95
1	P1	27	459M08-2	TIRE	EA	4	$ 4.599.750,60	$ 18.399.002,40
	P1	300	3044590-01	KIT FUEL MINIFOLD PACKING Y GASKET	EA	3	$ 4.429.396,20	$ 13.288.188,60
3	P2	7	DWDCO	DRILLS 27/64	EA	6	$ 32.206,61	$ 193.239,66
4	P2	17	LOCTITE SF 7649	ACTIVADOR A BASE DE DISOLVENTE / 4,5 OZ	EA	10	$ 357.146,59	$ 3.571.465,90
5	P2	30	DWDACX61/16	DRILLS 1/16	EA	12	$ 8.153,47	$ 97.841,64
6	P2	111	DWDCO27	DRILLS No 27	EA	50	$ 5.782,73	$ 289.136,50
7	P2	137	RTV106	MOMENTIVE SEALANT RED, 10.1 OZ CARTRIDGE	TB	10	$ 597.313,78	$ 5.973.137,80


8	P2	143	DWDCO25/64	DRILLS 25/64	EA	6	$ 27.948,66	$ 167.691,96
9	P2	157	04016	LPS 04016 NOFLASH ELECTRO CONTACT CLEANER 12OZ, CLEAR	EA	30	$ 232.977,05	$ 6.989.311,50
10	P2	160	DWDCO13/64	DRILLS 13/64	EA	12	$ 9.477,26	$ 113.727,12
11	P2	184	DWDA/CX61/16	DRILLS 6¨ 1/16	EA	6	$ 8.513,47	$ 51.080,82
12	P2	185	BINNER	LIMPIADOR DE PANTALLAS LCD x 50 ml	EA	30	$ 22.805,89	$ 684.176,70
13	P2	189	DWDCO15/64	DRILLS 15/64	EA	6	$ 10.119,79	$ 60.718,74
14	P2	190	TSD20ST	BROCA No 20 TALADRO DE 90	EA	6	$ 13.814,31	$ 82.885,86
15	P2	205	TSDFST	BROCA LETRA F TALADRO DE 90	EA	6	$ 21.685,25	$ 130.111,50
16	P2	221	RTV 736	DOW CORNING XIAMETER RTV736 90 ML TUBE	TB	20	$ 257.554,75	$ 5.151.095,00
17	P2	237	DWDA/CX63/32	DRILLS 6¨ 3/32	EA	50	$ 6.344,94	$ 317.247,00
18	P2	246	DWDCO1/2	DRILLS 1/2	EA	6	$ 44.013,02	$ 264.078,12
19	P2	249	TSDGST	BROCA LETRA G TALADRO DE 90	EA	6	$ 23.693,14	$ 142.158,84
20	P2	260	DWDCO27/64	DRILLS 27/64	EA	6	$ 32.206,61	$ 193.239,66
21	P2	264	DWDA/CX61/8	DRILLS 6¨ 1/8	EA	50	$ 6.344,94	$ 317.247,00
22	P2	272	DWDCO7	DRILLS No 7	EA	6	$ 8.272,52	$ 49.635,12
23	P2	280	TSD1/8ST	BROCA No 1/8 TALADRO DE 90	EA	12	$ 15.259,99	$ 183.119,88
24	P2	293	DWDA/CX65/32	DRILLS 6¨ 5/32	EA	6	$ 7.710,31	$ 46.261,86
25	P2	304	DWDN1/16	DRILLS 1/16	EA	50	$ 1.445,69	$ 72.284,50
26	P2	313	DWDCOH	DRILLS LETRA H	EA	6	$ 15.982,83	$ 95.896,98
27	P2	314	TSD5ST	BROCA No 5 TALADRO DE 90	EA	6	$ 19.195,46	$ 115.172,76
28	P2	344	DWDCO57	DRILLS No 57	EA	32	$ 7.148,10	$ 228.739,20
29	P2	239	ACEITE MOTOR	15W40 4T	GL	15	$ 103.938,01	$ 1.559.070,13
	P3	44	MIL-PRF-680	SOLVENT TYPE 2	EA	1	$ 418.404,00	$ 418.404,00
30	P3	48	X-3500-18 KIT	XZILUN 3 CORROSION INHIBITEN COMPOUND	EA / KIT	1	$ 1.755.988,60	$ 1.755.988,60
31	P3	51	MIL-L-87177A	LECTRO TECH SUPER TYPE 1	EA / AEROSOL 16 ONZ	2	$ 1.614.967,99	$ 3.229.935,98
32	P3	56	PARKER SUPERO-LUBE	LUBRICANTE	EA / TUBO 02 ONZ	1	$ 131.029,60	$ 131.029,60

33	P3	61	O-M-232	METHYL ALCOHOL	EA / LATA UN GALON	1	$ 1.339.018,87	$ 1.339.018,87
34	P3	66	ASTM B134	LOCKWIRE ANNEALED BRASS	EA / ROLLO	1	$ 660.089,26	$ 660.089,26
34	P3	68	196K02B1	TIRE NLG	EA / UNIDAD	3	$ 7.998.900,00	$ 23.996.700,00
35	P4	8	5914299 or 3070542-01	ELEMENT FILTER FUEL PUMP	EA - EA	5	$ 1.171.427,40	$ 5.857.137,00
36	P4	21	3038142	FILTER POST	EA - EA	10	$ 2.400.203,09	$ 24.002.030,90
37	P4	27	A3044	BLOCK ASSY	EA - EA	2	$ 2.711.920,10	$ 5.423.840,20
38	P4	36	MIL-PRF-87937	CLEANING COMPOUND	EA - EA	4	$ 3.850.401,99	$ 15.401.607,96
39	P4	53	ALODINE1201	ANTICORROSIVO ALODINE 1201	EA	15	$ 1.001.037,96	$ 15.015.569,40
40	P4	57	MANGUERA PARA PINTAR PARA 300PSI DE 50 mts	MANGUERA PARA PINTAR PARA 300PSI DE 50 mts	C/U - EA	3	$ 334.631,70	$ 1.003.895,10
41	P4	83	143255	SATA Anthracite Paint Overalls (Large)	EA - EA	80	$ 115.819,25	$ 9.265.540,00
42	P4	1	I-616C5TB	ELEMENTO COALESCENTE	EA	6	$ 3.937.920,00	$ 23.627.520,00
43	P3	6	CDF 220 P	CARTUCHO PARA MONITOR	EA	50	$ 2.297.120,00	$ 114.856.000,00

5.2. Actividades Desarrolladas por el Supervisor o Interventor

- Los elementos entregados en el mes de diciembre, en las Compañías Antinarcóticos de Aviación Policial, son recepcionados sin ninguna novedad.

- Mediante correo electrónico del 18/12/2022, el contratista informa del parte comercial de un componente y solicita su aceptación, por parte de esta supervisión se solicita al grupo de combustible la verificación de la información la cual es aceptada.




De la manera mas atenta solicito verificar los siguientes Ítems:

P3-35	Sae J30r7	FUEL LINE HIGH TEMPERATURE RESISTAN1/4"	MT	Este elemento lo están solicitando con el Parte Numero **SAE J30r7** el cual no es un producto comercial en el mercado, y por el cual solicitamos se pueda entregar el Parte Numero **SAE100R8/EN 855**, el cual es de la marca **GOODYEAR**, marca reconocida en el mercado el cual supera las condiciones del solicitado. Adjuntamos Ficha Técnica.

Gracias.

Cordialmente;

Huvesney Nuñez Blanco.
Asistente de Licitaciones.
DESVARE AEREO S.A.
Tel: 601 2981992 – 601 2989862
Cel: 3163017487
Dir. Calle 22 J No. 97-44
Bogotá-Colombia
DESVARE AÉREO S.A.
ELEMENTOS Y SUMINISTROS AERONÁUTICOS



5.3. Actividades a realizar en los contratos de Mantenimientos preventivos y correctivos.

5.3.1 Especificar el tipo de Mantenimiento realizado:

Tipo de Mantenimiento	Marque con una X el mantenimiento correspondiente	Descripción de actividades Desarrolladas
Preventivo	N/A	N/A
Correctivo	N/A	N/A
Preventivo y Correctivo	N/A	N/A

5.3.2. Incluir cotizaciones del mercado cuando se requiera elementos no contemplados inicialmente en el contrato y este lo permita, anexar la información de costos y usos finales.

Este numeral no aplica para el presente informe de supervisión

5.4 Manifestar la verificación y el cumplimiento total de las especificaciones técnicas de los bienes y servicios recibidos de acuerdo al contrato en su totalidad (aquí se relaciona todo el componente técnico ya sea bienes y servicios, en el cual el supervisor literal por literal, manifiesta la verificación y el cumplimiento de cada requerimiento por parte del Contratista)**.**

NOTA: Para el mes de diciembre de la presente vigencia, se realiza la calificación del cumplimiento de las especificaciones técnicas de los ítems relacionados, toda vez que se han recibido elementos consumibles según lo estipulado en el contrato de suministro No. 042-2-2023 de manera parcial, por otro lado, es importante aclarar que los ítems que se encuentran como no marcados son aquellos que están próximos a ser solicitados y/o entregados.

ANEXO ESPECIFICACIONES TÉCNICAS ANEXO No. 01

ITEM	NÚMERO DE PARTE	DESCRIPCIÓN	U/M	ESPECIFICACIÓN TÉCNICA	CUMPLE
1	AMS-QQ-A-250-2024-T3-0.032	SHEET METAL	EA	Lamina de aluminio 2024-T3 de 0.032 de 48" X 144" - (4 X 12 ft.)	X
2	10605000	Tape, Adhesive, Reflectorized Sheeting	RO	Tape, Adhesive, Reflectorized Sheeting	No pedido
3	284-50	FIBRA DE CARBON / STYLE 284-50 X 50 YARDAS	RO	FIBRA DE CARBON / STYLE 284-50 X 50 YARDAS, presentacion rollo	No pedido
4	HCX-46 FRANING	FILTRO DE ACEITE	EA	FILTRO DE ACEITE	X
5	MIL-PRF-85285E Type I- IV 15048	POLIURETANO AZUL	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I- IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	X
6	AMS-QQ-A-250/6	SHEET METAL 0,025	EA	Lamina de aluminio AMS-QQ-A-250/6, 0,025	No pedido
7	DWDCO	DRILLS 27/64	EA	BROCA COBALTO DWDCO SERIES 27/64	
8	DWDCO40	DRILLS No 40	EA	BROCA COBALTO DWDCO SERIES No 40	X
9	205-076-034-007	FILTER	EA	FILTER	No pedido
10	HCS2101-04-60V	FILM, BAGGING NYLONX 1000FT (APPROX 333YDS)	RO	High temperature Nylon Film which can be used for cures up to 401 °F (205 °C), Tensile Strength 80MPa, Elongation MD: 300%, TD: 300% Width 30 in (open 60 in)	No pedido
11	AS3209-144	PACKING OIL ESCAVATION	EA	PACKING OIL ESCAVATION	
12	MS20995C20	LOCK WIRE	LB	MS20995C20 Stainless Steel 0.020" Diameter Safety Wire - 1 lb Roll	X
13	MS28775-015	O-RING	EA	O-RING	X
14	11.00-12	TIRE	EA	TIRE 11.00-12 PLY RATING 10,Rated Speed (MPH) 160, Maximum Braking Load (Lbs) 11890, Rated Inflation (PSI) 60	X
15	PA2824	FILTRO DE AIRE	EA	FILTRO DE AIRE	X
16	MIL-H-83282	HIDRAULICO 782	QT	ROYCO 782 is synthetic hydraulic fluid developed to meet the severe duty demands of today's military and industrial equipment, suitable for use in applications operating at temperatures from -40°C to 205°C, qualified to MIL-SPEC: MIL-PRF-83282D	X
17	LOCTITE SF 7649	Activador a base de disolvente / 4,5 OZ	EA	Activador para adhesivos y selladores anaeróbicos de Loctite,peso específico @ 25 °C 0,79, Viscosidad @ 20 °C, mPa·s (cP) 2, Tiempo de Secado a 20 °C, segundos 30 y 70	X
18	MIL-PRF-85285E Type I- IV 37038	POLIURETANO NEGRO MATE	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I- IV, Mix Ratio: 3 : 1 by Volume, Application Thickness:	No pedido

				1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	
19	1-480698-0	HOUSING FLUORESCENT LIGHTS	EA	HOUSING FLUORESCENT LIGHTS	No pedido
20	CR3553-5-8	REMACHE PACK X 100	EA	REMACHE PACK X 100	No pedido
21	AS568-110	O-RING	EA	O-RING	No pedido
22	MIL-PRF-85285E Type I- IV 17038	POLIURETANO NEGRO BRILLANTE	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I- IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	No pedido
23	BT-339	FILTRO DE ACEITE	EA	FILTRO DE ACEITE	X
24	AMS-QQ-A-250/6.	SHEET METAL 0,032	EA	Lamina de aluminio AMS-QQ-A-250/6 0,032	No pedido
25	DWDCO3/32	DRILLS 3/32	EA	BROCA COBALTO DWDCO SERIES 3/32	X
26	DWDN35/64	DRILLS 35/64	EA	BROCA H.S.S DWDN SERIES 35/64	
27	459M08-2	TIRE	EA	SIZE 450X190-5 PLY RATING 10,Rated Speed (MPH) 190, Maximum Braking Load (Lbs) 5400, Rated Inflation (PSI) 75	X
28	MOBIL 28	GREASE RED MOBIL 28 / 4.4 lb can	TRR	Supreme performance, high temperature, antiwear grease Oil Separation, 30 hr. at 177ºC, ASTM D 6184, vol-% 2.5, Evaporation Loss, ASTM D 2595, 22 hrs @ 177ºC, vol-% 5.2, COLOR RED	X
29	CR3553-5-10	REMACHE PACK X 100	EA	REMACHE PACK X 100	No pedido
30	DWDACX61/16	DRILLS 1/16	EA	BROCA HSS DWDA/C SERIES 6" 1/16	
31	HCS2114	Flash Tape (cinta azul de composite)	RO	Polyester tape backed with a fully pressure silicone adhesive, Maximum cure temperature 400 °F (204 °C), Standard size 1 " x 72 YD	X
32	3033356	PARTS KIT,FLUID PRESSURE FILTER	EA	PARTS KIT,FLUID PRESSURE FILTER	X
33	FS1242	FILTRO DE COMBUSTIBLE PRIMARIO	EA	FILTRO DE COMBUSTIBLE PRIMARIO	X
34	MS22759/16-2-9	M22759/16-2-9 White Tape Coated Fiberglass X 100 MT	RO	White Tape Coated Fiberglass X 100 MT	No pedido
35	99-4781-026	PACKING	EA	PACKING	No pedido
36	AA-59166 TYPE II	POLIURETANO ANTIDESLIZANTE FD-37030	KIT	Coating Compound, Nonslip, designed to meet A-A-59166, Type II, Volume Solids: 49.91 ± LO, Viscosity: 80-90 KU's, Weight Solids: 71.32 ± 1.0	X
37	1700X16	TIRE	EA	TIRE 17.00-16 PLY RATING 12,Rated Speed (MPH) 160, Maximum Braking Load (Lbs) 23200, Rated Inflation (PSI) 60	X
38	DWDCO20	DRILLS No 20	EA	BROCA COBALTO DWDCO SERIES No 20	X
39	MS24694S60	SCREW,MACHINE	EA	SCREW,MACHINE	X
40	350689-1	SOCKET FLUORESCENT LIGHTS	EA	SOCKET FLUORESCENT LIGHTS	X
41	PC458	CROCUS CLOTH 9" × 11" PACK X 5	EA	Hojas de tela Crocus 9" × 11" PACK X 5	X

42	FS20000	FILTRO DE COMBUSTIBLE SECUNDARIOS	EA	FILTRO DE COMBUSTIBLE SECUNDARIO	X
43	M25988/1-152	PACKING	EA	PACKING	No pedido
44	CR3553-5-9	REMACHE PACK X 100	EA	REMACHE PACK X 100	No pedido
45	DWDCO30	DRILLS No 30	EA	BROCA COBALTO DWDCO SERIES No 30	X
46	99-4346-152	PACKING	EA	PACKING	No pedido
47	WD-40	Lubricante Multiusos 382 ml/11 oz.	EA	Producto Multiusos lubrica piezas móviles como bisagras, ruedas, rodillos, cadenas y engranajes. Protege contra el óxido y la corrosión en elementos como herramientas y equipos, PUNTO DE EBULLICIÓN: 150°C (300° F), PUNTO DE INFLAMABILIDAD:59°C (138 °F) (TCC)	X
48	AMS3374D Type 1	Primerless Silicone Firewall Sealant - 6 oz Cartridge	EA	Adhesive, solvent-free, thixotropic silicone paste,used as a coating, sealant, or filleting material in the construction, repair and maintenance of all types of aircraft. Excellent fire resistance to 3500°F (1927°C),Service temperature of -65°F to 400°F (-54°C to 204°C) Qualified to BMS 5-63, AMS3374, BAMS 552-004, and CMNP009	No pedido
49	MIL-T-6095	THINNER EXTRAFINO DE 52 GL	DRUM	Blush retarding thinner used in thinning cellulose nitrate dopes and lacquers, Specific gravity. 0.843-0.859, Non-volatile content (max) 10 mg/100 ml	X
50	M25988/1-037	PACKING	EA	PACKING	X
51	ASTM-D-329	ACETONA X 5 GL	PAIL	Acetone technical Meets ASTM-D-329, Flash point 1°F, CAS 67-64-1, Specific Gravity 0,7918, Purity. 99,8% by Weight.	No pedido
52	DA7801	FILTRO DE AIRE	EA	FILTRO DE AIRE	X
53	BMS-9-3-120	BMS9-3 TYPE D STYLE 120 CLOTH FIBERGLASS 38" 136 Yards	RO	BMS 9-3 Style 120 is typically used for interior cabin structures including seats, luggage bins, bulkheads, lavatories, wall panels and in honeycomb structures. Weave Style 4 Harness Satin, Breaking Strength Warp 160 lbf/in	No pedido
54	328Q28-2	TIRE	EA	SIZE 32X8.8R16 PLY RATING 12,Rated Speed (MPH) 190, Maximum Braking Load (Lbs) 16500, Rated Inflation (PSI) 140	X
55	MIL-PRF-23827B	AEROSHELL GREASE 7 6.6 lb Can	TRR	Advance multipurpose grease, it is inhibited against corrosion and has excellent resistance to water, useful operating temperature range is -73 °C to +120 °C meets MIL-PRF-23827	X
56	MIL-PRF-85285E Type I- IV17925	POLIURETANO BLANCO BRILLANTE	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I- IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	X
57	75310-0530	LIMPIAVIDRIOS X 530cc	EA	Limpiavidrios 530 Cm3, -Es un agente limpiavidrios de secado rápido-y aplicación directa.-Producto Biodegradable-que no contiene amoniaco-y no irrita ni causa daño a quien lo usa	X

58	6895177	ELEMENT FILTER FUEL PUMP	EA	ELEMENT FILTER FUEL PUMP	No pedido
59	26560201	FILTRO DE COMBUSTIBLE PRIMARIO	EA	FILTRO DE COMBUSTIBLE PRIMARIO	X
60	M27500-22TG3T14	CABLE X 1000 FT	RO	cables designed primarily for use in aircraft and ground support equipment, their high performance and versatility makes them ideal in a wide variety of general-purpose electrical and electronic applications. White Jacket 22 AWG 3 Conductor Shielded White Jacket 22 AWG 3 Conductor Shielded	X
61	MS29561-247	PACKING	EA	PACKING	X
62	MS25237-327	LAMP	EA	LAMP	X
63	M-25988-1-916	PACKING	EA	PACKING	No pedido
64	DWDCO5/16	DRILLS 5/16	EA	BROCA COBALTO DWDCO SERIES 5/16	X
65	MIL-G-6032	EZ TURN LUBRICANT FUEL LUBE TYPE 1 1LB	LB	Sealant and lubricant for oil and fuel line valves. Resistant to high temperatures, Worked Penetration 220 ASTM D-1403, Color Cream , Low Temperature Torque at 0° F - Starting Torque 55,250 g-cm ASTM D-1478	X
66	CH-48110-1	OIL FILTER	EA	OIL FILTER	X
67	BT-237	FILTRO DE ACEITE	EA	FILTRO DE ACEITE	X
68	M25988/1-022	PACKING FUEL	EA	PACKING FUEL	X
69	HL20PB86-6-8	HI LOK PIN COLLAR PACK X 100	EA	HI LOK PIN COLLAR PACK X 100	No pedido
70	DWDCO1/8	DRILLS 1/8	EA	BROCA COBALTO DWDCO SERIES 1/8	X
71	MS24694S53	SCREW,MACHINE	EA	SCREW,MACHINE	X
72	Magnobond 6398-AB-1/PT	Thixotropic Paste Epoxy Adhesive - Pint Kit	PINT-KIT	Two-component thixotropic paste epoxy system designed for bonding metals and composite structures, Cure Schedule, 7 days @ 77°F or 1 hour @ 150°-250°F, Specific Gravity, Part A: 1.3,Part B: 1.0,Mix: 1.25	No pedido
73	HCS2411-035	FIBRA KEVLAR / 353-50 X 50 YARDAS	RO	The JPS Kevlar® Dry Fabric 353 is an aramid fiber reinforcement for use in aerospace applications where high strength, low weight, and impact resistance are essential, Style: 353, Weave: 4 Harness Satin,Dry Fabric Nominal Thickness: 9.4mil (.24mm)	No pedido
74	AMS-QQ-A-250/5	SHEET METAL 0,020	EA	Lamina de aluminio AMS-QQ-A-250/5 0,020	X
75	DA2570	FILTRO DE AIRE	EA	FILTRO DE AIRE	X
76	AS3085-014	O-RING	EA	O-RING	X
77	MIL-P-87938	MEK PEROXIDE	GL	Methyl Ethyl Ketone Peroxide, CAS Nr: 1338-23-4, Viscosity at 20°C. 16 mPa s, Density at 20°C. 1,128 g/ml	X
78	ABRASIVE 240 GRIT	Abrasive Cloth or Paper, X PLIEGO	EA	Abrasive Cloth or Paper, X PLIEGO	X
79	MIL-PRF-85285E Type I- IV	POLIURETANO COLOMBIAN POLICE BLUE METALLIC	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I- IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	X
80	WF336680	FILTER ELEMENT OIL	EA	FILTER ELEMENT OIL	No pedido
81	MS29513-124	PACKING	EA	PACKING	X

82	MIL-T-81772B TIPO I	THINNER TIPO I X 5 GL	PAIL	POLYURETHANE THINNER This product conforms to MIL-T-81772, Type I, MIN. FLASH POINT ºF (ºC) 22ºF (-5ºC) is intended for use with:MIL-PRF-83231, 83286, 85285, 85322 (2 Part Aliphatic Polyurethane Coatings).MIL-DTL-46168 (2 Part CARC Polyurethane Coating)	X
83	4415122	FILTRO SEPARADOR DE AGUA	EA	FILTRO SEPARADOR DE AGUA	X
84	TOLUENO	TOLUENO X 5 GL	PAIL	Nombre Comercial Tolueno, Fórmula Química C7H8, CAS 188-88-3, DENSIDAD 0.87 g/cc, PUNTO DE INFLAMACION 4° –9°C , INDICE DE REFRACCION. 1.4967.	X
85	DEWEZS1-9	SCREW EXTRACTORS X SET	EA	SCREW EXTRACTORS SET SIZE-RANGE 1-9 DEWEZS1-9	X
86	MIL-G-81322	GREASE,AIRCRAFT Mobil grease 28, 13.4 oz tube	EA	General purpose aircraft Grease Supreme performance, high temperature, antiwear grease meets the quality level of U.S. Military Specification MIL-G-81322E, NLGI Grade 1.5	X
87	DWDCO5/32	DRILLS 5/32	EA	BROCA COBALTO DWDCO SERIES 5/32	X
88	6000-2	TEMP-PLATE	EA	TEMP-PLATE	X
89	MS24665-377	PIN COTTER	EA	PIN COTTER	X
90	24M-XHD 800CCA-1000MCA	BATERIA	EA	Bateria 24M-XHD Amperios de arranque en frío (CCA) 800, Amperios de arranque (CA)1000, Reserva de Capacidad (RC) 135 minutos	X
91	JNT-K8S	SCRAPER PLASTIC	EA	SCRAPER PLASTIC	X
92	HCS2410-020	FIBERGLASS, DRY FABRIC, VOLAN 1 ROLL= 38" WIDE X 125 YDS	RO	Hexcel's HexForce® Fiberglass Dry Fabric 1581, Fire resistance, Thermal and electrical insulating properties, Fabric Thickness: 8.5mil (.22mm), Weave Style: 8 Harness Satin, Weave Style 8 Harness Satin, Breaking Strength Warp 450 lbf/in, Filling 380 lbf/in	No pedido
93	PR1428-B 1/2	ADHESIVE SEALANT	PINT-KIT	PR-1428 CLASS B is a two-part manganese dioxide cured, polysulfide compound. It has a service temperature range from -65°F (-54°C) to 250°F (121°C) Tested in accordance with MIL-S-8784 CLASS B	X
94	AMS-QQ-A-250-2024-T3-0.040	SHEET METAL	EA	Lamina de aluminio 2024-T3 de 0.040 de 48" X 144" - (4 X 12 ft.)	X
95	5423	CINTA ANTIFRICCION MODEL S-18660	RO	3M 5423 UHMW Film Tape - 2" x 18 yds Reduces friction, noise and vibration on material handling equipment. Handles temperatures from –30°F to 225°F.	No pedido
96	VAC1-5SET	STEP DRILLS X SET	EA	STEP DRILL VAC SERIES 5 Piece Set #1, 2, 3, 4, 5 VAC1-5SET	X
97	281881-001	BATERIAS 12 V. DELCO	EA	281881-001 DEKA BATTERY 12 VOLT-HOBART GROUND SYSTEM	X
98	2599	LIJA Stikit De 3m 2599 P80	RO	LIJA Stikit De 3m 2599 P80	X
99	TELA DE GARZA	TELA DE GARZA X 100 MT	RO	TELA DE GARZA X 100 MT	X
100	HCS2108-NP	FILM, RELEASE NON-PERFORATED 1 ROLL = 48" WIDTH X 200 YDS	RO	HCS2108-NP is an FEP resin base release film exhibits high elongation and excellent release characteristics, maximum use temperature 500 °F (260°C) Elongation MD: 160 %, TD: 200 %	No pedido

101	TAPE MASKING 2 in	CINTA ENMASCARAR 233+ DE 48MM X 55MT = 2"	RO	CINTA ENMASCARAR 233+ DE 48MM X 55MT = 2"	X
102	MS24665-306	PIN COTTER	EA	PIN COTTER	X
103	MIL-PRF-85285E Type I- IV 36231	POLIURETANO GRIS MATE	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I- IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	X
104	842921	OIL FILTER	EA	OIL FILTER	X
105	CEPILLO CERDA METALICA	CEPILLO DE CERDA DE BRONCE	EA	CEPILLO DE CERDA DE BRONCE	X
106	TSD27ST	BROCA No 27 TALADRO DE 90	EA	BROCA No 27 TALADRO DE 90	X
107	AN525-10R6	SCREW,MACHINE	EA	SCREW,MACHINE	X
108	TAPE MASKING 3/4 in	CINTA ENMASCARAR 233+ DE 18MM X 55MT= 3/4"	RO	CINTA ENMASCARAR 233+ DE 18MM X 55MT= 3/4"	X
109	RG-400	RG-400 High- Coaxial Cable DXE-RG400-CTL X 500 FT	RO	Cable coaxial de RF flexible estándar RG-400 DXE-RG400-CTL X 500 FT	No pedido
110	394018 IAW 394018S	AIR FILTER	EA	AIR FILTER	X
111	DWDCO27	DRILLS No 27	EA	BROCA COBALTO DWDCO SERIES No 27	X
112	TSD5/32ST	BROCA No 5/32 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 5/32	X
113	PINCEL N:o 8 PLANO	PINCEL N:o 8 PLANO	EA	PINCEL N:o 8 PLANO	X
114	14310	DEVCON® 14310 2-TON - 25 ML TUBE	TB	Extremely strong, medium-cure, water-resistant clear adhesive that will self-level after application, Color (Mixed) Clear,Service Temperature Dry, -40°F to 200°F, Impact Resistance 6.5 ft.-lb./in.(2), 14310 25 ml Dev-Tube	X
115	TAPE MASKING 1/4 in	CINTA ENMASCARAR 233+ DE 6MM X 55MT= 1/4"	RO	CINTA ENMASCARAR 233+ DE 6MM X 55MT= 1/4"	X
116	TSD40ST	BROCA No 40 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 40	
117	691035	FUEL FILTER	EA	FUEL FILTER	X
118	051131-07515	SCOTCH-BRITE ROLOC BLUE 2"	EA	Scotch-Brite Roloc Blue 2"	X
119	DWDCO7/32	DRILLS 7/32	EA	BROCA COBALTO DWDCO SERIES 7/32	No pedido
120	HCS2108-P5	FILM, RELEASE PERFORATED, 48" X 200 YD	RO	HCS2108-P5 FILM, RELEASE PERFORATED, 48" X 200 YD	X
121	MS9388-009	PACKING	EA	PACKING	X
122	SKF 17699	RADIAL SHAFT SEAL	EA	RADIAL SHAFT SEAL	
123	CEE BEE R-256	REMOVEDOR DE PINTURA X 5 GL	PAIL	High-performing paint stripper for removing urethanes, epoxies, primers and enamels Conforms To MIL-R-81294	X
124	MIL-T81772B TIPO II	THINNER TIPO II X 5 GL	PAIL	EPOXY THINNER This product conforms to MIL-T-81772, Type II, MIN. FLASH POINT °F (°C) 32°F (0°C) Epoxy Thinner is intended for use with:MIL-DTL-24441 Paint & Primer all Types.MIL-PRF-22750 Epoxy Polyamide Coatings,MIL-PRF-23236 Epoxy Primers & Coatings,MIL-PRF-23377 Epoxy Polyamide Primer Coatings,MIL-DTL-53022 Epoxy Primer,MIL-PRF-4556 Epoxy Primer & Topcoat	X
125	WK1030	MAIN FILTER	EA	MAIN FILTER	X

126	M27500-22TG2T14	CABLE X 1000 FT	RO	White Jacket 22 AWG 2 Conductor Shielded Cable, MaterialTin Plated Copper/ETFE	X
127	CPC	CPC GRADO 2	GL	Class II Solvent cutback corrosion preventive compound, FLASH PMCC Minimum 106°F, Specific Gravity @60°F (15.6 °C) 0.88, CURE TIME 24 HOURS	X
128	BROCHA 1"	BROCHA PELO DE MARTA	EA	BROCHA PELO DE MARTA	X
129	LIMPIADOR DE TAPICERIA	LIMPIADOR DE TAPICERIA ESPUMA 400ml	EA	LIMPIADOR DE TAPICERIA ESPUMA 400ml	X
130	TSDDST	BROCA LETRA D TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE D	X
131	305447-3079-G1	16 HP VANGUARD ENGINE	EA	479cc Vanguard Series Engine With 1 In. Tapped 3/8 - 24 Keyway Crankshaft (CARB)	No pedido
132	HYSOL EA9320NA	AERO EPOXY ADHESIVE 1 QT KIT	QT / KIT	LOCTITE EA 9320NA AERO is a two-component paste adhesive with good peel strength as well as elevatedtemperature resistance. The temperature of the separate components prior to mixing is notcritical, but should be close to room temperature (77°F/25°C)	No pedido
133	AN960JD10L	WASHER	EA	WASHER	X
134	M25988-1-152	PACKING	EA	PACKING	No pedido
135	S-12490	GUANTES DE NITRILO	BOX	GUANTES DE NITRILO	X
136	HUT12260	DRILL GAUGES	EA	DRILL GAUGES Wire Gauge Sizes #1 to 60 HUT12260	No pedido
137	RTV106	MOMENTIVE SEALANT RED, 10.1 OZ CARTRIDGE	TB	RTV106 sealant is paste-consistency sealant,standard strength hightemperature sealant.Application Rate,(g/min) 400,Tack-Free Time, min. 20	X
138	B3.1	BATERIAS FS-16NP 350 AMP	EA	BATERIA DE 350 AMP F5-16NP	X
139	214-040-812-003	SEAL, GREASE	EA	SEAL, GREASE	No pedido
140	DWDN9/16	DRILLS 9/16	EA	BROCA H.S.S DWDN SERIES 9/16	
141	151394	VELCRO BLACK LOOP 50 MM X 25M	RO	VELCRO BLACK LOOP 50 MM X 25M	X
142	AS3209-162	PACKING PREFORMED	EA	PACKING PREFORMED	X
143	DWDCO25/64	DRILLS 25/64	EA	BROCA COBALTO DWDCO SERIES 25/64	X
144	SIMONIZ	LIMPIADOR DE TAPIZADO ESPUMA x 400ml	EA	LIMPIADOR DE TAPIZADO ESPUMA x 400ml	X
145	DWDCO3/16	DRILLS 3/16	EA	BROCA COBALTO DWDCO SERIES 3/16	X
146	CRC 5-56	LUBRICANTE 5-56 PENETRANTE 400CC	EA	Producto multiuso de mantenimiento en spray. Acaba con el óxido y la corrosión, desplaza el agua y elimina el óxido y la suciedad. 400 ml, Peso específico (@ 20ºC): 0.82, Punto de inflamación (vaso cerrado) : 78ºC, Viscosidad (@ 40 ºC) : 26 mPa.s	X
147	AN381-2-16	PIN COTTER 1/16	EA	PIN COTTER 1/16	X
148	MIL-PRF-85285E Type I- IV 16251	POLIURETANO GRIS BRILLANTE	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I- IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	X

149	AS5685, 0,041	LOCK WIRE	LB	Steel, Corrosion Resistant, Safety Wire AS5685, 0,041" Diameter	No pedido
150	9.00X6	TIRE	EA	TIRE 9.00-6 PLY RATING 10,Rated Speed (MPH) 120, Maximum Braking Load (Lbs) 6530, Rated Inflation (PSI) 58	X
151	WYPALL X 80 REGULAR	WYPALL X-80 REGULAR	RO	WYPALL X-80 REGULAR	X
152	400642-003	VOLTIMETRO 28V DC	EA	VOLTIMETER DC 400642-003 HOBART	X
153	EC-776	3M™ SCOTCH-WELD™ FUEL RESISTANT COATING EC-776 QUART	QT	General purpose, solventbased adhesive/coatings with good adhesion to synthetic rubber, metal, glass,and many plastics, Flash Point (Closed Cup)55°F (13°C) Viscosity 1500 ± 500 cps, Color Transparent Amber	No pedido
154	VAC5	STEP DRILLS	EA	STEP DRILLS 12 STEPS, RANGE 1 /4"–1-3/8"x8ths VAC5	X
155	BROCHA 1" IN	BROCHA 1" IN	EA	BROCHA 1" IN	X
156	PR1440-A 1/2	ADHESIVE SEALANT	PINT-KIT	PR-1440 CLASS A is an aircraft integral fuel tank sealant, Cured specific gravity 1.57 / Non volatile content % 86, Tested in accordance with AMS-S-8802	X
157	04016	LPS 04016 NOFLASH ELECTRO CONTACT CLEANER 12OZ, CLEAR	EA	LPS 04016 (07416) non-flammable electro contact cleaner is ideal for removing dirt, moisture, dust, flux and oxides. Boiling Point / Range 118°F (47.78°C), VOC Content 59.5% Water Solubility <0.14 g/L @ 68°F	X
158	DWDN37/64	DRILLS 37/64	EA	BROCA H.S.S DWDN SERIES 37/64	X
159	HCS 2125	SEALANT TAPE Black Roll – HCS2125	RO	HCS 2125 is a high temperature sealant tape for autoclave applications up to 450 °F (232 °C), solids 100%, non flammable, standar size 0.125"x.0.5" x32ft	No pedido
160	DWDCO13/64	DRILLS 13/64	EA	BROCA COBALTO DWDCO SERIES 13/64	X
161	MS24617-33	SCREW	EA	SCREW	X
162	Honey Bee 60T	SERVICE,WASTE DISPOSAL	EA	Acidic liquid cleaner developed for removal of hard water scale and accumulated waste materials from vacuum and re-circulating toilet systems in aircraft.Blue liquid, Surfactants biodegradable	X
163	400641-012	AMPERIMETRO	EA	Ammeter, DC, 0-2000 Amps, 50 mVDC	X
164	AS3085-126	PACKING PREFORMED	EA	PACKING PREFORMED	X
165	AMS-QQ-A-250-2024-T3-0.050	SHEET METAL	EA	Lamina de aluminio 2024-T3 de 0.050 de 48" X 144" - (4 X 12 ft.)	X
166	A-A-2714	BAGS PLOTH	EA	BAGS PLOTH A-A-2714	No pedido
167	PERMALON 327	LUBRICANT, DRY FILM 14 OZ CAN AEROSOL	EA	Lubricant, Dry Film 14 OZ CAN Aerosol PERMALON 327	No pedido
168	AN960-416	WASHER	EA	WASHER	X
169	MS287784	O-RING	EA	O-RING	No pedido
170	ST3002-05	PACKING	EA	PACKING	X
171	PR1428-A 1/2	ADHESIVE SEALANT	PINT-KIT	PR-1428 CLASS A is a low adhesion sealant Cured specific gravity 1.49 / Non volatile content % 92 Tested in accordance with MIL-S-8784 CLASS A	X
172	AD9318-FD	EPOXY PRIMER MIL-PRF-23377K TY 1 CL C2	KIT	Fast Dry, Two Component Aeroprime Primer per MIL-PRF-23377K, Type I, Class C2, AD9318-FD Aeroprime Primer - Component A: Weight per Gallon: 12.1 lbs. +/- 0.2,Curing Agent - Component B, Weight per Gallon: 7.1 lbs. +/-0.2,	X

				Catalyzation Ratio: 3:1 by volume, Viscosity: 21 - 25" #2 Zahn	
173	3029566	GASKET, FUEL NOZZLE	EA	GASKET, FUEL NOZZLE	No pedido
174	53039WPX	PRIMER PARA COMPUESTOS	KIT	High Build, Fast Drying, Urethane Primer Surfacer, used to eliminate mild imperfections in composite substrates, It meets and exceeds the performance requirements of MEP 10-070, Catalyzation Ratio: 3:1 by volume , Weight Solids:69.1% ± 1.0, Viscosity: 28 ± 5" #4 Ford Cup	X
175	6873905	RING,RETAINING	EA	RING,RETAINING	No pedido
176	403809-002	SWITCH PRESION DE ACEITE	EA	SWITCH PRESION DE ACEITE	No pedido
177	PLIOBOND 20	SOLVENT BASED ADHESIVE PLIOBOND	PT	Pliobond 20 Is a general thermosetting adhesive that can be used to bond virtually all porous and nonporous substrates, Base synthetic Rubber, specific gravity 0.868, flash poitn 20°F, application temperature 40-100°F	No pedido
178	PGC13	PRIST ACRYLIC PLASTIC GLASS CLEANER 13 oz Aerosol Can	EA	Acrylic, plastic and glass cleaner. TESTED AGAINST FEDERAL TEST STANDARD METHOD NO. 406 AND MIL-P-008184D,works inside and outside the aircraft, and on metal and vinyl, without harming painted surfaces. 13 oz Aerosol Can	X
179	RTV 732	DOWSIL 732 - 90 ML (3 OZ) TUBE	TB	General purpose silicone adhesive/sealant Stable and flexible from -60°C to +180°C (-76°F to +356°F), with short peaks up to +205°C (401°F) Complies with MIL-A-46106, Specific gravity 1.04	X
180	S-10169	3M 3743 CARTON SEALING TAPE - CLEAR, 3" X 55 YDS MODEL NO.S-10169	RO	3m 3743 Cinta Transparente Para Cajas - Largo x Ancho 50 m x 76 mm -X ROLLO	No pedido
181	AXAREL 1000	CLEANING SOLVENT X 5 GL	PAIL	Approved MIL-PRF-680 Type I cleaner suitable for the replacement of isopropyl alcohol (IPA), acetone, methyl ethyl ketone (MEK), Low Toxicity, Non-Corrosive, Flash Point 127 °F (53 °C), Viscosity (25 °C) 1.36 cps	X
182	DWDCO10	DRILLS No 10	EA	BROCA COBALTO DWDCO SERIES No 10	X
183	ACF-50	ACF-50 LUBRICANT 10013 PURPLE, 13 OZ AEROSOL CAN	EA	Anti-corrosion/lubricant compound, that has been specifically designed for the Aerospace Industry, qualified to Mil-C-81309E, Type II class I.	X
184	DWDA/CX61/16	DRILLS 6¨ 1/16	EA	BROCA HSS DWDA/C SERIES 6" 1/16	X
185	BINNER	LIMPIADOR DE PANTALLAS LCD x 50 ml	EA	LIMPIADOR DE PANTALLAS LCD x 50 ml	X
186	A-701	PRIMER Zinc Phosphate Yellow (12 oz.)	EA	A self-etching primer that is chromate-free and chemically bonds with aluminum and steel to form a corrosion resistant base coat. Tack free – 10 minutes, Fully dry – 48 hours, Meets performance standards outlined in Federal Specification TTP1757B.	No pedido
187	MS3367-2-9	STRAP TIEDOWN, PACK X 100 PCS	EA	STRAP TIEDOWN, PACK X 100 PCS	No pedido
188	MS25488	PLUG CONTACTOR SALIDA	EA	PLUG CONTACTOR SALIDA	X

189	DWDCO15/64	DRILLS 15/64	EA	BROCA COBALTO DWDCO SERIES 15/64	X
190	TSD20ST	BROCA No 20 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 20	X
191	MOBIL OIL JET 254	LUBRICATING OIL,AIR	QT	Extra high performance, synthetic aircraft-type gas turbine lubricant engineered to meet the performance requirements for gas turbine engines used in commercial and military aircraft The effective operating range of the lubricant is between -40°C (-40 °F) and 232°C (450°F). Specific Gravity 1.0044	No pedido
192	PR-1440B-1/2.	ADHESIVE SEALANT	QT / KIT	PR-1440 Class B is an aircraft integral fuel tank sealant. It has a service temperature range from -65°F (-54°C) to 250°F (121°C) Tack free time (hours)<4, Cure time to 35 A Durometer (hours) 12	X
193	MIL-H-5606	HIDRAULICO 756	QT	Red-dyed, mineral oil based hydraulic fluid developed for the severe duty demands of aerospace and industrial service, Wide operating temperature range, Low temperature fluidity meets MIL-SPEC: MIL-PRF-5606H, Flash Point, COC, °F 231, API Gravity 30.8	X
194	M81969/1-03	REMOVAL AND INSERT PLASTICO VERDE	EA	REMOVAL AND INSERT PLASTICO VERDE	X
195	MS20995C25	LOCK WIRE	LB	MS20995C25 Stainless Steel 0.025" Diameter Safety Wire - 1 lb Roll	X
196	22 X 6,75-10	TIRE	EA	TIRE 22X6.75-10 PLY RATING 10,Rated Speed (MPH) 190, Maximum Braking Load (Lbs) 8550, Rated Inflation (PSI) 125	X
197	A-A-59303, Type T1	TALCUM POWDER, TECHNICAL GRADE,	LB	Powder 20.0 by weight magnesium oxide and 40.0 by weight magnesium oxide and 35.0 by weight silicon dioxide and 65.0 by weight silicon dioxide	No pedido
198	AN6235-3A	GREEN FILTER ELEMENT	EA	GREEN FILTER ELEMENT	X
199	287562	SOLENOIDE ACELERACION JET X 4D	EA	SOLENOIDE ACELERACION JET X 4D	X
200	6870032	FILTER ELEMENT LUBR	EA	FILTER ELEMENT	No pedido
201	D-321 R	MOLYKOTE Anti-Friction Coating Spray, 312 gm	EA	For metal/metal combinations with slow to medium fast movements and high loads. Suitable for the permanent lubrication of highly stressed sliding guides with low sliding speeds, Viscosity at 23°C (#3 cup) seconds 23, Density at 20°C g/ml 1.07 Service temperature range °C -180 to 450	X
202	19.5 X 6.75-8 / -10	TIRE	EA	TIRE 19.5x6.75-8 PLY RATING 10,Rated Speed (MPH) 225, Maximum Braking Load (Lbs) 6400, Rated Inflation (PSI) 110	X
203	DGF-123	GRAPHITE, 9 OZ AEROSOL	EA	Dry Graphite Film Spray is for pre-assembly and assembly lubrication, heat tolerant to 3000 °F, Dry in 2-3 min, excellent conductor for electrical applications.	X
204	206-010-147-001	PLUG,PROTECTIVE	EA	PLUG,PROTECTIVE	No pedido
205	TSDFST	BROCA LETRA F TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE F	X

206	HYSOL 934	Aero Epoxy Paste Adhesive, Quart Kit	QT / KIT	LOCTITE EA 934NA AERO is a two-component thixotropic paste adhesive, which cures at room temperature and possesses superior strength to 300°F/149°C and higher, MMM-A-132 Qualified,The temperature of the separate components prior to mixing is not critical, but should be close to room temperature (77°F/25°C)	X
207	MIL-W-18723	AIRCRAFT SOLVENT TYPE WAX	GL	Wax that cleans and polishes aircraft fuselages ref mil-w-18723	No pedido
208	DWDCO5	DRILLS No 5	EA	BROCA COBALTO DWDCO SERIES No 5	X
209	SHC 626	OIL TRANSMISION X 5 GL	PAIL	Aceite de excelente rendimiento para cojinetes y engranajes, diseñados para proporcionar un servicio destacado en terminos de protección de euipos, vida del aceite y operación sin problemas, alto indice de viscosidad y ausencia de ceras, Grado de viscosidad ISO 68, punto de congelamiento -48°C, punto de inflamación 236°C	No pedido
210	03116	CFC FREE ELECTRO CONTACT CLEANER	EA	Electro contact cleaner ASTM F-519, Type 1C, Boiling Point / Range 140.9°F (60.5°C), Flash Point Aerosol: < 1.4°F (< -17.0°C) TCC, Safe on Plastics, Fast Evaporating; Leaves No Residue.	X
211	00216	LUBRICANTE LPS N°2	EA	Es un lubricante y protector de acción rápida y penetración profunda, proporciona un recubrimiento aceitoso ligero, Resistencia dieléctrica: 33 Kv.Punto de inflamación 175°F (79°C) TCC-dispensed liquid, Gravedad específica 0.82 – 0.86 @ 20°C, Rango de temperatura, 32°F (0°C) to 325°F (163°C)	X
212	80183	PLASTIC CLEANER , 16 OZ	TB	Plastic Cleaner removes grease, stains and dirt, cleaning most plastics without scratching, Physical Form Liquid, Primary Container Type Can, NSN 7930014429667	X
213	402788	BRUSH	EA	BRUSH	X
214	DWD29J-DB-SET	QUALTECH DRILL BLANKS X SET	EA	DRILL SET Qualtech Drill Blanks DWD29J-DB-SET	X
215	204-040-760-109	FILTER ELEMENT FLUID	EA	FILTER ELEMENT FLUID	
216	BROCHA 2" IN	BROCHA 2" IN	EA	BROCHA 2" IN	X
217	MIL-PRF-85285E Type I- IV 17886	POLIURETANO BEIGE BRILLANTE	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I- IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	X
218	AMS-QQ-A-250-2024-T3-0.020	SHEET METAL	EA	Lamina de aluminio 2024-T3 de 0.020 de 48" X 144" - (4 X 12 ft.)	X
219	PR-1428, CLASS B-2	ADHESIVE SEALANT	QT / KIT	PR-1428 CLASS B is a two-part manganese dioxide cured, polysulfide compound. It has a service temperature range from -65°F (-54°C) to 250°F (121°C) Tested in accordance with MIL-	X

				S-8784 CLASS B Cured specific gravity 1.50 / Non volatile content % 97	
220	INS27021	INSERT BITS	EA	INSERT BITS W/ 1/4" SHANK PHILLIPS SIZE P2	X
221	RTV 736	Dow Corning Xiameter RTV736 90 mL tube	TB	Dow Corning® 736 Nonslumping sealant designed for sealing and bonding applications exposed to temperatures as high as 315°C (600°F) for Aerospace gasketing,Sealing and encapsulating heating elements in appliances, Tack-Free Time minutes 17, Cure Time (3-mm [l/8-inch] thickness) 24 hours	X
222	AN525-832R7	SCREW	EA	SCREW	X
223	BRIZZE 300ML	AMBIENTADOR AEROSOL 300 ML	EA	Solución efectiva que elimina los malos olores dejando una sensación de limpieza y frescura en el ambiente. Elimina el 99% de las bacterias, Rango de temperatura optimo 15-35°C, incoloro, Densidad 0,95 ± 0,05 gr/ ml.	X
224	DWDCOD	DRILLS LETRA D	EA	BROCA COBALTO DWDCO SERIES SIZE D	X
225	MIL-L-22851D	ACEITE AEROSHELL W100	QT	AeroShell Oil W100 is an ashless dispersant oil, promotes engine cleanliness, help reduce oil comsumption AeroShell W100 provides compatibility with other approved aircraft piston engine oils, AeroShell Oil W100 is produced to meet fully the SAE specification J-1899 (Grades SAE 30, 40, 50 and 60 respectively) SAE viscosity grade 50.	X
226	CR3243-4-4	RIVET,BLIND	EA	RIVET,BLIND	No pedido
227	288380-001	RESISTOR 10 OHM 100 WATT (V44655)	EA	100W Fixed Resistor	X
228	204-040-760109	FILTER ASSY	EA	FILTER ASSY	No pedido
229	ST3001-214	PACKING	EA	PACKING	X
230	MIL-PRF-85285E Type I- IV	CLEAR URETHANE	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I- IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	X
231	DWDCO1/4	DRILLS 1/4	EA	BROCA COBALTO DWDCO SERIES 1/4	X
232	4001	DOUBLE/BUBBLE® 04001 Red Epoxy Adhesive Sachet - 100/Box	EA	Extra fast setting, two–component, room temperature curing epoxy adhesive. The system will cure at as low as –18 °C (0 °F). Viscosity @ 25 °C,cps, part A:55,000, Flash Point, PMCC, °C Part A: 157	X
233	204-040-760-105	FILTER ASSY	EA	FILTER ASSY	No pedido
234	CEE BEE A-882	SHAMPOO AERONAUTICO X 55 GL	DRUM	Water-dilutable general-purpose cleaner for aircraft exterior surfaces, Conforms To MIL-PRF-87937D Clear, water-dilutable solution	X
235	M83461/1-212	PACKING	EA	PACKING	X

236	WF336-680	FILTER ASSY	EA	FILTER ASSY	No pedido
237	DWDA/CX63/32	DRILLS 6¨ 3/32	EA	BROCA HSS DWDA/C SERIES 6" 3/32	X
238	SAE J-1899	Aeroshell Synthetic Engine Oil-W15W50	QT	AeroShell Oil W 15 W 50 is a premium semi-synthetic multigrade ashless dispersant oil specifically developed for aviation piston engines. MIL-L-6082E replaced by These new SAE Standard J-1899 Lubricating Oil, Aircraft Piston Engine (Ashless Dispersant),SAE viscosity grade: Multigrade, flash point 220 min, total acidity mgKOH/g 1,0 max	X
239	15W40 4T	ACEITE MOTOR	GL	15W40 4T Lubricante de motor 4 tiempos de alta calidad,Excelentes propiedades anti-desgaste que protegen los componentes del motor y el embrague, conllevando a reducir de los costos de mantenimiento,Viscosidad @ 100 ºC, cSt 14.2, Índice de Viscosidad 137, Punto de inflamación, ºC 232	X
240	DWD15J-LH-SET	QUALTECH HSS LEFT HAND JOBBERS	EA	DRILL SET Qualtech HSS Left Hand Jobber	X
241	TAPE MASKING 1 1/2 in	CINTA ENMASCARAR 233+ DE 36MM X 55MT = 1 1/2 PULGADA	RO	CINTA ENMASCARAR 233+ DE 36MM X 55MT = 1 1/2 PULGADA	X
242	TSD3/16ST	BROCA No 3/16 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 3/16	
243	PR-1440B-2	ADHESIVE SEALANT	QT / KIT	PR-1440 Class B is an aircraft integral fuel tank sealant. It has a service temperature range from -65°F (-54°C) to 250°F (121°C) Tack free time (hours)<8, Cure time to 35 A Durometer (hours) 16	X
244	DWDCO17/64	DRILLS 17/64	EA	BROCA COBALTO DWDCO SERIES 17/64	X
245	MIL-G-3545C	GRASA AEROSELL 5(6,6 LB)	EA	High temperature grease composed of a mineral oil thickened with Microgel, Meets MIL -G- 3545C, The useful operating temperature range is -23°C to +177 °C.	No pedido
246	DWDCO1/2	DRILLS 1/2	EA	BROCA COBALTO DWDCO SERIES 1/2	X
247	MIL-PRF-12070	FOG OIL CALSOL 810/MIL PRF-12070E	EA	HIGH VISCOSITY-GRAVITY CONSTANT (VGC) PROCESS OIL, Viscosity @ 40 °C (cSt) 20.6, API Gravity @ 60 °F 24.1, Specific Gravity @ 60 °F 0.9091, Viscosity-Gravity Constant 0.871, Molecular Weight 305, Pour Point (°F) -58, Maximum Oil Loading (PHR) for Various Neoprenes: (GNA 20) (WHV 22)	X
248	SP-1/4FR100	SPIROBAND	MT	Spiral band spiral cable wrap SP-1/4FR100	XX
249	TSDGST	BROCA LETRA G TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE G	X
250	A-A-59298	Tape, Adhesive, Pressure Sensitive	RO	Tape, Adhesive, Pressure Sensitive A-A-59298	No pedido
251	ADHESIVE HYSOL EA960	Hysol EA 960F Epoxy Adhesive Kit	QT / KIT	LOCTITE EA 960F AERO (fast) is a fairing and smoothing compound for exterior aircraft surfaces. It is a twocomponent system, which cures rapidly at room temperature.Viscosity, @ 77°F PART A 6500 Poise PART B 600 Poise, Pot Life (100 gram mass) 30 minutes @ 77°F/25°C Method - ASTM D 2471	No pedido

252	48"X96"X5mm.	PLEXI GLASS 48" x 96" SHEET	EA	Clear Acrylic Sheets offer excellent clarity, impact strength and economical performance in a lightweight plastic material. Plexiglass sheet is a common reference term for acrylic sheets, PLEXI GLASS 48" x 96" SHEET	No pedido
253	SAE20W50	ACEITE MOTOR	GL	Aceite mineral, Proporciona una muy buena protección al motor y ayuda a fomentar la larga vida útil del mismo, Grado SAE20W50, Índice de viscosidad, ASTM D 2270 (141), Punto de fluidez, °C, ASTM D 97 (-30), Punto de inflamación, °C, ASTM D 92 (230)	X
254	038088-08	FILTER	EA	FILTER	X
255	BROCHA 2"	BROCHA PELO DE MARTA	EA	BROCHA PELO DE MARTA	X
256	SP-1-FR	SPIROBAND	MT	Spiral band spiral cable wrap SP-1 -FR	X
257	MIL-PRF-16173 GR1 / GL	CPC ANTICORROSIVO GRADO 1	GL	Solvent cutback, firm film, black asphaltic corrosion preventive compound, approved under Military Specifications MIL-PRF-16173E, Grade 1, for Class I, / Flash, PMCC*, Minimum 105°F, / Specific Gravity @ 60 F (15.6 C) 0.88 / Approximate Dry to Touch Time @ 77 F (25 C) 2 hours	X
258	RTV133	RTV133 Black Silicone Electrical Sealant - 10.1 oz Cartridge	TB	RTV133 black, one-component, ready-to-use Operating temperature range of -60~205°C (-70~400°F), Application Rate, gm/min. 650, Tensile Strength, kg/cm2(lb/in2) 46 (650)	X
259	3950	EDGE SEALER 8 OZ CAN	EA	Designed for edge sealing of film edges in heavily used areas, clear liquid, material Acrylic/Vinyl solution in Xylene, clear, Minimum viscosity : 300 Centipoise, Service temperature -51°C to +65°C	X
260	DWDCO27/64	DRILLS 27/64	EA	BROCA COBALTO DWDCO SERIES 27/64	X
261	105/206B	WEST SYSTEM EPOXY RESIN KIT	KIT	Used for general coating and bonding applications when extended working and cure time are needed or to provide adequate working time at higher temperatures, Acceptable ratio range by weight 4.84 : 1 to 6.19 :1, Mix viscosity (at 72°F) ASTM D-2393 (725 cps), Specific gravity 1.18	X
262	AS3209-237	PACKING PREFORMED	EA	PACKING PREFORMED	X
263	LUBRIBOND	LUBRI-BOND® 220 12 OZ AEROSOL CAN	EA	Air drying, MoS2 based solid film lubricant with an epoxy binder system, Density:* 8.3 ± 0.5 lb/gal (995 ± 60 grams/liter), Flash Point: 45°F (7°C),Good corrosion resistance, Fair chemical resistance, Suitable for field applications.	X
264	DWDA/CX61/8	DRILLS 6¨ 1/8	EA	BROCA HSS DWDA/C SERIES 6" 1/8	X
265	DWDN3/8	DRILLS 3/8	EA	BROCA H.S.S DWDN SERIES 3/8	X
266	VINIPEL	VINIPEL 45 Cm X 400 Mt	RO	VINIPEL 45 Cm X 400 Mt	X
267	RTV102	Momentive Sealant RTV102 8 oz White, 2.8 oz tube	TB	RTV102, sealants are standard strength paste consistency products which can be applied to vertical and overheadsurfaces where pourable/self-leveling sealants are not practical. Specific Gravity 1.05 Tack-Free Time, minutes 20, Tear Strength, kg/cm (lb/in) 8 (45)	X

268	18 X 5,5-10	TIRE	EA	TIRE 18X5.5 PLY RATING 10,Rated Speed (MPH) 210, Maximum Braking Load (Lbs) 6000, Rated Inflation (PSI) 140	X
269	SUPERKOTE 2000	REFRIGERANTE MOTOR	GL	Anticongelante/ Refrigerante, Líquido verde fluorescente	X
270	MEK	METHIL ETHIL CETONA X 5 GL	PAIL	METIL ETIL CETONA MEK, CAS 78-93-3, Fórmula molecular C4H8O, Punto de Fusión: -87 (-125°F), Masa molar: 72,11 g/mol, Presión de Vapor: 71 a 20 °C	X
271	MAT403	Heavyweight15" x 20"100 pads per bag	EA	PIG Absorbent Mat Pad: 28 oz Volume Absorbed Per Pad, 22 gal (100 Pads),MaterialPolypropylene Perforated Size10 in x 15 in	X
272	DWDCO7	DRILLS No 7	EA	BROCA COBALTO DWDCO SERIES No 7	X
273	DWD15J-TN-SET	QUALTECH HSS TIN COATED JOBBERS	EA	DRILL SET Qualtech HSS TIN Coated Jobbers	X
274	DPAS-30W	TAPAOIDOS	BOX	TAPAOIDOS	X
275	TAPE MASKING 1/2 in	CINTA ENMASCARAR 233+ DE 12MM X 55MT = 1/2"	RO	CINTA ENMASCARAR 233+ DE 12MM X 55MT = 1/2"	X
276	KD651511	FILTER KIT	EA	FILTER KIT	X
277	MIL-PRF-85285E Type I- IV	POLIURETANO VERDE METALIZADO	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I- IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	X
278	MS20995CY15-48	LOCKWIRE COPPER	LB	COOPER SAFETY WIRE MS20995CY15-48	X
279	PWC06-002	PETROLATUM VV-P-236 - 1 lb Can	LB	Petrolatum white PWC06-002 /VV-P-236 colorless, white grease-like technical grade	X
280	TSD1/8ST	BROCA No 1/8 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 1/8	X
281	A-A-3097	ADHESIVE LOCTITE 404, 4 oz	EA	LOCTITE 404 está diseñado para la unión de componentes plásticos y elastómeros, donde sea necesaria una fijación muy rápida. Cianoacrilato de Etilo, Peso específico @ 25 °C 1.09, Temperatura de Transición Vítrea , ASTM E 228, °C 120	X
282	HYSOL EA9392	Loctite EA 9392 AERO Epoxy Adhesive Gray 1 qt Kit	QT / KIT	LOCTITE EA 9392 AERO is a two-component paste adhesive, which cures at room temperature and possesses excellent shear strength at high temperatures Viscosity @ 77°F PART A 4,200 Poise, PART B 6,600 Poise Pot Life (100 g mass) 75 minutes @ 77°F/25°C Method - ASTM D2471 in water bath	X
283	00116	LUBRICANT,SOLID FILM LPS1	EA	Lubricante que proporciona una capa delgada y seca que penetra en las grietas, resistente al aceite, polvo y acumulacion de suciedad, punto de inflamación 175 °F, gravedad especifica .840 aprox, Temperatura de descongelación -35°F	X

285	TSD10ST	BROCA No 10 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 10	X
287	486719-055	FUEL SENDER	EA	FUEL SENDER 486719-055	X
288	AN525-832R8	SCREW,MACHINE	EA	SCREW,MACHINE	X
289	DWDCO16	DRILLS No 16	EA	BROCA COBALTO DWDCO SERIES No 16	X
290	BROCHA 3"	BROCHA PELO DE MARTA	EA	BROCHA PELO DE MARTA	X
291	ST3001-145	PACKING	EA	PACKING	X
292	MIL-PRF-85285E Type I- IV13655	POLIURETANO AMARILLO	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I- IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	X
293	DWDA/CX65/32	DRILLS 6¨ 5/32	EA	BROCA HSS DWDA/C SERIES 6" 5/32	X
294	CR3243-4-2	RIVET,BLIND	EA	RIVET,BLIND	X
295	7440	SCOTCH-BRITE REF 7447 X ROLLO DE 6 PULGADAS X 30PIES	RO	SCOTCH-BRITE REF 7447 X ROLLO DE 6 PULGADAS X 30PIES	X
296	MS24694S-60	SCREW	EA	SCREW	X
297	DWDCOG	DRILLS LETRA G	EA	BROCA COBALTO DWDCO SERIES SIZE G	X
298	02591	3M LIJA STIK GRANO 220 ROLLO Roll 2-3/4" x 45 yd	RO	3M LIJA STIK GRANO 220 ROLLO Roll 2-3/4" x 45 yd	X
299	MS29561-237	PACKING	EA	PACKING	
300	3044590-01	KIT FUEL MINIFOLD PACKING Y GASKET	KIT	KIT FUEL MINIFOLD PACKING Y GASKET	X
301	1300L	SCOTCH GRIP RUBBER ADHESIVE 1300L	QT	3M™ Neoprene High Performance Rubber & Gasket Adhesives 1300 and 1300L are the most versatile of our rubber and gasket adhesives. Meets specification requirements of MMM-A-121. Temperature performance range is -30°F (-34°C) to 300°F (149°C). Bonding Range: up to 8 minutes.	X
302	DWD115J-DB-SET	QUALTECH DRILL BLANKS	EA	Qualtech Drill Blanks DWD115J-DB-SET	X
303	TAPE MASKING 1 in	CINTA ENMASCARAR 233+ DE 24MM X 55MT = 1"	RO	CINTA ENMASCARAR 233+ DE 24MM X 55MT = 1"	X
304	DWDN1/16	DRILLS 1/16	EA	BROCA H.S.S DWDN SERIES 1/16	X
305	SP-1/2 FR25	SPIROBAND	MT	Spiral band spiral cable wrap SP-1/2 FR25	X
308	00316	LUBRICANTE LPS N°3, 11 OZ	EA	Forms a transparent, soft, waxy film for protection and lubrication,Penetrates to displace moisture, Conforms to: Mil-PRF-16173E Grade 2, Flash Point: (TCC) 100°F (40°C) minimum,Pour Point: 0°F (- 18°C) Propellant: Carbon Dioxide	X
309	DWDA/CX63/16	DRILLS 6¨ 3/16	EA	BROCA HSS DWDA/C SERIES 6" 3/16	X
310	103760	CEPILLO DE COBRE	EA	Cepillo de cerdas de cobre multiusos de plastico color negro	X
311	MS9386-126	ORING	EA	O-RING	X
313	DWDCOH	DRILLS LETRA H	EA	BROCA COBALTO DWDCO SERIES SIZE H	X
314	TSD5ST	BROCA No 5 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 5	X

316	HYSOL EA 9340	Loctite Hysol 9340 Epoxy Adhesive - 5 lb Kit	KIT	Loctite® Hysol® 9340 is a general purpose adhesive with exceptional high temperature performance. Pot Life @ 77°F, 100 grams mins mixed 90, Cure Schedule 3 Days @ 77°F,Test Temp °F -40, Typical Value 2100, Hardness, Shore D >80	X
317	206-076-034-003	ELEMENT FILTER	EA	ELEMENT FILTER	X
318	AV8	CORROSION PREVENTIVE,AIRCRAFT PAIL X 5GL	PAIL	Super-Penetrating, Water-Displacing, Corrosion Inhibiting Compound, hydrocarbon with 0.5% aromatics max, flash point 104°F (40°C), viscosity 71 sec. Meets MIL-C-16173 D, GRADE 4	X
319	DUL5SET	SOLID CARBIDE BUR SETS	EA	SOLID CARBIDE BUR SETS (SA42, SA43, SC42, SD42, SE41, SF42, SG41, SG43, SH41, SM43 & SN42) 11 PC	X
320	RTV108	MOMENTIVE SEALANT RTV108 TRANSLUCENT, 2.8 OZ TUBE	TB	RTV108 sealants are standard strength paste consistency products which can be applied to vertical and overhead surfaces where pourable/self-leveling sealants are not practical. Tack-Free- Time 20 min, Elongation % 400, Hardness Shore A 30	X
321	ALCOHOL ISOPROPILICO CANECA	ALCOHOL ISOPROPILICO TT-I-735 CANECA X 55GL	DRUM	Meets Grade A estándar for TT-I-735, Purity >99,8%,Acidity (% of acetic acid) ≤0.001, Density @ 20 °C 0.785—0.786 g/mL , Specific gravity @20 °C / 20 °C 0.785—0.787 g/mL	X
322	AV100	CORROSION PREVENTIVE,AIRCRAFT X 5GL	PAIL	Heavy duty water displacing, corrosion inhibiting compound, Flash Point 38 °C / 100 °F minimum , Density at 23 °C (73 °F) 990 kg/m³ , Application Temperature 15 to 30 °C / 60 to 85 °F , Colour Transparent, beige , Film Appearance Firm waxy film	X
326	OVEROLES TYVEK DUPONT	OVEROLES TYVEK DUPONT	EA	OVEROLES TYVEK DUPONT	X
328	3070542-01	FILTER FUEL PUMP	EA	FILTER FUEL PUMP	X
331	PWC06-023	ANTI-SEIZE X LB	LB	Lubricante para roscas a base de aceite es para uso en acero inoxidable y aleaciones de alta temperatura. Puede funcionar a temperaturas de hasta 1500 °F (815 °C).Pratt & Whitney Canadá Especificación: PWC06-023	X
332	MIL-PRF-85285E Type I- IV 11350	POLIURETANO ROJO	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I- IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility: 40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	X
333	MIL-G-7711A 14 oz Tube	AEROSHELL GREASE 6 14 oz Tube	TB	General purpose airframe grease for use in antifriction bearings, gearboxes and plain bearings within the temperature range of -40°C to + a121°Cm, meets MIL-G-7711A	X
336	AS3208-18	ORING	EA	O-RING	X
337	AS3209-235	PACKING PREFORMED	EA	PACKING PREFORMED	X
338	800L5	GUANTES DE NITRILO	BOX	GUANTES DE NITRILO	X

339	HCS2102-10	Heatcon HCS2102-10 Breather Full Roll (60in x 50yds)	RO	The Breather/Bleeder Cloth HCS2102-10 QMF17 is a needlepunch polyester breather system commonly used as a vacuum transfer medium in the vacuum bagging process 10oz Weight, Used at pressures up to 200 psi (13.8 bars) Max. recommended use temp: 400°F (204°C).	X
340	MS20995C32	LOCK WIRE	LB	MS20995C32 Stainless Steel 0.032" Diameter Safety Wire - 1 lb Roll	X
341	DWDA/CX61/4	DRILLS 6¨ 1/4	EA	BROCA HSS DWDA/C SERIES 6" 1/4	X
342	MIL-C-5040, Type III	Cord, Fibrous, Nylon, X 100 FT	RO	Military Specification MIL-C-5040 Type III Black Paracord X 100 FT	X
343	PAPEL KRAFT	PAPEL KRAFT ROLLO DE 160 CM X 200 METROS	RO	PAPEL KRAFT ROLLO DE 160 CM X 200 METROS	X
344	DWDCO57	DRILLS No 57	EA	BROCA COBALTO DWDCO SERIES No 57	X
345	LUBEREX 10-1206	LUBEREX 10-1206	EA	Superior calcium stearate base grease compound for general use in industry, Part No. 10-1206 2 fl. oz. Tube	X
346	TSD30ST	BROCA No 30 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 30	X
347	222K68-2	TIRE	EA	SIZE 22X6.5-10 PLY RATING 6,Rated Speed (MPH) 190, Maximum Braking Load (Lbs) 4200, Rated Inflation (PSI) 68	X
348	MIBK	METHIL ISOBUTIL CETONA X 5 GL	PAIL	Methyl isobutyl ketone (MIBK) is a clear, colorless organic liquid compound. MIBK is used as a chemical intermediate, a solvent for manufacturing paints, Molecular Weight 100.2 g/mol, Freezing Point -84.7°C (-120°F), Boiling Point @ 760mmHg 115°C (239°F)	X
349	M25988/1-916	PACKING FUEL	EA	PACKING FUEL	X
351	DWDN17/32	DRILLS 17/32	EA	BROCA H.S.S DWDN SERIES 17/32	X
352	318K28-1	TIRE	EA	SIZE 31X9.75-14 PLY RATING 12,Rated Speed (MPH) 190, Maximum Braking Load (Lbs) 16650, Rated Inflation (PSI) 115	X
353	RTV730	DOWSIL 730 White Solvent Sealant - 90 mL Tube	TB	One-component fluorosilicone adhesive/sealant, Stable and flexible from -65ºC (-85ºF) to 260ºC (500ºF), Acetoxy cure system.	X
354	VELCRO	VELCRO NEGRO MACHO Y HEMBRA X 25 MTS	RO	VELCRO NEGRO MACHO Y HEMBRA X 25 MTS	X
355	MS24693-S29	SCREW	EA	SCREW	X
356	HYSOL EA956NA	LOCTITE ADHESIVE	QT / KIT	Hysol EA 956 is a two-component adhesive, which has excellent elevated temperature strength. Viscosity, 77°F PART A 350 Poise, PART B 20 Poise, MIXED 162 Poise, Viscosity, 25°C PART A 35 Pa·S, PART B 2 Pa·S.	X
357	MIL-PRF-23699	OIL MOTOR 2380	QT	Turbine oil qualified and approved for MIL-PRF-23699,Viscosity, Kinematic @ 100°C 4.97 mm/s, Flash Point 265 °C	X
358	MS28778-4	PACKING	EA	PACKING	X
359	MIL-PRF-85285E Type I- IV	POLIURETANO GRIS METALIZADO	KIT	Coating with excellent chemical resistance, outstanding toughness, flexibility, abrasion resistance, and excellent outside durability. Conforms to MIL-PRF-85285E Type I- IV, Mix Ratio: 3 : 1 by Volume, Application Thickness: 1.8 - 2.3 mils, Theoretical Coverage: 800-900 ft2 @ 1 mil, Impact Flexibility:	X

				40% Elongation @ RT, Low-Temp Flexibility: 1" mandrel bend @ -65°F	
360	TSD1/4ST	BROCA No 1/4 TALADRO DE 90	EA	THREADED SHANK DRILLS Stubby Series SIZE 1/4	X
361	HYSOL EA 9309.3NA	LOCTITE® EA 9309.3NA AERO Adhesive Quart Kit	QT / KIT	LOCTITE EA 9309.3NA AERO is a toughened two-part paste adhesive. It contains 5 mil/0.13 mm glass beads for bondline thickness control, Pot Life (450 gram mass) 35 minutes @ 77°F/25°C Method - ASTM D2471 in water bath. Density (g/ml) PART A 1.15, PART B 1.0	X
362	MS20995CY20	LOCKWIRE COPPER	LB	MS20995CY20 Copper 0.020 Diameter Breakaway Wire - 1 lb Roll	X
363	609	LOCTITE 609, 50 ML	EA	Designed for the bonding od cylindrical fitting parts, tested for Mil-R-46082B, Specific gravity @ 25°C, 50 mL (1.69 oz) Bottle	X
364	JET OIL 254	MIL-PRF-23699	QT	Aircraft-type gas turbine lubricantApproved against U.S. Military Specification Mil-PRF23699F High Thermal Stability (HTS) Flash Point, ºC (ºF), ASTM D 92 254 (489), Fire Point, ºC (ºF) 288 (550)	X
365	1741040-01	FACE FILTER OIL	EA	FACE FILTER OIL	
366	CADMIUM LHE 5070 /SPS50705LT	PLATING SOLUTION BOTTLE X 5 LT OR 5 BOTTLES X LT	EA	Cadmium CODE 5070, Purity of deposit: >99%, ph: 7,7 type : ferous & non ferrous, Specification AMS 2451 /4B, UN2922, Corrosive Liquid, Toxic.	X

CONDICIONES TECNICAS ADICIONALES DE OBLIGATORIO CUMPLIMIENTO

ITEM	ESPECIFICACIONES DE VERIFICACION TECNICA	CUMPLE	NO CUMPLE
1	En el momento de la entrega de los productos, el contratista deberá presentar al personal técnico y almacenista y facilitar el certificado de conformidad o la respectiva información que permita establecer la trazabilidad del producto (certificado de conformidad (COC), certificado de análisis, informe de prueba, FORMA 8130-3, o equivalentes (EASA Form 1, TCCA Form One en caso que aplique), emitido por la casa fabricante respectiva con cada elemento. En dichos documentos deberá figurar el lote, fecha de fabricación y fecha de expiración en los casos aplicables y especialmente para ítems que tengan tiempo de vencimiento. Los elementos consumibles, insumos y químicos aeronáuticos deberán entregarse en el embalaje propio con el que el fabricante los ofrece en el mercado	X	
2	El contratista presentará mediante carta de compromiso y brindará respaldo postventa y/o garantía de los productos (1 AÑO) en cualquier momento en caso que sea requerido un cambio del material por defectos o inconsistencias documentales. Cuando se requiera hacer efectiva la garantía, el oferente se compromete a cumplirla en un tiempo máximo de 10 días calendario, asumiendo en su totalidad los gastos que se generen en dicho proceso.	X	
3	**ENTREGA DE INSUMOS CONSUMIBLES NO PREVISTOS EN LA LISTA** La Dirección de Antinarcóticos en cabeza del supervisor del Contrato podrá solicitar productos y/o consumibles adicionales o imprevistos a los descritos anteriormente. **Procedimiento para la adquisición:**	X	

	El supervisor podrá realizar un estudio de mercado (tres cotizaciones incluida la del contratista, el cual deberá suministrar la cotización con un plazo no superior a 5 días calendario). El futuro contratista tendrá la obligación de suministrar los consumibles adicionales previo cumplimiento de los siguientes pasos: 1. Aprobación por parte del supervisor. 2. Requerimiento formal de los consumibles al contratista.		
4	Análisis de precio del CONSUMIBLE NO PREVISTO Dentro de las funciones de verificación y control de precios por parte del supervisor del contrato, tratándose de los elementos no matriculados y que sean solicitados vía cotización; El funcionario supervisor podrá; · solicitar al contratista que presente un mejor valor de venta debido a la tendencia histórica de adquisición del componente o de cotizaciones en el mercado, en cuyo caso el contratista deberá verificar esta situación y ajustar su oferta a los precios del mercado si esto resulta viable, En caso contrario deberá sustentar los motivos por los cuales no puede realizar los ajustes antes mencionados.	**X**	
5	El contratista se compromete a que en todos los casos los productos y/o consumibles a adquirir deben cumplir con las características técnicas aprobadas por el fabricante debidamente certificado y en condición NUEVO.	**X**	
6	**TIEMPOS DE ENTREGA:** Por tratarse de un contrato de suministro (Tracto sucesivo), los elementos requeridos serán entregados en un plazo máximo de 20 días calendario para la entrega de productos nacionales contados a partir de la solicitud del supervisor del contrato; los elementos que sean objeto de importación tendrán como máximo un tiempo de entrega de 60 días calendario, de acuerdo a las necesidades de la institución, previa coordinación con el supervisor del contrato. En el evento que por programación de producción del fabricante de un ítem se exceda los 15 días para su entrega, esta se podrá extender siempre y cuando no supere los términos de ejecución del contrato y previa certificación emitida por la casa fabricante.	**X**	
7	El oferente deberá suministrar la última versión del material producto y/o consumible, y en el evento que un ítem sea objeto de actualización tecnológica por parte del fabricante se deberá coordinar con el supervisor del contrato para su aceptación.	**X**	
8	Para los productos y/o consumibles que tienen vida útil, no se recibirán elementos consumibles insumos y químicos aeronáuticos que tenga menos del 60% de vida útil (Shelf life), para aquellos elementos consumibles que su vida útil sea inferior a 18 meses, no se recibirán elementos que tengan menos del 90% de la vida útil (shelf life), a menos que exista concepto de validación por parte del Inspector de la Línea o Taller y en coordinación con el Supervisor del Contrato y se considere necesidad del servicio.	**X**	
9	El contratista se compromete a suministrar junto con los elementos físicos la declaración de importación de dichos bienes debidamente tramitada.	**X**	
10	El contratista se compromete que durante la ejecución y liquidación del contrato se cumplirá con la normatividad ambiental vigente. Igualmente, el contratista entregará en medio magnético y físico, las hojas de seguridad –MSDS- material safety data sheets-, de los elementos químicos y las traducciones simples o certificadas al idioma español.	**X**	

11	Punto de contacto y servicio 24 horas. Para garantizar una fluida ejecución del contrato, el futuro contratista se compromete a colocar a disposición del Supervisor, un representante con teléfono fijo y/o celular que atienda las solicitudes 24 horas al día. En el momento de la celebración del contrato deberá informarse por escrito especificando la anterior información. Los tiempos de respuesta para cotización de elementos no deberán exceder 5 días hábiles en un número de hasta 30 ítems. De requerirse un tiempo mayor esto será previamente concertado con el Supervisor del Contrato.	**X**	
12	El embalaje observará las normas internacionales de transporte de mercancía estipuladas por la OACI.	**X**	
13	**PROCEDIMIENTO DE CANCELACIONES Y AMPLIACIONES DE PLAZO DE ENTREGA.** En el caso de darse situaciones referentes a la no consecución de un ítem por razones atribuibles UNICAMENTE a la rigidez de la programación de su producción en fábrica, o ser considerado un ítem descontinuado, el futuro contratista deberá dentro de los siguientes 10 días calendario a la solicitud informar por escrito así: Presentar documento emitido por el fabricante o distribuidor autorizado del fabricante referente a las razones por las cuales dicho(s) elemento(s) no pueden ser suministrados o la necesidad de extender su plazo de entrega. Referente a **CANCELACIONES DE ITEMS** el supervisor del contrato podrá cancelar uno o varios ítems después de haber radicado la respectiva solicitud del consumible al contratista, siempre que no haya transcurrido 15 días hábiles	**X**	
14	El oferente que participe en el presente proceso, debe presentar junto con la oferta copia del CERTIFICADO DE CARENCIA DE INFORMES POR TRÁFICO DE ESTUPEFACIENTES PARA EL MANEJO DE SUSTANCIAS Y PRODUCTOS QUÍMICOS CONTROLADOS CON UNA FECHA DE VIGENCIA MÍNIMA A LA FECHA DE EJECUCIÓN DEL FUTURO CONTRATO MAS 3 MESES, expedida por EL MINISTERIO DE JUSTICIA Y DEL DERECHO – SUBDIRECCION DE CONTROL Y FISCALIZACION DE SUSTANCIAS QUIMICAS Y ESTUPEFACIENTES, A NOMBRE EXCLUSIVAMENTE DEL PROPONENTE (no se acepta la presentación de certificado de terceros), cuya duración debe estar vigente desde la presentación de la oferta, hasta como mínimo el término de ejecución más 3 meses por temas de garantía, permitiéndose como oferente poder garantizar la disponibilidad de las cantidades mínimas para suministrar las sustancias controladas en los bienes que apliquen en el presente estudio previo, requiriendo cantidades mínimas así:	**X**	

SUSTANCIA REQUERIDA	**ACTIVIDAD**	**CANTIDAD**	**UNIDAD**
ACETONA	ABC	80	KG
ALCOHOL ISOPROPILICO	ABC	800	KG
METIL ETHIL CETONA MEK	ABC	600	KG
METIL ISOBUTIL CETONA MIBK	ABC	250	KG
THINNER	ABC	1200	GL
TOLUENO	ABC	200	KG

Nota: Las cantidades aquí exigidas son el resultado de proyección del consumo en un año de estas sustancias controladas por las diferentes Compañías Antinarcóticos de Aviación.


15	El contratista deberá dar cumplimiento a lo establecido en el Decreto 1496 del 6 de agosto del 2018, en lo que respecta con la adopción del sistema globalmente armonizado de clasificación y etiquetado de productos químicos- sga de la organización de las naciones unidas, sexta edición revisada 2015 y de acuerdo a los tiempos establecidos por el	**X**	

	ministerio de trabajo, agricultura, y desarrollo rural, transporte y salud y protección social, de acuerdo a las competencias establecidas en el presente decreto.		
16	El contratista deberá presentar junto con la oferta certificación suscrita por el representante legal y/o el responsable de seguridad y salud en el trabajo, en la cual se indique el porcentaje de cumplimiento del Sistema de Gestión de Seguridad y Salud en el Trabajo (SG-SST) de acuerdo a lo establecido en la Resolución No.0312 de 2019.	**X**	
17	El contratista deberá entregar 3 (tres) bombas manuales de extracción de líquidos, y por cada caneca de 50 galones o más deberá entregar kit de reenvase de consumibles compuesto de 5 envases de 5 galones y guantes de seguridad	**X**	


5.5 Registro Fotográfico

REGISTRO FOTOGRÁFICO
























EDIDO: 4
ITEM: 37
PART:
DESC: AN960-10L WASHER
QTY: 8 EA









THIS SIDE UP
HANDLE WITH CARE
LOT # PB30132385






Purolator
FAA-PMA





REGISTRO FOTOGRÁFICO

















6. Actividades de Control y Pagos

ENTREGAS REGISTRADAS					
Cantidad	Descripción	No. Factura	Valor	Fecha - recibo a satisfacción	Valor acta -recibo a satisfacción
12	FILTRO DE ACEITE	1	$ 510.241,08	22/08/2023	**$363.025.278,14**
2	POLIURETANO AZUL		$ 3.023.651,16		
12	FILTRO DE COMBUSTIBLE PRIMARIO		$ 2.437.762,08		
4	THINNER EXTRAFINO DE 52 GL		$ 35.868.354,76		
12	FILTRO DE AIRE		$ 11.823.769,56		
10	POLIURETANO BLANCO BRILLANTE		$ 13.228.473,90		
5	POLIURETANO COLOMBIAN POLICE BLUE METALLIC		$ 14.173.364,85		
12	FILTRO SEPARADOR DE AGUA		$ 3.456.178,80		
5	TOLUENO X 5 GL		$ 739.875,50		
2	POLIURETANO GRIS MATE		$ 2.645.694,78		
2	REMOVEDOR DE PINTURA X 5 GL		$ 3.779.563,96		
50	WYPALL X-80 REGULAR		$ 3.307.118,50		
2	EPOXY PRIMER MIL-PRF-23377K TY 1 CL C2		$ 1.700.803,78		
5	CLEAR URETHANE		$ 6.614.236,95		
2	POLIURETANO VERDE METALIZADO		$ 5.669.345,94		

6	ALCOHOL ISOPROPILICO TT-I-735 CANECA X 55GL		$ 66.969.674,58		
35	PAPEL KRAFT ROLLO DE 160 CM X 200 METROS DE LARGO, PAPEL DE 60 GRAMOS		$ 4.133.897,95		
5	POLIURETANO GRIS METALIZADO		$ 14.173.364,85		
1	SERVICE,WASTE DISPOSAL PAIL		$ 2.314.982,93		
24	LOCK WIRE		$ 6.730.453,44		
20	O-RING		$ 109.142,40		
100	SCREW,MACHINE		$ 196.171,00		
10	SOCKET FLUORESCENT LIGHTS		$ 367.519,60		
2	CROCUS CLOTH 9" × 11" PACK X 5		$ 1.105.115,68		
150	Lubricante Multiusos 382 ml/11 oz.		$ 4.663.036,50		
50	PACKING		$ 1.212.694,50		
10	FILTRO DE COMBUSTIBLE PRIMARIO		$1.894.834,90		
1	CABLE X 1000 FT		$ 5.214.267,07		
20	PACKING		$ 354.713,00		
15	OIL FILTER		$ 5.393.458,05		
10	FILTRO DE ACEITE		$ 1.136.900,90		
200	SCREW,MACHINE		$ 197.062,00		
5	SHEET METAL 0,020		$ 7.579.339,50		
100	O-RING		$ 288.015,00		
100	PACKING		$ 833.727,00		
5	TEMP-PLATE		$ 2.610.999,55		
400	PIN COTTER		$ 2.425.388,00		
4	SCRAPER PLASTIC		$ 586.511,80		
3	SHEET METAL		$ 6.730.453,47		
3	LIJA Stikit De 3m 2599 P80		$ 1.493.042,10		
200	SCREW,MACHINE		$ 500.236,00		
325	CINTA ENMASCARAR 233+ DE 18MM X 55MT= 3/4"		$ 2.789.910,50		

7	Devcon® 14310 2-Ton - 25 mL Tube		$ 1.657.759,25		
250	CINTA ENMASCARAR 233+ DE 6MM X 55MT= 1/4"		$ 1.444.975,00		
200	Scotch-Brite Roloc Blue 2"		$ 8.813.944,00		
25	BROCHA PELO DE MARTA		$ 2.051.689,00		
360	WASHER		$ 763.999,20		
3	VELCRO BLACK LOOP 50 MM X 25M		$ 229.608,51		
100	LIMPIADOR DE TAPIZADO ESPUMA x 400ml		$ 2.541.757,00		
12	PIN COTTER 1/16		$ 10.914,24		
100	BROCHA 1" IN		$ 349.610,00		
100	WASHER		$ 174.325,00		
1	HIDRAULICO 756		$ 137.977,71		
20	REMOVAL AND INSERT PLASTICO VERDE		$ 1.410.677,80		
100	BROCHA 2" IN		$ 1.407.888,00		
5	SHEET METAL		$ 7.579.339,50		
1000	SCREW		$ 2.349.600,00		
200	CINTA ENMASCARAR 233+ DE 36MM X 55MT = 1 1/2 PULGADA		$ 4.189.648,00		
25	BROCHA PELO DE MARTA		$ 2.051.689,00		
30	PACKING PREFORMED		$ 682.140,60		
1	LOCKWIRE COPPER		$ 3.902.374,52		
200	SCREW,MACHINE		$ 485.078,00		
30	BROCHA PELO DE MARTA		$ 2.462.026,80		
100	RIVET,BLIND		$ 24.253.886,00		
2	SCOTCH-BRITE REF 7447 X ROLLO DE 6 PULGADAS X 30PIES		$ 716.227,38		
15	SCOTCH GRIP RUBBER ADHESIVE 1300L		$ 8.025.844,20		
40	CEPILLO DE COBRE		$ 238.112,40		
100	OVEROLES TYVEK DUPONT		$ 2.626.324,00		
15	LOCK WIRE		$ 1.309.709,85		

35	PAPEL KRAFT ROLLO DE 160 CM X 200 METROS DE LARGO, PAPEL DE 60 GRAMOS		$ 4.133.897,95		
3	VELCRO NEGRO HEMBRA X 25 MTS		$ 206.647,65		
153	OIL MOTOR 2380		$ 22.836.011,94		
1	LOCKWIRE COPPER		$ 2.998.247,77		
10	TIRE	2	$ 67.117.449,50	18/08/2023	**$ 215.109.670,48**
12	FILTRO DE ACEITE		$ 737.014,92		
12	AIR FILTER		$ 1.481.162,64		
10	FUEL FILTER		$ 606.347,20		
12	BATERIAS F5-16NP 350 AMP		$ 43.068.482,04		
4	TIRE		$ 25.007.060,88		
18	TIRE		$ 65.205.621,90		
4	TIRE		$ 11.814.531,40		
16	TIRE	3	$104.290.113,12	05/09/2023	**$104.290.113,12**
12	FILTRO DE AIRE	5	$ 2.637.610,20	18/09/2023	**$ 254.690.274,08**
10	FREASE RED MOBIL 28/4.4 LB CAN		$ 6.569.789,20		
10	MEK PROXIDE		$ 10.422.105,80		
2	BATERIAS 12V DELCO		$ 3.578.585,66		
12	OIL FILTER		$ 1.182.376,92		
2	VOLTIMETRO 28V DC		$ 2.991.141,54		
2	AMPERIMETRO		$ 2.394.082,12		
4	DOWSIL 732 - 90 ML (3 OZ) TUBE		$ 586.834,00		
99	CFC FREE ELTROCONTAC CLEANER		$ 19.380.956,76		
100	LUBRICANTE LPS N°2		$ 11.525.780,00		
5	DOUBLE/BUBBLE 04001 RED EPOXY ADHESIVE SEACHET - 100/BOX		$ 5.627.723,50		
6	RTV133 BLACK SILICONE ELECTRICAL SEALANT - 10.1 OZ CARTRIDGE		$ 5.420.624,88		
3	URETHANE RED FLAG/ POLIURETANO RJO		$ 4.535.476,74		
5	SHEET METAL		$ 9.853.141,35		
100	HIDRAULICO 782		$ 11.313.652,00		
5	PARTS KIT.FLUID PRESSSURE FILTER		$ 4.103.454,40		

10	FILTRO DE COMBUSTIBLE SECUNDARIOS		$ 7.730.926,30		
8	AEROSHELL GREASE 7 6.6 LB CAN		$ 9.102.707,84		
10	FILTRO DE AIRE		$ 1.061.107,50		
150	CINTA ENMASCARAR 233+ DE 48MM X 55MT = 2"		$ 3.562.333,50		
50	GUANTES DE NITRILO		$ 13.719.817,00		
50	STEP DRILLS		$ 21.274.811,00		
4	ADHESIVE SEALANT		$ 3.458.606,84		
3	SHEET METAL		$ 9.407.297,85		
10	PRIST ACRYLIC PLASTIC GLASS CLEANER 13 OZ AEROSOL CAN		$ 2.160.351,50		
15	ACF-50 LUBRICANT 10013 PURPLE, 13 OZ AEROSOL CAN		$ 4.006.786,95		
3	PLUG CONTACTOR SALIDA		$ 13.642.811,07		
40	GREEN FILTER ELEMENT		$ 3.253.052,40		
20	GRAPHITE, 9 OZ AEROSOL		$ 3.443.466,20		
250	ACEITE AEROSHELL W100		$ 23.178.175,00		
100	AEROSHELL SYNTHETIC ENGINE OIL-W15W50		$ 8.384.575,00		
200	VINIPEL 45 CM X 400 MT		$ 10.733.962,00		
20	ORING		$ 694.267,40		
22	ORING		$ 333.490,96		
2	PLATING SOLUTION BOTTLE		$ 9.874.560,50		
5	3M LIJA STIK GRANO 220 ROLLO ROLL 2-3/4"		$ 3.529.431,45		
1	PACKING		$ 14.400,75		
5	FLASH TAPE (CINTA AZUL DE COMPOSITE)	6	$ 941.950,50	18/09/2023	**$ 203.238.948,59**
1	EZ TURN LUBRICANT FUEL LUBE TYPE 1 1LB		$ 377.956,40		
32	PACKING FUEL		$ 388.062,08		
19	PACKING		$ 273.614,25		
5	MOMENTIVE SEALANT RTV102 8 OZ WHITE, 2.8 OZ TUBE		$ 1.312.154,65		
5	HEAVYWEIGHT15" X 20"100 PADS PER BAG		$ 3.925.587,85		
192	LUBRICANT,SOLID FILM LPS1		$ 22.466.937,60		
100	CINTA ENMASCARAR 233+ DE 24MM X 55MT = 1"		$ 1.319.824,00		

50	LUBRICANTE LPS N°3, 11 OZ		$ 7.171.722,50		
10	PACKING PREFORMED		$ 288.014,90		
847	OIL MOTOR 2380		$ 126.418.968,06		
200	MIL-PRF-23699		$ 35.432.466,00		
100	SCREW		$ 1.894.835,00		
1	CFC FREE ELTROCONTAC CLEANER		$ 195.767,24		
4	AEROSHELL GREASE 6 14 OZ TUBE		$ 831.087,56		
10	459M08-2	7	$ 45.997.506,00	19/10/2023	**$138.623.078,36**
3	9.00X6		$ 18.755.295,66		
20	22 X 6,75-10		$ 66.625.207,60		
2	18 X 5,5-10		$ 7.245.069,10		
5	MIL-PRF-8528E TYPE I-IV 16251	8	$ 6.614.236,95	13/12/2023	**$73.638.326,33**
8	31495WPX-T1		$ 10.582.779,12		
10	53039WPX		$ 18.897.819,80		
8	AD9318-FD		$ 6.803.215,12		
200	ABRASIVE 240 GRIT		$ 27.490.876,00		
100	DISCO VELCRO 5" GRANO 180		$ 597.965,00		
82	DISCO VELCRO 5" GRANO 320		$ 559.434,34		
100	TAPABOCAS BLANCO		$ 2.092.000,00		
5	CPC GRADO 2	9	$ 3.592.948,00	13/12/2023	**$54.339.888,01**
30	FILTER		$ 23.047.255,50		
5	CPC ANTICORROSIVO GRADO 1		$ 3.377.985,30		
5	REMOVEDOR DE PINTURA X 5 GL		$ 9.448.909,90		
5	MIL-PRF-85285E TYPE I-IV 17886		$ 6.614.236,95		
1	AMS1476B		$ 3.703.520,00		
2	CINTA METALICA		$ 904.650,00		
2	MOBIL SCH100		$ 2.000.775,00		
30	PAÑOS MICROFIBRA 35.6 X 35.6CM		$ 138.750,00		
4	LEATHER SOAP (leather and vinil cleaner)		$ 1.510.857,36		
20	328Q28-2	10	$ 222.932.855,80	13/12/2023	**$ 310.691.457,24**
4	17,00X16		$ 87.758.601,44		
10	HYSOL 934	11	$ 15.552.125,10	13/12/2023	**$123.859.778,99**
100	LIMPIADOR DE TAPICERIA		$ 2.541.757,00		

4	POLIURETANO AMARILLO		$ 6.047.302,32		
20	GALLONS & DECIMALCRISTAL		$ 62.350.400,00		
10	ABRASIVE PAD		$ 702.197,10		
3	LACA AMARILLA		$ 758.461,14		
3	LACA ROJA		$ 676.726,89		
3	LACA AZUL		$ 869.810,91		
3	LACA NEGRO MATE		$ 728.728,98		
3	LACA BLANCA		$ 679.758,39		
50	BULTO DE TRAPO		$ 23.125.000,00		
13	Espátula metálica con mango de madera 2200000017024		$ 807.599,00		
4	CLEANER K&N		$ 6.661.162,16		
5	PINTURA AMARILLO TRAFICO PESADO PARA EXTERIOR		$ 2.358.750,00		
29	19.5 X 6.75-8 / -10	12	$ 118.038.523,68	13/12/2023	**$ 118.038.523,68**
25	LIMPIAVIDRIOS X 530cc	13	$ 351.972,00	13/12/2023	**$ 95.309.578,58**
1	ADHESIVE SEALANT		$ 1.404.709,80		
350	PACKING		$ 9.098.995,50		
6	MAIN FILTER		$ 2.743.963,44		
2	ADHESIVE SEALANT		$ 1.729.303,42		
4	SEALANT TAPE Black Roll – HCS2125		$ 846.306,92		
10	PACKING PREFORMED		$ 83.372,70		
3	ADHESIVE SEALANT		$ 4.320.816,45		
4	ADHESIVE SEALANT		$ 6.267.976,76		
5	MOLYKOTE Anti-Friction Coating Spray, 312 gm		$ 1.853.474,55		
50	PLASTIC CLEANER , 16 OZ		$ 15.019.042,50		
2	ADHESIVE SEALANT		$ 5.415.099,00		
100	AMBIENTADOR AEROSOL 300 ML		$ 1.005.364,00		
40	ACEITE MOTOR		$ 4.157.520,40		
5	ADHESIVE SEALANT		$ 7.700.947,80		
30	ACEITE MOTOR		$ 3.795.627,00		
20	REFRIGERANTE MOTOR		$ 1.131.979,40		
5	TAPAOIDOS		$ 4.117.847,20		
68	LUBRICANT,SOLID FILM LPS1		$ 7.957.040,40		
2	Momentive Sealant RTV108 Translucent, 2.8 oz tube		$ 538.128,14		
80	DWDCO40		$ 334.113,60		

80	DWDCO3/32		$ 334.113,60		
50	DWDCO20		$ 321.263,00		
80	DWDCO30		$ 391.940,80		
500	MS25237-327		$ 8.261.480,00		
12	DWDCO5/16		$ 208.178,40		
50	DWDCO1/8		$ 273.073,50		
100	DWDCO5/32		$ 610.400,00		
24	CEPILLO CERDA METALICA		$ 156.474,00		
12	TSD5/32ST		$ 184.083,60		
1	M27500-22TG2T14		$ 3.678.625,98		
12	TSDDST		$ 250.585,08		
50	DWDCO3/16		$ 361.421,00		
12	DWDCO10		$ 99.270,24		
5	MS20995C25		$ 305.068,40		
15	CEE BEE A -882	20	$113.386.918,00	13/12/2023	**$236.905.900,22**
2	THINNER TIPO II X 5GL		$ 5.026.322,58		
6	THINNER TIPO I X 5GL		$15.078.967,74		
10	POLIKIT IV		$3.505.000,00		
1	KIT EMPAQUES		$27.334.138,50		
1	PINTURA NEGRA TRAFICO PESADO		$1.452.250		
14	VERDE PALAS		$50.505.000,00		
5	VERDE MILITAR		$18.037.500,00		
5	MOLYKOTE 33		$2.579.802,60		
1	17,00X16	21	$ 21.939.650,36	13/12/2023	**$ 341.974.325,35**
2	MONOCHEM T-5NF		$ 384.365,76		
27	MEPQ-09-075		$ 28.044.937,26		
1	BIOBOR JF MIL-S-53021A		$ 2.872.533,36		
8	3031272		$ 730.047,76		
2	MO-LITH		$ 848.077,94		
3	1477245		$ 17.468.980,20		
3	MS25488		$ 13.642.811,07		
500	CR32124-3		$ 6.771.000,00		
500	CR32124-4		$ 6.660.000,00		
899	CR32134-2		$ 10.378.056,00		
500	CR32424-4		$ 5.550.000,00		
377	CR32434-2		$ 2.929.290,00		
100	70006745734		$ 27.837.907,00		
15	ALUMIPREP 33		$ 13.476.220,65		

20	MIL-G-81322		$ 5.126.222,60		
36	LUBRIBOND		$ 11.172.920,04		
1	MIL-C-5040, Type III		$ 771.427,90		
10	LUBEREX 10-1206		$ 974.966,40		
25	KD651511		$ 8.003.782,50		
30	PAPEL KRAFT ROLLO DE 160 CM X 200 METROS DE LARGO, PAPEL DE 60 GRAMOS		$ 3.543.341,10		
1	STANICOIL EP-5		$ 1.082.928,00		
5	102980		$ 1.066.520,00		
20	VINIPEL		$ 3.281.600,00		
5	BALDE		$ 2.953.440,00		
6	730015		$ 14.767.200,00		
4	730010		$ 8.925.952,00		
4	730045		$ 11.682.496,00		
20	NF-1224		$ 984.480,00		
10	48496		$ 229.712,00		
10	GTP-1101		$ 18.541.040,00		
2	GTP139115X150		$ 6.891.360,00		
10	GTP-3908		$ 17.064.320,00		
1000	B079YWGS58		$ 6.563.200,00		
6	TL-2935C-4		$ 14.373.408,00		
40	BOLT, HEX 3/8-16 UNC X 3.75 GR.5		$ 183.769,60		
40	WASHER, FLAT 3/8 X 1		$ 26.252,80		
40	WASHER, SPLIT LOCK 3/8		$ 26.252,80		
40	NUT HEX .3/8 – 16 UNC GR.5		$ 26.252,80		
40	SCREW, SLOTTED PAN HEAD, 1/4 -20 UNC X 1.5		$ 98.448,00		
40	BOLT, HEX 3/8-16 UNC X 3.75 GR.5		$ 183.769,60		
40	WASHER, FLAT 3/8 X 1		$ 26.252,80		
40	WASHER, SPLIT LOCK 3/8		$ 26.252,80		
40	NUT HEX .3/8 – 16 UNC GR.5		$ 26.252,80		
40	SCREW, SLOTTED PAN HEAD, 1/4 -20 UNC X 1.5		$ 98.448,00		
30	26366-080002		$ 29.534,40		
200	ABRAZADERA DE TORNILLO SINFÍN EN ACERO INOXIDABLE DE 50 MM		$ 4.134.816,00		
10	MASCARA MEDIA CARA MOLDEX 7002		$ 307.100,00		

75	RESPIRADORES EMSAMBLADOS MULTIGASES/VAPORES 7600		$ 11.377.500,00		
74	PREFILTRO MOLDEX 7000		$ 2.874.900,00		
33	RETENEDORES MOLDEX 7920		$ 2.351.829,15		
80	OVEROL TIBEK AMARILLO DuPont Tychem 2000		$ 5.925.180,00		
13	802603-01		$ 11.255.159,50		
22	Gafas 3m de Seguridad Antiempañante Gafas Protectoras 3m		$ 576.312,00		
24	Gafas de Protección 11873, Marco de espuma, Lentes Grises Antiempañante		$ 2.766.120,00		
5	SCOTCH 23		$ 1.722.840,00		
1	SP-77080/A SANI PAK		$ 396.888,40		
1	SOLENOIDE ACELERACION JET X 4D	22	$ 4.547.603,69	13/12/2023	**$ 68.390.404,03**
4	BRUSH		$ 771.126,48		
6	RESISTOR 10 OHM 100 WATT UATT (V44655)		$ 11.369.009,22		
50	SPIROBAND		$ 311.814,00		
20	SPIROBAND		$ 124.725,60		
100	CINTA ENMASCARAR 233+ DE 12MM X 55MT = 1/2"		$ 615.880,00		
2	FUEL SENDER		$ 2.122.215,06		
50	SPIROBAND		$ 311.814,00		
4	FILTER FUEL PUMP		$ 2.438.121,92		
6	TIRE		$ 17.721.797,10		
1	LOCTITE 609, 50 ML		$ 362.795,62		
3	SCREW EXTRACTORS X SET		$ 1.250.591,01		
12	BROCA No 40 TALADRO DE 90		$ 148.423,56		
10	OIL SEAL GREASE		$ 2.375.503,20		
202	INSERT BITS		$ 1.240.641,58		
12	BROCA No 10 TALADRO DE 90		$ 209.142,24		
2	QUALTECH DRILL BLANKS		$ 4.547.603,70		
15	SHAMPOO		$ 2.574.089,10		
1	FIJADOR DE TRABATUERCAS		$ 395.667,20		
1	LEAK TEC No 16		$ 289.374,29		
2	ADHESIVE MASKING 25 MM		$ 801.222,68		
2	LECK TEC 160X		$ 405.011,18		

100	LAMP		$ 765.421,00		
70	LAMP		$ 775.626,60		
15	NUT STOP		$ 29.970,00		
500	RIVET CHERRY MAX		$ 4.440.000,00		
500	RIVET CHERRY MAX		$ 5.772.000,00		
1	RIVET CHERRY MAX		$ 7.770,00		
6	ADHESIVE SUPER BONDER		$ 499.500,00		
101	RIVET CHERRY MAX		$ 1.165.944,00		
7	PLUG CONTACTOR SALIDA	23	$ 31.833.225,83	13/12/2023	**$ 95.016.657,69**
10	MIL-PRF-5606		$ 35.497.536,00		
1	AEROSHELL GREASE 22		$ 1.353.660,00		
1	AEROSHELL 7 DC-ICING FLUID		$ 1.833.594,00		
1	POLITENO PELICULA		$ 131.029,60		
2	GRASE		$ 1.533.504,96		
23	NUT STOP		$ 45.954,00		
50	DISCO DE CORTE		$ 2.062.422,00		
1000	RIVET CHERRY MAX		$ 10.434.000,00		
500	RIVET CHERRY MAX		$ 5.772.000,00		
86	RIVET CHERRY MAX		$ 668.220,00		
6	ADHESIVE SILICONE SEALANT COMPOUND		$ 3.851.511,30		
2	CINTA ADHESIVA	24	$ 2.406.714,08	13/12/2023	**$ 4.651.245,98**
1	DESODORANTE LIQUIDO LAVAMANOS		$ 1.964.811,90		
36	RIVET CHERRY MAX		$ 279.720,00		
6	TIRE	4		22/12/2023	**$ 24.421.763,52**
7	TIRE	25	$ 153.577.552,52	22/12/2023	**$169.198.036,52**
51	PWC06-002		$ 15.620.484,00		
10	ACTIVADOR A BASE DE DISOLVENTE / 4,5 OZ	27	$ 3.571.465,90	22/12/2023	**$ 145.752.961,00**
6	ELEMENTO COALESCENTE		$ 23.627.520,00		
1	SOLVENT TYPE 2		$ 418.404,00		
50	CARTUCHO PARA MONITOR		$ 114.856.000,00		
6	DRILLS No 7		$ 49.635,12		
2	LECTRO TECH SUPER TYPE 1		$ 3.229.935,98		
12	BROCA No 27 TALADRO DE 90	30	$ 159.025,20	22/12/2023	**$ 43.220.512,14**
6	BROCA No 3/16 TALADRO DE 90		$ 102.161,64		
6	BROCA No 30 TALADRO DE 90		$ 80.476,38		

10	AS3209-224 ALT MS9388-224		$ 213.120,00		
6	AS3209-120 ALT MS9388-120		$ 69.264,00		
10	MS28775-122		$ 164.280,00		
4	4.00-8		$ 2.113.447,40		
12	5.00-8		$ 4.830.720,00		
4	6.00-9 6PR 84M		$ 2.497.130,00		
7	4.10-6		$ 3.984.715,00		
3	4-80-12		$ 1.042.567,50		
4	20.5*8.0-10		$ 1.937.320,00		
6	RTV 118		$ 4.376.878,74		
6	GN3058		$ 4.895.100,00		
1	56747		$ 590.150,00		
2	3044589-01		$ 15.935.417,08		
32	DWDCO57		$ 228.739,20		
10	PINTURA EPOXICA GRIS KIT X GALON	26	$ 9.188.480,00	22/12/20023	**$336.142.324,39**
10	PINTURA ESMALTE GRIS KIT PRESENTACON POR GALON		$ 15.751.680,00		
50	EMPAQUES DEL EXOSTO		$ 1.476.720,00		
UNIDAD	TIRE MLG		$196.731.920,00		
2	MASCARA FULL FACE		$ 1.731.563,00		
10	PINTURA SPRAY NEGRO MATE		$ 820.400,00		
15	ANTICORROSIVO ALODINE 1201		$ 15.015.569,40		
5	Concorde Battery® Premium Aircraft Battery RG24-15M		$ 63.525.442,95		
10	MANGUERA PARA COMBUSTIBLE DE 10MM		$ 492.240,00		
1	METHIL ISOBUTIL CETONA X 5 GL		$ 2.460.843,57		
4	CLEANING COMPOUND		$ 15.401.607,96		
4	99-0551 / 990555		$ 6.661.162,16		
4	PINTURA EN AEROSOL PARA ALTAS TEMPERATURAS NEGRA		$ 328.160,00		
1	CADMIUM LHE 5070		$ 4.937.280,25		
2	RETENEDORES MOLDEX 7920		$ 142.535,10		
10	FUEL LINE HIGH TEMPERATURE RESISTAN1/4"		$ 1.476.720,00		
80	SATA Anthracite Paint Overalls (Large)	28	$ 9.265.540,00	22/12/2023	**$ 608.730.313,02**

20	SEAL ASSEMBLY – SELF - LUBRICATED		$ 18.376.960,00		
10	FILTER POST		$ 24.002.030,90		
3	KIT FUEL MINIFOLD PACKING Y GASKET		$ 13.288.188,60		
5	ELEMENT FILTER FUEL PUMP		$ 5.857.137,00		
4	TIRE		$ 18.399.002,40		
2	BLOCK ASSY		$ 5.423.840,20		
15	15W40 4T		$ 1.559.070,15		
6	BROCA LETRA F TALADRO DE 90		$ 130.111,50		
6	BROCA LETRA G TALADRO DE 90		$ 142.158,84		
12	BROCA No 1/8 TALADRO DE 90		$ 183.119,88		
6	BROCA No 20 TALADRO DE 90		$ 82.885,86		
6	BROCA No 5 TALADRO DE 90		$ 115.172,76		
4	AXAREL 1000		$ 5.826.764,80		
20	DOW CORNING XIAMETER RTV736 90 ML TUBE		$ 5.151.095,00		
12	DRILLS 1/16		$ 97.841,64		
50	DRILLS 1/16		$ 72.284,50		
6	DRILLS 1/2		$ 264.078,12		
12	DRILLS 13/64		$ 113.727,12		
6	DRILLS 15/64		$ 60.718,74		
6	DRILLS 25/64		$ 167.691,96		
12	DRILLS 27/64		$ 386.479,32		
50	DRILLS 6¨ 1/8		$ 317.247,00		
50	DRILLS 6¨ 3/32		$ 317.247,00		
6	DRILLS 6¨ 5/32		$ 46.261,86		
6	DRILLS LETRA H		$ 95.896,98		
50	DRILLS No 27		$ 289.136,50		
5	**3036376** OR 3034508		$ 68.156.130,98		
1	HCS2108-P5		$ 15.477.902,93		
4	204-040-760-109		$ 8.100.810,95		
5	SERVICE,WASTE DISPOSAL PAIL		$ 11.574.914,65		
30	LIMPIADOR DE PANTALLAS LCD x 50 ml		$ 684.176,70		

1	LOCKWIRE ANNEALED BRASS		$ 660.089,26		
30	LPS 04016 NOFLASH ELECTRO CONTACT CLEANER 12OZ, CLEAR		$ 6.989.311,50		
1	LUBRICANTE		$ 369.180,00		
3	MANGUERA PARA PINTAR PARA 300PSI DE 50 mts		$ 1.003.895,10		
1	METHYL ALCOHOL		$ 1.339.018,87		
5	MICROFLEX 93-260 GUANTES		$ 851.000,00		
1000	OIL MOTOR 2380		$ 149.254.980,00		
10	MOMENTIVE SEALANT RED, 10.1 OZ CARTRIDGE		$ 5.973.137,80		
5	N-6974		$ 32.007.922,54		
15	AA-59166 TYPE II		$ 22.677.383,70		
14	AD9325		$ 58.275.000,00		
3	TIRE NLG		$ 23.996.700,00		
10	FILTRO VELCOM P/N VF-61EP 1/2		$ 89.500.000,00		
1	XZILUN 3 CORROSION INHIBITEN COMPOUND		$ 1.755.988,60		
6	DRILLS 6¨ 1/16		$ 51.080,82		
2	BATERIA	29	$ 2.156.374,70	22/12/2023	**$ 255.114.315,70**
2	ADHESIVE LOCTITE 404, 4 oz		$ 2.624.012,84		
10	GUANTES DE NITRILO		$ 2.743.963,40		
100	SCREW		$ 204.642,00		
200	AS3209-144		$ 1.894.834,00		
6	DWDN35/64		$ 185.529,36		
3	VAC1-5SET		$ 2.075.520,99		
3	TELA DE GARZA		$ 1.129.333,71		
1000	MS24665-306		$ 3.031.740,00		
200	PINCEL N:o 8 PLANO		$ 604.730,00		
6	DWDN9/16		$ 194.628,66		
100	AS3209-162		$ 4.168.637,00		
150	CRC 5-56		$ 4.946.505,00		
6	DWDN37/64		$ 192.757,74		
100	ST3002-05		$ 530.554,00		
6	DWDCO5		$ 63.609,96		
10	DWD29J-DB-SET		$ 16.674.546,90		
6	DWDCOD		$ 93.005,64		

200	ST3001-214		$ 2.728.562,00		
12	DWDCO1/4		$ 130.111,44		
35	DWD15J-LH-SET		$ 37.934.594,25		
6	DWDCO17/64		$ 76.139,34		
50	DWDN3/8		$ 364.964,00		
10	DWD15J-TN-SET		$ 7.579.339,50		
50	DWDCO16		$ 369.452,50		
6	DWDCOG		$ 82.403,94		
6	DWDA/CX63/16		$ 54.936,00		
6	DWDN17/32		$ 172.036,32		
2	MIL PRF- 23827		$ 3.076.500,00		
10	COMERCIAL		$ 1.635.502,60		
1	COMERCIAL		$ 471.144,00		
1	COMERCIAL		$ 468.800,00		
2	DINITROL		$ 16.547.388,22		
15	PACKING		$ 149.850,00		
15	PACKING		$ 136.530,00		
10	FILTER FUEL DESCARGA PAPEL		$ 9.821.353,80		
10	ORING FILTRO DESCARGA		$ 355.200,00		
15	ORING FILTRO DESCARGA COVER		$ 745.920,00		
15	PACKING		$ 556.110,00		
15	PACKING COVER P3		$ 259.740,00		
15	PACKING		$ 169.830,00		
15	O-RING		$ 556.110,00		
15	ORING FILTRO ACEITE		$ 313.020,00		
4	ORING FILTRO ACEITE		$ 46.176,00		
10	PACKING		$ 208.680,00		
10	PACKING		$ 115.440,00		
8	SEAL		$ 1.456.320,00		
3	GRASA AEROSHELL No. 5		$ 22.761.420,09		
10	PACKING		$ 137.640,00		
26	PACKING-PREFORMED,		$ 300.144,00		
1	HYDRAULIC		$ 9.663.937,50		
60	LIJA STICK GRANO 180		$ 52.206.259,20		
40	LIJA STICK GRANO320		$ 34.804.172,80		
8	TIRE		$ 4.226.894,80		
1	TIRE		$ 569.245,00		

1	TIRE		$ 347.522,50		

Año	Mes de Pago	No. Factura pagada	Valor	Valor amortizado por concepto de anticipo	Porcentaje del anticipo (%)
2023	JULIO	N/A	$ 0,00	$ 0,00	N/A
2023	AGOSTO	N/A	$ 0,00	$ 0,00	N/A
2023	SEPTIEMBRE	1	$ 363.025.278,14	$ 0,00	N/A
		2	$215.109.670,48	$ 0,00	N/A
2023	OCTUBRE	N/A	$ 0,00	$ 0,00	N/A
2023	NOVIEMBRE	N/A	$ 0,00	$ 0,00	N/A
2023	DICIEMBRE	3,5,6,7	$ 700.842.414,13	$ 0,00	N/A
2023	DICIEMBRE	8,9,10,11,12,13	$ 775.877.552,83	$ 0,00	N/A
TOTAL			$ 2.054.854.915,58	$ 0,00	N/A
SALDO			$ 2.329.520.084,41	$ 0,00	N/A

7. Porcentajes de Ejecución

CONCEPTO	Fecha	% de ejecución
Porcentaje de ejecución física	**22/12/2023**	**100%**
Porcentaje de ejecución presupuestal	**28/12/2023**	**46,86%**

8. Aportes a la Seguridad Social y Parafiscales

Pagos de Aportes a la Seguridad Social y Parafiscales	Cumple	No cumple	Observaciones
Verificación cumplimiento Aportes parafiscales SENA, SALUD, EPS, ARL, Etc.	**X**		Se anexa con cuenta de facturación

9. Información Contrato Adición, Prórroga, Modificación, Suspensión, Reinicio y Aclaratoria

CLASE	No.	fecha	valor	Tiempo	Observaciones
Adición	1	24/08/2023	$1.200.000.000,00	N/A	Es pertinente dar continuidad al contrato con el fin de garantizar la puesta en funcionamiento y aeronavegabilidad de las aeronaves de la Policía Nacional.
Prorroga	1	24/08/2023	N/A	30/11/2023	
	2	16/11/2023	N/A	22/12/2023	
Modificación	1	05/10/2023	N/A	30/11/2023	
	2	16/11/2023	N/A	22/12/2023	
Suspensión					N/A
Reinicio					N/A
Aclaratoria	1	16/11/2023		22/12/2023	Aclarando el valor unitario del elemento I-616C5TB
Otros					N/A

Nota 1: El supervisor del contrato deberá verificar la publicación de los documentos que hacen parte del proceso contractual en la Plataforma Electrónica SECOP II o la plataforma que haga sus veces.

10. Información de Pólizas

Aseguradora		No. Póliza	Fecha de expedición	Valor Total Asegurado
SEGUROS MUNDIAL		CSC-100034353	11/07/2023	$5.769.179,50
Amparo	%	Valor	Fecha Inicio	Fecha Terminación
Cumplimiento	30	$955.312.500,00	06/07/2023	24/02/2024
Calidad	50	$1.592.187.500	06/07/2023	24/08/2024

ADICIÓN Y PRORROGA 1

Aseguradora		No. Póliza	Fecha de expedición	Valor Total Asegurado
SEGUROS MUNDIAL		CSC-100034353	6/07/2023	$3.507.500,00
Amparo	%	Valor	Fecha Inicio	Fecha Terminación
Cumplimiento	30	$1.315.312.500,00	24/08/2023	30/05/2024
Calidad	50	$2.192.187.500,00	24/08/2023	30/11/2024

PRORROGA 2

Aseguradora		No. Póliza	Fecha de expedición	Valor Total Asegurado
SEGUROS MUNDIAL		CSC-100034353	30/11/2023	$3.507.500,00
Amparo	%	Valor	Fecha Inicio	Fecha Terminación
Cumplimiento	30	$1.315.312.500,00	06/07/2023	22/12/2024
Calidad	50	$2.192.187.500,00	06/07/2023	22/12/2024

Nota 2: En caso de requerirse actualización de pólizas anexar cuadro detallado de las mismas.

11. Información Debido Proceso

Plazo de ejecución	N/A
Motivo de presunto incumplimiento	N/A
Fecha en que se informa a la entidad el presunto incumplimiento	N/A
Fecha de citación inició de la actuación administrativa sancionatoria	N/A

Avances de la novedad presentada por el presunto incumplimiento	N/A
Estado a la fecha	N/A

Nota 3: La información aquí suministrada es la reportada por el (los) supervisor (es) del contrato, por lo tanto, la veracidad, claridad y exactitud de la misma, será única y exclusivamente responsabilidad del supervisor.

12. Observaciones del Supervisor

N/A

Capitán **LUIS MIGUEL OTALORA DUEÑAS**
Supervisor Contrato No. 042-2-2023
C.C. 1.032.387.805