EL SUSCRITO SECRETARIO GENERAL Y DE GOBIERNO DE LA ALCALDÍA MUNICIPAL DE SAN FRANCISCO - CUNDINAMARCA

NIT: 899.999.173 – 5

CERTIFICA:

Que de conformidad con los documentos que obran en el archivo central de la entidad, se encontró que la empresa COPYONE LTDA, identificada con NIT: No. 800.231.773-8 R/L CARLOS ARTURO ALBORNOZ PORTELA, identificado con cédula de ciudadanía No. 19.271.506, ha suscrito con EL MUNICIPIO DE SAN FRANCISCO CUNDINAMARCA, el siguiente Contrato:

NUMERO DE CONTRATO No. CTO-062-2023

OBJETO CONTRACTUAL: "ARRENDAMIENTO DE IMPRESORAS DE SERVICIO MULTIFUNCIONAL DE TRÁFICO PESADO INCLUYE INSTALACIÓN CONFIGURACIÓN MANTENIMIENTO PREVENTIVO Y CORRECTIVO, SUMINISTRO DE COMPONENTE (TÓNER O TINTA) Y REPUESTOS PARA LA ALCALDÍA MUNICIPAL DE SAN FRANCISCO – CUNDINAMARCA".

OBLIGACIONES CONTRACTUALES:

1. Ubicar en las instalaciones donde funciona la Alcaldía Municipal, los equipos (impresora) que cumpla con las especificaciones técnicas descritas en la invitación.
2. Las maquinas deben corresponder a marcas reconocidas en el mercado con el fin de obtener una óptima calidad en la impresión y encontrarse en perfecto estado de funcionamiento.
3. Configurar los equipos de cómputo de la Administración municipal para que puedan hacer uso efectivo del equipo (impresora).
4. Entregar los equipos (impresora) con un contador en 0 de impresiones con el fin de determinar el número de servicios utilizados mensualmente en cada equipo.
5. Brindar soporte técnico especializado respecto de los equipos (impresoras), ante las fallas que presenten.
6. Garantizar que los (equipos) impresora preste sus servicios en forma continua, para lo cual deberá atender en un plazo no mayor a seis (6) horas hábiles, los requerimientos que para el efecto le formule el supervisor del contrato.
7. Suministrar en forma continua, esto es sin que se paralicen las funciones de la administración municipal, los Tóner o Tintas, que garanticen un óptimo funcionamiento de los equipos (impresoras) instaladas.
8. Realizar de forma oportuna, y previamente coordinado con el supervisor del contrato, los mantenimientos preventivos y correctivos requeridos por el equipo (impresora), suministrando los respectivos repuestos sin que esto genere costos adicionales a la entidad territorial.
9. Las demás que se requieran en la ejecución del objeto contractual.

PLAZO DE EJECUCION INICIAL: DIEZ (10) MESES Y DIECINUEVE (19) DIAS

VALOR INICIAL DEL CONTRATO: VEINTIDOS MILLONES DE PESOS M/CTE ($22.000.000)

VALOR ADICION: SEIS MILLONES CINCUENTA MIL PESOS M/CTE ($6.050.000,00

VALOR TOTAL DEL CONTRATO: VEINTIOCHO MILLONES CINCUENTA MIL PESOS M/CTE ($28.050.000,00)

FECHA DE INICIO: 13/02/2023

FECHA DE TERMINACIÓN: 31/12/2023

CALIFICACION DEL CONTRATO: EXCELENTE

EL CONTRATO SE ENCUENTRA EN EJECUCIÓN ACTUALMENTE: SI__ NO X_

EL CONTRATO SE EJECUTÓ SATISFACTORIAMENTE HASTA SU CULMINACIÓN: SI X_ NO___

EL CONTRATO SE TERMINÓ DE MANERA ANTICIPADA: SI___ NO X__

La presente certificación, se expide a solicitud del interesado, en el Municipio de San Francisco Cundinamarca al primer (01) día del mes de febrero del año 2024.

JUAN LORENZO RODRIGUEZ PARRA
Secretario General y de Gobierno
Jefe de talento Humano
San Francisco Cundinamarca, palacio municipal calle 4 # 7-56
gobierno@sanfrancisco-cundinamarca.gov.co

Proyecto y Reviso: Geraldine Guerrero Ramirez – Profesional Universitario
Aprobo: Juan Lorenzo Rodriguez Parra – Secretario General y de Gobierno

LA SUSCRITA SECRETARIA DE GOBIERNO Y GESTION ADMINISTRATIVA DEL MUNICIPIO DE QUEBRADANEGRA CUNDINAMARCA

CERTIFICA:

Que revisados los archivo que reposan en esta alcaldía se constató que **COPYONE LTDA NIT: 800231773-8 R/L CARLOS ARTURO ALBORNOZ PORTELA C.C. N° 19.271.506 DE BOGOTA D.C"**, suscribió con el municipio de Quebradanegra el contrato que se relaciona a continuación el cual cumplió a satisfacción :

CONTRATO N° MC-PS 068 DE 2023

Contratista:	**COPYONE LTDA NIT: 800231773-8 R/L CARLOS ARTURO ALBORNOZ PORTELA C.C. N° 19.271.506 DE BOGOTA D.C**
Contratante:	**MUNICIPIO DE QUEBRADANEGRA NIT. N°899.999.432-8**
Objeto:	**PRESTACIÓN DE SERVICIOS DE IMPRESORAS MULTIFUNCIONALES DE TRAFICO PESADO (IMPRESORACOPIADORA-ESCANER) PARA LA ALCALDIA DE QUEBRADANEGRA-CUNDINAMARCA, INCLUIDA LA INSTALACION, CONFIGURACION, MANTENIMIENTOS PREVENTIVO Y CORRECTIVO, REPUESTOS Y COMPONENTES (TONER Y/O TINTAS).**
Plazo:	**Diez (10) meses**
Fecha de Inicio:	**27 de febrero de 2023**
Fecha de terminación:	**31 de diciembre de 2023**
Valor:	**DIEZ MILLONES QUINIENTOS MIL PESOS ($10.500.000.oo) MCTE**
Estado:	**Liquidado**

En constancia se firma la presente a solicitud del interesado a los diecisiete (17) días del mes de enero de dos mil veinticuatro (2024).

NINFA ESTELLA BELTRAN NARANJO
Secretaria de Gobierno y Gestión Administrativa

Proyecto: Ana Hilda H./ Auxiliar Administrativo
Reviso: NINFA STELLA BELTRAN NARANJO/ secretaria de Gobierno y Gestión Administrativa

POSITIVA
COMPAÑIA DE SEGUROS

ACUSE RECIBIDO

Positiva Compañía de Seguros S.A, acusa recibido de la empresa **COPYONE LTDA** identificada con **NI 800231773**, la presentación del Plan de Mejora con los resultados de los Estándares Mínimos vigencia **2022** del Sistema de Gestión de Seguridad y Salud en el Trabajo SG-SST conforme al capítulo**I** de la Resolución 0312 de 2019, obteniendo un resultado del **100%**, **ACEPTABLE**.

Fecha de presentación ARL: **30/01/2023**


Número de Consecutivo: **074616**


CONSTANCIA

Positiva Compañía de Seguros S.A, hace constar que la empresa **Copyone Ltda**, identificada con **NI 800231773** afiliada en el ramo de riesgos laborales, aplicó el **30/01/2023** la autoevaluación de los Estándares Mínimos del Sistema de Gestión de la Seguridad y Salud en el Trabajo SG-SST para la vigencia **2022** conforme a la Resolución **0312 del 2019**. Aplicando el capítulo **I** y obteniendo un resultado del **100,00%**, **ACEPTABLE**.

VIGILADO SUPERINTENDENCIA FINANCIERA DE COLOMBIA


Resultados Evaluación por Ciclo





CICLO	RESULTADO ESPERADO	RESULTADO OBTENIDO	PORCENTAJE DEL CICLO OBTENIDO
PLANEAR	25,00%	25,00%	100,00%
HACER	60,00%	60,00%	100,00%
VERIFICAR	5,00%	5,00%	100,00%
ACTUAR	10,00%	10,00%	100,00%
TOTAL	**100%**	**100,00%**	**100,00%**

Resultados Evaluación por Estándar



ESTANDAR		RESULTADO ESPERADO	RESULTADO OBTENIDO	PORCENTAJE DEL ESTANDAR EVALUADO
PLANEAR	1 RECURSOS (10%)	10,00%	10,00%	100%
	2 GESTIÓN INTEGRAL DEL SISTEMA GESTIÓN DE LA SEGURIDAD Y SALUD EN EL TRABAJO (15%)	15,00%	15,00%	100%
HACER	3 GESTIÓN DE LA SALUD (20%)	20,00%	20,00%	100%
	4 GESTIÓN DE PELIGROS Y RIESGOS (30%)	30,00%	30,00%	100%
	5 GESTIÓN DE AMENAZAS (10%)	10,00%	10,00%	100%
VERIFICAR	6 VERIFICACIÓN DEL SG-SST (5%)	5,00%	5,00%	100%
ACTUAR	7 MEJORAMIENTO (10%)	10,00%	10,00%	100%
			TOTAL	100,00%

VIGILADO SUPERINTENDENCIA FINANCIERA DE COLOMBIA

Las actividades a desarrollar de acuerdo a los resultados obtenidos, serán ejecutadas por la empresa como parte de la implementación del Sistema de Gestión de la Seguridad y Salud en el Trabajo SG-SST.

Se expide la presente constancia a solicitud del interesado.
Fecha de expedición: **31 enero 2023**.

La autenticidad de este documento electrónico puede ser verificado dando click en el siguiente enlace: (https://alissta.gov.co/EvaluacionEstandarMinimo/VCEnl?token=6+0rY9Vk53fHd2A5UXgnWQ==)

Para verificación de Positiva

COPYONE LTDA.
Su elección efectiva..!

Bogotá, febrero 15 de 2024

Señores
ALCALDIA MUNICIPAL DE SAN FRANCISCO
Atn: SR. JUAN LORENZO RODRIGUEZ PARRA
Secretario General y de Gobierno
San Francisco / Cundinamarca

*Yo **CARLOS ARTURO ALBORNOZ PORTELA** , mayor de edad, identificado con cédula de ciudadanía No. 19.271.506 DE Bogotá , domiciliado en la ciudad de **Bogotá**, en la dirección **CALLE 25C BIS NO. 73B -08**, actuando en nombre de la empresa **COPYONE LTDA NIT. 800.231.773-8,** acepto todas y cada una de las obligaciones especificas del contratante :*

COPYONE LTDA, en desarrollo del objeto contractual ejecutara las siguientes actividades:

1. Ubicar en las instalaciones donde funciona la Alcaldía Municipal, los equipos (impresora) que cumpla con las especificaciones técnicas descritas en la invitación.
2. Las maquinas deben corresponder a marcas reconocidas en el mercado con el fin de obtener una óptima calidad en la impresión y encontrarse en perfecto estado de funcionamiento.
3. Configurar los equipos de cómputo de la Administración municipal para que puedan hacer uso efectivo del equipo (impresora).
4. Entregar los equipos (impresora) con un contador en 0 de impresiones con el fin de determinar el número de servicios utilizados mensualmente en cada equipo.
5. Brindar soporte técnico especializado respecto de los equipos (impresoras), ante las fallas que presenten.
6. Garantizar que los (equipos) impresora preste sus servicios en forma continua, para lo cual deberá atender en un plazo no mayor a seis (6) horas hábiles, los requerimientos que para el efecto le formule el supervisor del contrato.
7. Suministrar en forma continua, esto es sin que se paralicen las funciones de la administración municipal, los Tóner o Tintas, que garanticen un óptimo funcionamiento de los equipos (impresoras) instaladas.
8. Realizar de forma oportuna, y previamente coordinado con el supervisor del contrato, los mantenimientos preventivos y correctivos requeridos por el equipo (impresora), suministrando los respectivos repuestos sin que esto genere costos adicionales a la entidad territorial.
9. Las demás que se requieran en la ejecución del objeto contractual.

Que para todos los efectos de lo aquí afirmado, procedo a firmar la presente declaración el día QUINCE (15), mes FEBRERO y año. DOS MIL VEINTI CUATRO (2024)

Razón Social:	**COPYONE LTDA**
Nit:	**800.231.773-8**
Nombre:	**CARLOS ARTURO ALBORNOZ PORTELA**
C.C	**19.271.506 DE Bogotá**
Dirección:	**CALLE 25 C BIS NO. 73B -08**
E-mail	gerencia@copyoneltda.com

Firma _____

COPYONE LTDA.
Su elección efectiva..!

Bogotá, febrero 15 de 2024

Señores
ALCALDIA MUNICIPAL DE SAN FRANCISCO
Atn: SR. JUAN LORENZO RODRIGUEZ PARRA
Secretario General y de Gobierno
San Francisco / Cundinamarca

*Yo **CARLOS ARTURO ALBORNOZ PORTELA** , mayor de edad, identificado con cédula de ciudadanía No. 19.271.506 DE Bogotá , domiciliado en la ciudad de **Bogotá**, en la dirección **CALLE 25C BIS NO. 73B -08**, actuando en nombre de la empresa **COPYONE LTDA NIT. 800.231.773-8,** acepto todas y cada una de las obligaciones generales del contratante :*

COPYONE LTDA, Además de las obligaciones derivadas de la esencia y naturaleza del objeto del contrato, Nos comprometemos a:

1. Cumplir con el objeto contractual en las condiciones de calidad o técnicas aquí previstas y en la oferta.
2. Cumplir el objeto dentro del plazo o término estipulado.
3. Acreditar, de conformidad con lo establecido en el artículo 23 de la ley 1150 de 2007, el cumplimiento del pago mensual de los aportes de sus empleados a los sistemas de salud, pensiones, riesgos profesionales, SENA, ICBF y Cajas de Compensación familiar.
4. Mantener indemne al Municipio y en consecuencia responder por todo daño e indemnización que se cause a bienes, al personal que se utilice y a terceros en la ejecución del contrato.
5. Informar al municipio en oportunidad sobre cualquier eventualidad que se presente en el desarrollo contractual.
6. tomar las medidas necesarias y oportunas para garantizar la debida y oportuna ejecución del contrato con la persona encargada de la Administración.
7. Suscribir las actas necesarias para la correcta ejecución del contrato.
8. Pagar los impuestos a que haya lugar, con ocasión del objeto contractual.
9. Las demás obligaciones necesarias para el cumplimiento del objeto contractual y la propuesta presentada por el contratista.

Que para todos los efectos de lo aquí afirmado, procedo a firmar la presente declaración el día QUINCE (15), mes FEBRERO y año. DOS MIL VEINTI CUATRO (2024)

Razón Social:	**COPYONE LTDA**
Nit:	**800.231.773-8**
Nombre:	**CARLOS ARTURO ALBORNOZ PORTELA**
C.C	**19.271.506 DE Bogotá**
Dirección:	**CALLE 25 C BIS NO. 73B -08**
E-mail	gerencia@copyoneltda.com

Firma _____

COPYONE LTDA.
Su elección efectiva..!

Bogotá, febrero 15 de 2024

Señores
ALCALDIA MUNICIPAL DE SAN FRANCISCO
Atn: SR. JUAN LORENZO RODRIGUEZ PARRA
Secretario General y de Gobierno
San Francisco / Cundinamarca

DECLARACION PROPIEDAD DE LOS EQUIPOS OFERTADOS

*Yo **CARLOS ARTURO ALBORNOZ PORTELA** , mayor de edad, identificado con cédula de ciudadanía No. 19.271.506 DE Bogotá , domiciliado en la ciudad de **Bogotá**, en la dirección **CALLE 25C BIS NO. 73B -08**, actuando en nombre de la empresa **COPYONE LTDA NIT. 800.231.773-8, DECLARO QUE** :*

Todos los equipos ofertados, son de propiedad de la empresa COPYONE LTDA Nit. 800.231.773-8, contamos con la disponibilidad para entrega inmediata una vez sea expedida el acta de inicio del contrato, también declaramos que garantizaremos todos los elementos que suministrararemos durante la vigencia del contrato, lo que mantendrá todos los equipos en correcto funcionamiento y en condiciones técnicas normales.

Los servicios se realizaran dentro de las veinticuatro (24) horas siguientes al reporte, en donde efectuaremos el cambio o reposición de los elementos para que los equipos queden en perfecto estado de funcionamiento.


Todo los servicios o cambios que requieran los equipos no tendrán costo alguno para la ALCADIA MUNICIPAL DE SAN FRANCISCO / CUNDINAMARCA

Que para todos los efectos de lo aquí afirmado, procedo a firmar la presente declaración el día QUINCE (15), mes FEBRERO y año. DOS MIL VEINTI CUATRO (2024)

Razón Social:	**COPYONE LTDA**
Nit:	**800.231.773-8**
Nombre:	**CARLOS ARTURO ALBORNOZ PORTELA**
C.C	**19.271.506 DE Bogotá**
Dirección:	**CALLE 25 C BIS NO. 73B -08**
E-mail	gerencia@copyoneltda.com

Firma


KONICA MINOLTA



HIGHER VALUE: bizhub for B&W output with color scanning.

COUNT ON KONICA MINOLTA

bizhub 423/363/283/223



SPEED

that streamlines your document input and output.

IT'S A FACT: YOUR DIGITAL DOCUMENT SOLUTION CAN HELP YOU WORK MORE PRODUCTIVELY. WORKING PROFESSIONALS IN BUSINESSES AND INSTITUTIONS AS WELL AS HEALTHCARE, EDUCATION, LEGAL AND GOVERNMENT APPLICATIONS COUNT ON KONICA MINOLTA FOR SPEED, FLEXIBILITY AND VALUE – AND THE BIZHUB® 423 SERIES RAISES THE BAR IN ALL THREE. WITH SLEEK DESIGN AND SEAMLESS NETWORK INTEGRATION, YOU'LL HAVE PRINT/COPY OUTPUT SPEEDS TO MATCH YOUR WORKLOAD, COLOR SCANNING TO MULTIPLE DESTINATIONS FOR MOVING INFORMATION FASTER, AND BUILT-IN BIZHUB OP ADVANTAGES TO MAKE PRINTING, NETWORKING AND 3RD-PARTY SOFTWARE INTEGRATION EASIER THAN EVER.

Konica Minolta has a strong commitment towards a sustainable future. We invite you to visit our website to learn more about our environmental initiatives and our exclusive **Clean Planet Program.**

www.countonkonicaminolta.com

B&W cost-efficiency – with value-added color scanning.


The bizhub 423 Series gives you four models to choose from, each with monochrome print/scan output speeds, special features and scalable options that let you customize a right-size solution for your needs. You can select the model that keeps ahead of your traffic: bizhub 423 (42 ppm), bizhub 363 (36 ppm), bizhub 283 (28 ppm) or bizhub 223 (22 ppm).


And all four bizhub models boost your productivity with scanning speed in color and B&W of up to 70 originals per minute (300 dpi), helping you scan, save and share information faster. You can scan documents to Email, FTP server, SMB, even perform TWAIN scanning from PCs. One-touch convenience features like Scan-to-Me and Scan-to-Home get documents into your workflow more easily. You can also scan directly to User Box, with routing functions that let you add multiple destinations, combine and delete pages, change resolution, adjust color output settings. And bizhub Send lets you perform simultaneous scanning, Emailing, faxing and storing.

For on-board storage, high-capacity 250 GB HDD is standard on the bizhub 423 and 363, a value-added option on bizhub 282 and 223. And for effortless networking, you'll have WebDAV (Web-based Distributed Authoring and Versioning) support to manage server files and folders, IPv6 support to assign every networked bizhub device its own IP address, IEEE 802.1X wireless networking with Extensible Authentication Protocol (EAP), and Gigabit Ethernet to reduce traffic demands on your network.

bizhub







In action, the large 8.5" color touch-panel display works the same way as our color devices – with large, easy-to-see controls, user-friendly menus, shortcut keys and thumbnail document preview to make operation easy even for first-time users and temporary personnel.

Styling, simplicity and environmental protection.

Just like Konica Minolta's award-winning color MFPs, the bizhub 423 Series is built to help you work more productively – with the same functionality, finishing options and simple operation. Its sleek dark space-saving cabinetry makes a great design statement and puts more document power at the hub of your business. And the unique InfoLine™ display shows you operating status at a glance.


Award-winning MyTab™ printing gives individuals quick access to customized print settings. And wheelchair access with smooth-sliding paper trays provide Section 508 compliance.

Konica Minolta also goes the extra mile to protect the environment – reducing power consumption with energy-saving operation and power-down modes, lowering emissions and minimizing pollutants in manufacturing, and using recycled materials more widely and effectively. Our high-yield toner bottles last longer, to reduce cost of ownership – and our toner recycling program makes returns easy.

Advantages that only bizhub OP can bring you.


Inside every bizhub Series 423 model, there's the powerful advantage of a unique Konica Minolta technology breakthrough: bizhub OP (Open Platform) design. It's our industry-leading approach to MFP productivity – and it combines three unique benefits.

First, bizhub Architecture: combining multiple functions in integrated circuitry for fast internal data processing, uniform operation across bizhub product lines, and consistent control interface that requires less operator training.



Second, the Emperon® Print System: a powerful, proprietary solution for full print/copy/scan functionality with higher productivity.

Third, our bizhub Extended Solution Technology (bEST): design that enables third-party software to operate seamlessly with MFP functions and controls. You'll have direct integration with cost recovery, print management and other custom software – so the system you create will work the way you do.



POWER

that drives your in-house printing and finishing.

BUSINESS RUNS ON INFORMATION – AND THE MORE REPORTS, PRESENTATIONS, NEWSLETTERS, CORPORATE COMMUNICATIONS AND TRAINING MATERIALS YOU CAN PRINT IN–HOUSE AND ON-DEMAND, THE GREATER YOUR COST-SAVINGS, SECURITY AND PRODUCTIVITY. THE BIZHUB 423 SERIES GIVES YOU RIGHT-SIZE SOLUTIONS FOR A WIDE RANGE OF DOCUMENT REPRODUCTION NEEDS, WITH HIGH-RESOLUTION IMAGE QUALITY THAT MAKES ALL YOUR OUTPUT LOOK MORE PROFESSIONAL. YOU WILL ALSO HAVE A FULL RANGE OF PRINT/COPY FUNCTIONS AND FINISHING OPTIONS TO CUSTOMIZE YOUR SYSTEM – DELIVERING THE DOCUMENTS YOU NEED AT A COST YOU CAN AFFORD.





Simitri® HD toner – smaller particles for superior images.

With the bizhub 423 Series, you'll have another industry-leading Konica Minolta advantage: Simitri HD polymerized toner, our unique formulation that uses smaller, more uniform toner particles to reproduce vivid, striking images with improved fine detail, superior halftones and more legible text.


All four models give you 1800 dpi equivalent x 600 dpi print resolution, so even complex graphics, charts, maps, diagrams and small-text passages like product specifications and legal disclaimers will be easier to read. And outline PDF function smoothes the edges of shapes for greater accuracy and legibility.







Pulverized Toner



Simitri HD
High Definition Polymerized Toner

Valuable features for print/copy/scan productivity.

Getting the job done is what bizhub is all about – and every bizhub 423 Series model provides a wide range of print features to handle every printing, copying and scanning need.

Universal Printer Drivers simplify print management by creating a common user interface with standard commands – and auto detection and configuration of network devices, to simplify IT control. The latest Windows drivers, native XPS functionality and PCL6/PS3 emulation fit the needs of any work environment. You can load up to 11" x 17" paper. Internet Fax capabilities are built in. You can also print directly to and from a USB thumb-drive, importing and exporting files via USB memory to/from individual User Boxes.

100% duplex productivity at full rated engine speed lets you make 2-sided prints and copies without slowing down your workflow. A high-capacity reversing auto document feeder is standard on the bizhub 423 and 363, optional on the bizhub 283 and 223. And Proof Copy/Print function lets you check output before making a full print/copy run.

Valuable options for in-house productivity.

The bizhub 423 Series also gives you business all the options – from 2,500-sheet Large Capacity Cassette (PC-409) to raise maximum paper capacity to 3,650 sheets for long print/copy runs, to high-volume Super G3 Fax with dual-line option.

For automatic finishing, you'll have a range of possibilities. An Internal Staple Finisher (FS-529) saves floor space while giving you 50-sheet 3-position stapling and electronic sorting. An external Floor Finisher (FS-527) fits 50-set stapling into a slim high-productivity design, with modular add-on options including Hole-Punch Kit (PK-517) for 2/3-hole punching at side or top, Saddle Kit (SD-509) to create booklets up to 60 pages (15 sheets), and Third Output Tray (JS-603) for sorting prints, copies and faxes more effectively.


So choose the model with output speed your workflow demands. Add the paper, fax and finishing options your document traffic requires. And discover the value that bizhub 423 Series can bring to your business.



SMART

options to make your business more competitive.

STAND-ALONE PRINTER/COPIERS CAN ONLY MEET YESTERDAY'S PRODUCTIVITY GOALS. IN THE 21ST-CENTURY INTERNET ERA, SOFTWARE AND SECURITY ARE ESSENTIAL COMPONENTS OF A TOTAL DOCUMENT SOLUTION. THE BIZHUB 423 SERIES GIVES YOU BOTH – WITH TOTAL FLEXIBILITY AND POWERFUL, CUSTOMIZABLE WORKFLOW OPTIONS TO ENHANCE CONTROL, INCREASE IT POWER, INTEGRATE ACCOUNT TRACKING AND SECURITY FUNCTIONS, AND PROTECT ACCESS TO DOCUMENTS AND DEVICES.



The added advantages of i-Option Kits.


In addition to PageScope, Konica Minolta offers i-Option™ Kits to enhance your workflow in various ways. The LK-101 v2 i-Option Kit provides an AJAX-capable web browser for faster Internet access, Scan-to-SharePoint convenience, and Image Panel interface to manage User Box files more easily. The LK-102 i-Option Kit gives you government-level AES 128-bit PDF encryption. And the LK-105 i-Option Kit adds searchable PDF functionality, so you can quickly locate text and data in PDF files.



The value of comprehensive security protection.

All four bizhub 423 Series models are designed to meet ISO15408 Common Criteria security classification (v. 2.3 to 3.1). To do this, they incorporate a powerful array of security features and functions – including bizhub Secure Print with password security locks to protect sensitive documents, Customized User Authentication for printing, scanning, faxing and User Box, and Audit log/Image log management option to track usage, control access.

Encrypted PDF workflow helps to protect information passing from PC to network. IP Filtering lets you register the IP addresses of PCs on your network. SSL/TLS Encryption protects data during exchange between the MFP and network servers – and S/MIME Encryption safeguards your Email exchanges.



You can also add state-of-the-art security options for your documents and devices, including an HID Proximity Card Authentication Kit (AU-201H) and HID iClass Card Authentication Unit (AU-202H) for secure access to bizhub MFP functions and a Biometric Authentication Kit (AU-102) for quick "ID and print" operation using finger-vein patterns to identify users.

An optional Copy Guard kit (SC-507) gives you password-protected copy functionality. An HDD Lock option applies password protection to your hard disc drive. Job Erase function automatically overwrites your HDD up to three times – and HDD sanitizing overwrites data in 8 different modes to meet the strictest government standards when devices are re-purposed or disposed of.

PageScope Enterprise Suite is a powerful server-based solution that combines four modules for managed printing, account tracking, user authentication and customized user interface in one comprehensive package:









PageScope MyPrint Manager* holds documents in a secure print queue until users authenticate themselves at any supported Konica Minolta MFP on the print network.

PageScope Account Manager tracks MFP activity based on user log-in – tracking print/copy/scan/fax activity, distinguishing between B&W and color, creating reports, setting limits, allocating costs.

PageScope Authentication Manager provides password-protected log-in by user name, IC Card or Biometric authentication at each MFP, synchronizes to Active Directory, and automatically adds new users as they join your enterprise.

PageScope MyPanel Manager allows individuals to customize an interface that appears at each MFP and disappears when users log out.

*Available Summer 2010

PageScope® power for gains today and growth tomorrow.

Konica Minolta MFPs bring you another advantage competitive document solutions can't offer: the power of PageScope software, an interlocking suite of solutions that accomplish an extraordinary range of business objectives.

PageScope Enterprise Suite operates seamlessly with PageScope Net Care Device Manager, saving time by allowing IT administrators to track print meter counts and user activity from a single point. PageScope Web Connection gives each bizhub device its own "website" for status updates and end-user control. PageScope Print Status Notifier provides automatic alerts when printing is finished or interrupted. And PageScope Data Administrator helps simplify the management of addresses, passwords, accounts.

Why the business world counts on Konica Minolta.

It's more than the value and performance of our products – it's a total commitment to customer satisfaction, service and support. With over 37,000 worldwide employees, cutting-edge research programs in digital and optical technology, and the industry's most complete line of document imaging solutions from desktop to print shop, Konica Minolta was recognized by Brand Keys for a second consecutive year as the #1 Brand for Customer Loyalty in the MFP Office Copier Market. As long as you count on Konica Minolta, you've made the right decision.

COUNT ON KONICA MINOLTA

For more information, please visit:
www.CountOnKonicaMinolta.com






SPECIFICATIONS	bizhub 223	bizhub 283	bizhub 363	bizhub 423
Print / Copy Speed (Letter,portrait)	B&W: 22 ppm	B&W: 28 ppm	B&W: 36 ppm	B&W: 42 ppm
Monthly Duty Cycle (pages)	60,000	120,000	150,000	150,000
COPY				
Warm-up Time / First Copy Time	Less than 30 seconds / Less than 4.2 seconds		Less than 30 seconds / Less than 3.6 seconds	
Copy Resolution / Copy Quantity	1800 dpi (equivalent) x 600 dpi / 1 - 9,999			
Copy Features	Account Track, Auto Duplex, Card Shot, Cover Mode, Form Overlay, Image Preview, Interrupt, Job Skip, Job List, LDAP, Program/Recall Jobs, Proof Copy, Separate Scan, User Authentication, Watermark			
PRINT – Emperon Print System with bizhub Extended Solution Technology / Open API				
Processor / Speed / Memory	MPC8533E / 667MHz / 2 GB RAM (shared print, copy, scan and fax memory)			
Print Resolution / Grayscale Gradations	1800 dpi (equivalent) x 600 dpi / 256 shades			
Interface	10 Base-T/100 Base-TX/1000 Base-T, USB 1.1, USB 2.0, USB Host			
HD-516 250 GB Hard Disk Drive	• Option		Standard	
Page Description Language	PCL5e/c Emulation, PCL XL ver.3.0 Emulation, PostScript 3 Emulation (3016), XPS v.1.0 (XML Paper Specification)			
Print Features	Encrypted Network Password Printing, Job Skip, MyTab Driver Feature, Print from USB Memory			
SCAN				
Scan Speed with DF-621	Color / B&W: 70 opm (@300 dpi, letter), 42 opm (@600 dpi, letter)			
Scan Resolution / Scan File Formats	200 dpi, 300 dpi, 400 dpi, 600 dpi / TIFF, PDF, Compact PDF, JPEG, XPS, Compact XPS			
Scan Features	bizhub Send, Separate Scan, Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan-to-User Box**, Scan-to-USB Memory**, Network TWAIN (via Ethernet TCP/IP), Scan-to-Me and Scan-to-Home, Scan-to-WebDAV			
FAX				
Internet Fax (Color / B&W)	• Option**		Standard	
• FK-508 Fax Kit	Includes Super G3 Fax, IP Address Fax**, PC Network Fax Driver			
• MK-726 Fax Mount Kit	Required for each FK-508 Installation			
• Fax Line / Mode	PSTN (Public Switch Telephone Network), PBX (Private Branch Exchange), Super G3 (Fax line)			
• Fax Transmission Speed	Approx. 3 sec (A4, V.34, 33.6kbps, JBIG)			
• Fax Features	Activity Reports, Fax Forward, F-Code, Group Dial, Memory RX, One-Touch Dial, TSI Routing			
PAPER INPUT				
DF-621 Reversing Automatic Document Feeder	• Option		Standard	
DF-621 Specifications	Capacity 100 sheets, Paper Size: 5.5" x 8.5" to 11" x 17", Paper Weight: Single-sided: 9.31 lb. bond to 34 lb. bond (35-128 g/m²), Double-sided or mixed originals: 13.25 lb. bond to 34 lb. bond (50-128 g/m²)			
OC-509 Original Cover	• Option		N/A	
Tray 1 & Tray 2	500-sheet / 5.5" x 7.16" to 11.69" x 17" (140 x 182 mm to A3) / 16 lb. bond to 24 lb. (60-90 g/m²)			
Bypass	150-sheet / 3.54" x 5.5" to 11.69" x 17" (90 x 140 mm to A3) / 16 lb. to 55.75 lb. (60-210 g/m²)			
• PC-109 Paper Feed Cabinet / Storage	500-sheet / 5.5" x 7.16" to 11.69" x 17" (140 x 182 mm to A3) / 16 lb. bond to 24 lb. (60-90 g/m²)			
• PC-208 Paper Feed Cabinet	2 x 500-sheet / 5.5" x 7.16" to 11.69" x 17" (140 x 182 mm to A3) / 16 lb. bond to 24 lb. (60-90 g/m²)			
• PC-409 Large Capacity Cabinet	2,500-sheet / 8.5" x 11" (A4) (portrait only)/ 16 lb. bond to 24 lb. (60-90 g/m²)			
• DK-508 Copy Desk Storage	Storage Drawer			
Maximum Paper Capacity	3,650 Sheet (total with options)			
PAPER OUTPUT				
Standard Output	Inner Output Tray: 250 sheet Capacity			
• JS-505 Inner Job Separator	Inner Output Tray 1: 150 Sheet Capacity, Inner Output Tray 2: 50 Sheet Capacity			
FINISHING				
• FS-527 Floor Finisher	50-sheet stapling Output Tray 1: 200 Sheet Capacity Output Tray 2: 3,000 Sheet Capacity			
• JS-603 Additional Output Tray for FS-527	Output Tray 3: 100 Sheet Capacity			
• PK-517 Punch Kit for FS-527	2 and 3 Hole Punching			
• SD-509 Saddle Stitch Kit for FS-527	60-page Booklet Making Output Booklet Tray: 20 Booklet Capacity			
• FS-529 Inner Finisher	50-sheet stapling Output Tray: 300 Sheet Capacity			
USER BOX				
User Box Functionality	• Option**		Standard	
Maximum Number of User Boxes	1,000 User Boxes for Document Storage, Re-Output, Distribution			
Maximum Document Storage	Up to 200 Documents per User Box, Up to 3,000 Documents in all User Boxes, Up to 10,000 pages in all User Boxes			
APPLICATION SOFTWARE				
Network and Device Management	PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up Utility, Log Management Utility			
User Tools / Management Tools	PageScope Web Connection, PageScope Direct Print, PageScope Box Operator, PageScope Print Status Notifier, Font Management Utility, Copy Protect Utility / bizhub vCare support			
• Optional Software	PageScope Enterprise Suite: Account Manager, Authentication Manager, MyPanel Manager, MyPrint Manager*, PageScope Net Care Device Manager (standard)			
i-OPTION				
• UK-203	1 GB Memory Upgrade Kit, Required to enable any i-Option, PageScope My Panel Manager			
• LK-101 v2	Enables Web Browsing at Control Panel / Image Panel to create / combine / route documents			
• LK-102	Enables Enhanced Scanning Security with advanced digital IDs for AES 128-bit Encrypted PDF			
• LK-105	Enables scanning to a searchable PDF (OCR)			
EXTERNAL KEYBOARD				
• Keyboard Option / KH-101 Keyboard Holder	External Keyboard / External Keyboard Mounting Kit			
• EK-604 USB Kit	Enables USB connection for External Keyboard			
• EK-605 USB Kit	Enables USB connection for External Keyboard and Bluetooth Printing			
AUTHENICATION DEVICES				
• AU-102	Biometric Finger Vein Authentication			
• AU-201H	HID Proximity Card Authentication			
• AU-202H	HID iClass Card Authentication			
• AU-211P	CAC/PIV Card Authentication			
• WT-506 Working Table	Working Table to support Authentication Devices			
SECURITY				
Security Features	ID & Print**, IEEE 802.1X Authentication, External Server Authentication, NDS Authentication over TCP/IP, Secure Print** Support for SMTP Authentication (POP before SMTP), IP Filtering, Encrypted Communications (SSL, S/MIME, Encrypted PDF), HDD Encryption**, HDD Job Overwrite**, HDD Sanitizing**			
SC-507 Copy Guard Kit	Enables Watermark Security to prevent unauthorized copying of documents and Password Copy Feature			
POWER & DIMENSIONS				
Power Requirements / Consumption	120V / 60Hz @ 12A (110V) / Less than 1500W (max consumption), Less than 7.6 W (low power / sleep mode)			
Dimensions (W x D x H) / Weight	24.5" x 31.2" x 27.6" / 149 lb.		24.5" x 31.2" x 32.2" / 169 lb.	

● OPTIONAL ○ STANDARD For more detailed specifications see the bizhub 423 Series Specification and Install Guide.

*Available Summer 2010. **Requires HD-516.

KONICA MINOLTA

Konica Minolta Optimized Print Services offers a full suite of device output services and workflow solutions that increase efficiency and control costs. Please contact your authorized Konica Minolta sales representative for details.

© 2010 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Konica Minolta is a registered trademark of KONICA MINOLTA HOLDINGS, INC. bizhub, Emperon, and PageScope are trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Simitri is a registered trademark of KONICA MINOLTA BUSINESS SOLUTIONS. All other brands and product names are registered trademarks or trademarks of their respective owners. Design & specifications are subject to change without notice. Some functions may require options, which may or may not be available at time of launch.

COUNT ON KONICA MINOLTA

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.
100 Williams Drive
Ramsey, NJ 07446

www.CountOnKonicaMinolta.com
www.kmbs.konicaminolta.us

bizhub Simitri PageScope bizhub vCare Mac ABBYY

Item #: 423BRO
5/10

TOSHIBA
Leading Innovation

- Up to 50 PPM
- Colour MFP
- Med/Large Workgroup
- Copy, Print, Scan, Fax
- Secure MFP



e-STUDIO™2555c/3055c/3555c/4555c/5055c

There's more to Toshiba Colour than ever before.

Now you can copy, print, scan and fax with an MFP that's smaller, quieter, sleeker and faster than ever. The new e-STUDIO5055c series from Toshiba is designed to replace black and white printing with affordable full colour, while still offering high quality black and white.

Colour options to match your needs.

For all those times you want to print in colour but settle for black and white, there's the e-STUDIO5055c series. It's designed to make colour more efficient and accessible. Whether you want to spruce up a presentation with colour produced at a remarkable 25/30/35/45/50 pages per minute or print crisp, clear black and white, you'll be impressed with all that the e-STUDIO5055c series has to offer. Unique features like the e-BRIDGE Universal Print Driver, the only driver needed for multiple users, allowing you to switch between PS and PCL. It includes plug-ins so you can add features.

More compact with more impact.

Even though it's chock-full of extraordinary features, the e-STUDIO5055c series has one of the smallest footprints of any MFP in its class. So, it can be used wherever space is limited. It's lighter too, which makes it easier to ship and move around the office. Even the noise level has been reduced with a quieter drive motor, fan motor and clutch. Best of all, none of these efficiencies affect the output.
In fact, image quality is incredible thanks to a new low temperature colour toner that increases the colour gamut.



e-STUDIO™2555c/3055c/3555c/4555c/5055c

Your data has never been more secure.

Toshiba knows that security is a high priority for businesses today. That's why we've put leading innovation to work and developed security measures that are unsurpassed.

- Self Encrypting Drive
- IPSec Enabler (optional)
- Common Criteria EAL 3+
- IP Filtering
- Network Port Control
- Secure PDF
- Private Print

Wipe Technology – it's like the data was never there.

It makes perfect sense. The best way to keep your data secure is to use a method no one else has replicated. That's just what we've done at Toshiba with our proprietary Wipe Technology. The e-STUDIO5055c series offers Toshiba's proprietary Self-Encrypting Drive equipped with our Wipe Technology as well as a suite of impressive security functions to keep data protected. If the HDD is taken from the MFP and installed into another device, all of the data is automatically erased. However, if it's taken out and then returned to the same MFP, the data is not erased and can be accessed immediately as needed. There is also an encryption key that's securely stored on the HDD.

Security taken to the next level.

Additional security features include a secure PDF encryption feature with up to 128-bit AES, IP/MAC address filtering, Role Based Access Control, an SNMPv3 protocol for enhanced security administration and an optional IPSec protocol, to name a few. In all, the features permit a security mode that complies with the extremely high security level–IEEE2600.1.



secure MFP™







Benefits include a 3,200-sheet capacity (including an optional 2,000-sheet LCF), direct USB printing, and tilting display.



Manage, capture and deliver documents with simple, one-touch control, using the large 9" colour control panel.

TOSHIBA
Leading Innovation

Environmentally friendly as well as user friendly.

At Toshiba, we work hard to make certain our products minimize environmental impact. Many of our leading innovations include new ways to save energy and save the environment.

Saving energy and saving you money.

An added benefit to our new energy-saving technologies is that they save you money too. Take, for instance, our new low temperature fusing toner. Colour reproduction is improved while energy consumption is reduced. Energy consumption is reduced even further, thanks to a dramatic reduction in the power usage during sleep mode. Other ways in which Toshiba puts environmental responsibility into action include a recycling program, reduction of CO_2 emissions and the recycling of plastics. Reduction or elimination of hazardous materials such as lead and mercury enable the series to comply with environmental standards around the world. Everything together qualifies the series for Energy Star Tier 2 certification.







Print professional-looking, full-colour newsletters and brochures using an optional saddle-stitch or staple finisher.

Doing more for our planet.

From an impressive lower power consumption of 1.5 W in sleep mode to greener manufacturing, Toshiba is a recognized environmental leader. At Toshiba we're investing in programs that help both our business and yours to better reduce, reuse and recycle.





e-STUDIO5055c with Saddle-Stitch Finisher.



e-STUDIO5055c with Paper Feed Pedestal.



e-STUDIO5055c with Large Capacity Feeder.

A new standard has officially been set.

Multiple functions, innumerable benefits and millions of colours have never been made more accessible. The e-STUDIO5055c series is easily integrated, customizable and solutions ready with an open platform. You'll also appreciate cloud, mobile printing and scanning along with a host of other benefits.

Easy integration
Includes flexible customization, new EFMS device management and system software upgrades by patch, cloning and F/W updates.

Open platform
Take advantage of flexible integration into solution applications, output management interface and an embedded Web browser that can be registered in templates.

Cloud, internet and mobile printing/scanning
Enjoy mobile convenience with e-BRIDGE support for new cloud computing and mobile applications as well as Internet browsing or printing from the Internet.

Universal print driver
One driver works for all users, tandem print comes standard and additional optional plug-ins can be put directly into the driver.

Impressive image quality
Low temperature colour toner increases range of colours. Other benefits include high gloss output, and easy to use colour adjustment tools.


AquaAce specialty paper support
Achieve brilliant Colour that's water, weather and fade resistant. It's like laminated paper without the lamination. Available in ledger and letter sizes. Banner printing can be done using paper up to 12" x 47".

Compact and lightweight
It has one of the smallest footprints of any comparable MFP. It's 37% lighter than before and substantially quieter.

Low power consumption
New energy saving technologies have been incorporated, resulting in reduced power consumption.

Improved serviceability
The replacement of process units is easier and can be performed without a screwdriver. Automatic detection and initialization of a new unit has been added.

High security
A unique Self Encrypting Drive (SED) includes Toshiba's proprietary Wipe Technology along with a suite of security functions that create an unequalled level of data protection.



e-STUDIO 2555c/3055c/3555c/4555c/5055c

TOSHIBA
Leading Innovation



- Colour MFP
- Up to 50 PPM
- Medium/Large Workgroup
- Copy, Print, Scan, Fax
- Secure MFP

Specifications

Copying Process	Indirect Electrostatic Photographic Transfer System with Internal Transfer Belt
Copying Type	LED Head Printing
Copy/Print Resolution	600 x 1200 dpi (PS Driver)
Copy/Print Speed	25/25, 30/30, 35/35, 45/45, 50/50 PPM Colour/B&W
Warm-Up Time	Approx. 27 Seconds
First Copy Out Time	e-STUDIO2555c/3055c/3555c - 6.4/8.1 Seconds B&W/Colour e-STUDIO4555c/5055c - 4.7/6.1 Seconds B&W/Colour
Max Duty Cycle	100K/150K/175K/200K/225K Copies
Multiple Copying	Up to 999 Copies
Acceptable Paper Size and Weight	Cassette: ST-R to LD (16 lb Bond - 140 lb Index) Bypass: 3.9" x 5.8" to LD (14 lb Bond - 100 lb Cover) ST-R to 12" x 47" Banner (17 lb-100 lb) PFP: ST-R to LD (16 lb Bond - 140 lb Index) LCF: LT (17 lb - 28 lb Bond)
Memory (Max)	Main Memory: 2 GB HDD: 160GB (Security SED Drive)
Reduction/Enlargement	25% to 400%
Bypass	100-Sheet "Smart" Bypass (14 lb Bond - 100 lb Cover)
Control Panel	Colour 9" LCD Touch Panel
Paper Supply	Up to 3,200-Sheet Input Capacity Standard 2 x 550-Sheet Cassettes Standard 100-Sheet Bypass Optional 1 x 550-Sheet PFP (3rd Cassette), Optional 1 x 550-Sheet Cassette (4th Cassette) for PFP Optional 1 x 2,000-Sheet LCF
Duplex	Standard Automatic Duplex Unit (16 lb Bond - 140 lb Index)
Dimensions	Approx. 23" x 25.3" x 31" (W x D x H)
Weight	Approx. 166.4 lbs.
CMYK Toner Yield	CMY: 28K, BK: 32K
Power Supply	120 V, 15 Amps
Power Consumption	Maximum 1.5 kW

Print Specifications

PDL Support	PCL6 and PostScript 3, XPS
Operating Systems	Netware 6.5, Windows XP, Vista, 7/8, Windows Server 2003, 2008, 2008R2, Citrix MetaFrame, Macintosh, Linux, UNIX, AS400, SAP
Protocol Support	IPX/SPX, TCP/IP, AppleTalk, NetBIOS Over TCP/IP, LPR/LPD, IPP, SMB, SNMP, Netware, Port 9100
Drivers	Server 2003/2008/2008R2/2012, Windows XP, Vista, 7/8, Macintosh 10.2/10.3, 10.4, 10.5, 10.6, 10.7, AS400 LPR & Port 9100, SAP R/3, Unix Filter
Connectivity	10/100/1000BaseTX Ethernet, 802.11b/g/n
Device Management	TopAccess
Certification	Windows (Vista, 7/8, 2008, 2008R2, 2012) (WHQL) Novell, HPOS (Dazel), Citrix

Scan Specifications

Scan Resolution	100 dpi, 150 dpi, 200 dpi, 300 dpi, 400 dpi, 600 dpi
Scan Speed	73 SPM Colour/73 SPM B&W (@ 300 dpi)
File Format	TIFF, PDF, Slim PDF, Secure PDF, JPEG, XPS

Facsimile Specifications

Compatibility	Super G3
Data Compression	MH / MR / MMR /JBIG
Transmission Speed	Approx. 3 Seconds Per Page
Fax Modem Speed	33.6 Kbps
Memory Transmission	100 Jobs, 2,000 Destinations Max. 400 Destinations /Job
Scan Speed	.7 Seconds Per Page, Maximum 73 SPM

E-Filing Specifications

Operation Method	Colour Touch Screen Control Panel or Client PC
Number of Boxes	1 Public Box, 200 Private User Boxes
Capacity of Boxes	100 Folders Per Box, 400 Documents Per Folder 200 Pages Per Document

Security (Standard)

Data Encryption	256 Bit AES (SED Hard Drive)
Authentication	LDAP, SMTP, Windows Server Domain, Local

Accessories (Options)

Additional Paper Options

Platen:	KA-1640PC
RADF: 100 Sheets	MR-3025
Paper Feed Pedestal (PFP): 550-Sheet Pedestal, Statement-R to Ledger	KD-1032-N
Cassette Module :550-Sheet Pedestal, Statement-R to Ledger	MY-1039
Large Capacity Feeder (LCF): 2,000-Sheet Drawer, Letter	KD-1031LT

Finishing Options

Job Separator	MJ-5006
Saddle-Stitch Finisher: Tray 1 Stack Capacity: 3,000 Sheets + 250 Sheet Stationary Tray (LT) Staple Capacity: 50 Sheets 60 Pages (15 Sheets) SS Booklets	MJ-1108
Multi-Position Hole Punch Unit for Saddle-Stitch Finisher	MJ-6104N
Multi-Position Console Finisher: Tray 1 Stack Capacity: 2,000 Sheets (LT) + 250 Sheet Stationary Tray (LT) Staple Capacity: 50 Sheets	MJ-1107
Multi-Position Hole Punch Unit for Console Finisher	MJ-6104N
Bridge Kit Required with MJ-1108 and MJ-1107	KN-2550
Inner Finisher (e-STUDIO2555c/3055c/3555c only) 2 Tray: 500 sheets (LT) Staple Capacity: 50 sheets	MJ-1036-N
Multi-Position Hole Punch Unit for Inner Finisher	MJ-6007N

Connectivity/Security Options

Fax Board	GD-1320NX
2nd Line Fax	GD-1260NA-F
Wireless LAN Adapter	GN-1060
Wireless Antenna	GN-3010
Meta Scan Enabler for e-CONNECT	GS-1010
IP Sec Enabler	GP-1080
Advanced Scanning (ReRite)	GB-1280
SharePoint Connector	GB-1440
Exchange Connector	GB-1450
Google Docs Connector	GB-1540

Miscellaneous Options

Accessible Arm Handle	KK-2550

Corporate Office TOSHIBA OF CANADA LIMITED
75 Tiverton Court
Markham, Ontario L3R 4M8
Tel: (905) 470-3500
Fax: (905) 470-3459

Website www.toshiba.ca

Designs and Specifications subject to change without notice. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 6% coverage per letter-size page. Driver and connectivity feature support varies by client/network operating system.

© 2013 Toshiba of Canada Limited, Office Products Division

Inv. Code: CE-ES5055c-B

COPYONE LTDA.
Su elección efectiva..!

Bogotá, Febrero 15 de 2024

ANEXO ESPECIFICACIONES TECNICAS

Yo CARLOS ARTURO ALBORNOZ PORTELA, identificado con cedula de ciudadanía No. 19.271.506 de Bogotá en calidad de representante legal de la empresa **COPYONE LTDA** NIT. **800.231.773-8,** certifico que la oferta presentada en el presento proceso cumple con las siguientes especificaciones técnicas:

ITEM	DESCRIPCIÓN EQUIPO ARRENDAMIENTO	CANTIDAD
1	**INFORMACION GENERAL DEL EQUIPO MEMORIA DEL EQUIPO**: 2048 MB **DISCO DURO DEL EQUIPO**: 250 GB **INTERFAZ**: 10BASE-T/100BASE-TX/1000BASE- T Etherrnet, USB 2.0**PROTOCOLOS DE RED**: TCO/IP (IPv4/Lpv6),SMB, LPD,IPP,SNMP,HTTPS **ESTANDARES DE TRASMISION**; Etherrne 802.2, Etherrne802.3, Etherrne SNAP **ALIMENTADOR DE ALIMENTOS DE ESCANEADO DOBLE;** Hasta 100 originales /5,5 x 8,5 pulg. A 11 x 17 pulg, /35 a 163 g/m2 **TAMAÑO DEL PAPEL DE IMPRESIÓN;** Escaneado y Copiado : Hasta 11x17 pulg impresión Hasta 11 x 17 pulg de sangría completa en papel 18 x12 pug tamàño de papel personalizado max papel de pancarta : 11, 75 x 47,25 pulg **PESO DEL PAPEL DE IMPRESIÓN; 52-300g/m2 CAPACIDAD DE ENTRADA DE PAPEL; Estándar : 1150 hojas/Max; 6650 hojas Bandeja 1**; 500 HOJAS /5,5X8.5 pulg a 11x17 pulg/ 52ª 256 h/m2 **Bandeja** 2: 500 hojas / 5,5 x 8.5 pulg a 12x18 pulg /52 a 256 g/m2 **Bandeja** 3 **(opcional):** 500 hojas /5,5x8.5pulg a 11x17 pulg /52 a 256 g/m2**Bandeja 4 (opcional):** 500 hojas /5,5x8.5pulg a 11x17 pulg /52 a 256 g/m2 **Bandeja de gran capacidad;** PC-410 (opcional) 2500 hojas /8,5 pulg a 11 pulg/ 52 a 256g/m2 **Bandeja de gran capacidad LU- 204;** (opcional) 2500 hojas /5.5 pulg a 11 puñg/52 a 256g/m2 **Bypass manual;** 150 hojas / 4x6 pulh a 12x18 pulg/tamaños de papel personalizados / 50ª **300g/m2 Impresión dúplex automática;** 5,5 x 8.5 a 12 x 18 pulg a 256 g/m2**Volumen de impresión / copiado ;** Max: 200 000 paginas / mes **Vida útil de tóner;** 24 400 paginas **Vida útil de unidad de imagen 135 000 paginas / 590 000 paginas (cilindro/ revelador)Consumo de energía;** 120V, 50/60 Hz menos de 1,92 Kw (equipo)**Proceso de copiado** laser electrostático, en tándem, indirecto **Sistema de tóner;** polimerizado simitiri HD **Velocidad de impresión (8,5x11 pulg);** hasta 55 ppm (vertical) **Velocidad de impresión (11x17 pulg);** hasta 27 ppm (vertical)**Velocidad en modo dúplex automático (8,5x11 pulg) ;** hasta 55 ppm (vertical) **Tiempo de salida de la primera copia;** 4.1 seg **Tiempo de calentamiento;** Aprox 22 seg2 **Resolución de copias** 600 x 600 ppp **Gradaciones** 256 gradaciones **Copias múltiples;** 1 a 9999 **Formato original** hasta 11x 17 pulg **Ampliación;** 25 a 400% en incremento de 0.1 % ampliación automática **Funciones de copiado;** Capitulo, inserción de porta y pagina, copia de prueba (impresión y pantalla), impresión de prueba de ajuste, funciones de arte digital, memoria de configuración de trabajos, modo poster, repetición de imagen, superposición (opcional), estampado, protección de copias **Resolución de impresión;** 1800x600 ppp 1200x1200 ppp **Descripción de página;** PCL 6 (XL3.0) PCL 5c PostScript (ver. 3016) XPS **SISTEMAS OPERATIVOS Windows;** (x32/x64): XP/7/8 Windows Server (x327/x64): 20033/2008R2/ 2012Macintosh os x 10.2.8 o posteriorUnix / Linux/citrix **FUENTES DE IMPRESORA;** 80 fuentes pcl Latin, 137 PostScrip 3 **FUNCIONES D ELA IMPRESORA;** Impresión direct print de PCL, PS,TIFF,PDF, archivos PDF cifrados y OOXML (DOCX,XLSX,PPTX) mixmediua y mixplex, programación de trabajos "Easy Set superposición, marca de agua, protección de copias , impresión de copias de carbón **VELOCIDAD DE ESCANEO;** ByN/ Color: Hasta 160 ppm **RESOLUCION DE ESCANEO;** Max: 600x 600 ppp **MODOS ESCANEO;** Escaneado a correo electrónico, escaneo a SMB, escaneado a FTP, Escaneado a buzón, Escaneado a USB Escaneado a WebDav Escaneado a DPWS Escaneado TWAIN en red **FORMATOS DE**	7

ARCHIVO; JPEG, TIFF, PDF, PDF/A 1a 1b 8opcional) PDF compactado PDF cifrado y PDF apto para búsquedas (opcional9XPS XPS compactado PPTX y PPTX apto para búsquedas (opcional) DOCX/XLSX apto para búsquedas (opcional) **DESTINO DE ESCANEO;** 2100 (compartidos con fax) compatibilidad con LDAP **FUNCIONES DE ESCANEO;** Anotación / (texto/hora/fecha) para PDF, hasta400 programas de trabajo, previsualización de documento escaneado en tiempo real. **DOCUMENTOS ALMACENADOS;** Max: 3000 documentos o 10 000 paginas **TIPOS DE BUZONES DE USUARIO; Publico** Personal (con contraseña o autenticación) Grupo (con autenticación) **TIPO DE BUZONES DE EQUIPO:** Impresión segura PDF cifrado, recepción de fax trasmisión/ recepción secuencial de fax, anotaciones **FUNCIONALIDAD DEL BUZON DE USUARIO;** Reimpresión, combinación, descarga, envió (correo electrónico /FTP/SMB Y fax) copia de buzón a buzón **SEGURIDAD:** ISO 15408EALIEEE2600.1 Filtrado de IP y bloqueo de puerto Comunicación en red SSL2, SSL3 y TSL1.0 Compatibilidad con Ipsec Compatibilidad con IEEE 802 .1X Autenticación de usuario Registro de autenticación Impresión segura Sobreescritura de disco duro (8 tipos estándar) Cifrado de datos en disco duro (AES128) Borrado automático de datos en memoria Recepción de fax confidencial Cifrado de datos del usuario de impresión Protección de copias opcional (copy guard , password copy) **CONTABILIDAD;** Hasta 100cuentas de usuario Compatibilidad con active directory (Nombre de usuario + contraseña + correo+ correo electrónico + carpeta SMB) Definición de acceso a funciones de usuario Autenticación biométrica opcional (escáner de venas de dedo) Autenticación de tarjeta de identificación opcional (lector de tarjeta de identificación) **SOFTWARE;** PageScope net device manager PageScope data administrator PageScope box operator PageScope status nolifier Drive packaging utility Log management utility

IMPRESORAS MULTIFUNCIONAL: BLANCO Y NEGRO: especificaciones básicas: multifuncional a blanco y negro, copiado impresión y escaneo color estándar **Configuración impresora:** carta: 42 ppm; legal 33ª4: 40 PPM; dúplex: 26 ipm (carta) **Tiempo de calentamiento;** 22 segundos o menos **tiempo de salida de primera copia** impresión 7 segundos / a 11 **resolución; 600x600**cpi, 1800 x 600 (modo fas 1200), 300 x 300 dip **memoria (estándar máxima),** una GB RAM/ 2 GB RAM **DUPLEX;** unidades estándar sin apilador **requisitos eléctrico** 120v,60Hz,9,5ª 220-240 V,50/60 Hz,5,1 A **consumo de energía;**4,509KWh por semana **siclo de trabajo mensual máximo;** 200.000 paginas por mes **fuentes de papel estándar;** bandeja de papel estándar (para 500 hojas multipropósito para 100 hojas **fuentes de papel opcional;** se pueden agregar hasta 3 bandejas de papel opcional para 500 hojas (PF-310+) **capacidad papel;** estándar: 600 hojas máximo: 2100 Hojas **tamaño papel;** 5.5 "x 8,5"-8.5"x14" (medida carta legal) mediante bandeja de hojas 2.8"x5,8"-8,5"x14" mediante bandeja multipropósito **densidad de papel;** bandeja de hojas:60-120g/m2; **tipo de papel;** papel Bon,papel reciclado, transparencia, etiquetas, sobres (solo impresión)
Tipo / de capacidad; procesador de documentos automáticos con reversión, estándar/50 Hojas(hojas) **velocidad de escaneo de copia;** 35 o**riginales admitidos/densidades;** carta legal, A4/ una cara: 49-120/G/m2;dúplex:49-120 g/m2
Tamaño de papel; carta legal A4 **densidad de papel;** 60-120gm/m2 **modos de Duplex;**1:2;2:2;2 2:1
Modo de imagen; texto, foto,/ foto/mapeo, salida de impresora, manual **copia continua;** 1-999/ auto reiniciable a 1 **otras prestaciones de copiado;** ampliación automática, selección automática de papel, cambiar imagen inicio automático, copia prioritaria, 100 códigos de usuario, 20 validaciones de usuarios personalizables, programas de trabajos. **Ampliación/zoom** tamaño completo, 7 índices preestablecidos de reducción y 5 de ampliación incrementos por pasos a 1% hasta 25% - 400% **casillero de documentos;** casillero de trabajo para impresión privada basada en memoria RAM memoria extraíble para imprimir desde USB y escanear a USB controlador. **Controlador:**powerPC464/800MHz.**PDL/emulaciones;** PRESCRIBE,PCL6 (5e.XL),KPDL3 (PS3),XPS,PDF1.5,IBM proprinter X24e Epson LQ-850,DIABLO 630,impresora de línea **fuentes;**
101KPDL3,93 9 PCL6,8 Vista, 1 bitmap, 45 códigos de barra, 1 PDF 417 **COMPATIVILIDAD CON**

COPYONE LTDA.
Su elección efectiva..!

	So Windows; Windows XP/2003/vista2008/7. **COMPATIVILIDAD CON So Mac;** SO MAC 10.x **COMPATIVILIDAD CON So UNIX;** SO Sun 4.1x; Solaris 2.x; AIX; HP-UX (LPR) **INTERFACES;** estándar 10/100/100 Base Tx **impresión Rec-y protocolos admitidos** TCP/IP, IPX/SPX, Apple Talk, Ne,tBUI,lPsec, HTTPS, protocolo IDAP sobre SSL,SNMPv3 conpatible con Ipv3 e Ipv6.**Drivers;**KX Drivers Mini Drivers, PPD para mac, PPD para UNIX. **Unitilitarios;** Unitarios PRESCRIBE PDF direc print, Kmnet Admin KMnet viewer Monitorización de estado centro de comandos. **Tipo de escaneo;** escáner a color tipo blanco y negro	
2	**IMPRESORAS MULTIFUNCIONAL: A COLOR: SPECIFICATIONS** Indirect electrostatic photographic transfer system600 x 600 dpi (600 x 1200 – ps3 only) 25/25, 30/30, 35/35 PPM color/B&W Approx. 27 Seconds 8.1/6.4 Seconds color/B&W 100K/150k/175K copies Up to 999 copies Cassette 1: LD to ST-R (16 lb. Bond- 140 lb. Index) Cassette 2: (adn opt. KD1032, MY1039): ST-R to 12 x 18 (16 lb. Bond- 140 Index) Bypass: 3.9" x 5.8" to LD (14 lb Bond – 100 lb Cover) 12" x 47" (24 lb Bond - 90 lb index) PFP:ST-R to LD (16 lb Bond - 140 lb Index) LCF: LT (17 lb – 28 lb bond) Main Memory: 2 GB HD: 320 GB SED 100-Sheet "Smart Bypass (14 lb Bond – 100 lb Cover) Color 9" LCD Touch Panel Up to 3,200- Sheet Input Capacity Standard 2 x 550 – Sheet Cassettes 100-Sheet Bypass Optional 1 x 550-Sheet PFP (3rd Cassette) for PFP Optional 1 x 550-Sheet Cassette (4th cassette) for PFP Optional 1 x 2.000-Sheet LCF Standard Automatic Duplex Unit (16 lb Bond - 140 lb index) Approx. 23" x 25.3" x31" (W x D x H) Approx. 166.4 lbs. CMY: 28K, BK: 32K 120 V, 15 Amps Maximum 1.5 kw **e- BRIDGE PRINT Specifications**PCL6, PostScript 3, XPS Windows server 2003, 2008, 2012, vista SP2, 7, 8 Solaris v10, 11, HP-UX V11.iv3. AIX 7.x, Linux, SCO Windows Printing (SMB1.0/2.0). LPD, IPP (ver.1.1) Novell NDPS Gateway. or LPD w/iPrint Apple talk PAP or EtherTalk, Port 9100(bi- directional).WS Print, FTP Windows Server 2003, 2008, 2012, Vista SP2, 7,8. 10/100/1000BaseTX Ethernet, 802.11b/g/n, Wireless LAN, USB AirPrint, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple App Store or Google Play) eFMS 6.0 (e- BRIDGE Fleet Management Software) **SCAN SPEWCIFECATIONS** 100 dpi, 150 dpi, 200 dpi, 300 dpi, 400 dpi, 600 dpi 73 SPM LT- Size @300 dpi, 50 SPM LT- Size @600 when Copying. 73 SPM LT- Size @300 dpi (color scanning) TIFF, PDF, Secure PDF, JPEG, XPS **SECURITY (STANDARD)** 256 Bit AES (SED Hard Drive) LDP, SMTP, Windows Server Domain Local.	1

Razón Social: **COPYONE LTDA**
Nit: **800.231.773-8**
Nombre: **CARLOS ARTURO ALBORNOZ PORTELA**
C.C **19.271.506 DE Bogotá**
Dirección: **CALLE 25 C BIS NO. 73B -08**
E-mail gerencia@copyoneltda.com

Firma: .....