YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest .:: Radionica ::. Apple TV+ Claude .::Al Aire::. Otros favoritos

zoom Workplace

USA_CDC_Dr. Eduardo Azziz-Baum...


Usted está viendo la pantalla de USA_CDC_Dr. Eduardo Azziz-Bau... Ver opciones

HPAI A(H5N1) Human Cases

Casos de HPAI A(H5N1) en humanos

2022-2024: 38 cases - *38 casos*

(Australia 1, Cambodia 13, Chile 1, China 2, Ecuador 1, Spain/*España* 2, UK/*Reino Unido* 5, US/*EEUU* 11, Vietnam 2)



Ajustes de au... Chat Mostrar subtítulos Levantar la mano Español Configuración Salir

USD/COP -0,74% Buscar ESP LAA 10:08 a. m. 26/07/2024

https://app.zoom.us/wc/89952464719/join?fromPWA=1&pwd=QEC2U9hLcV2RPMxOIbEouC7BWBZ38Y.1&tk=ya30J_sxoKfs8o3RdmcLq5diyPKaLnTlqdt...

YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest :: Radionica :: Apple TV+ Claude ::AI Aire:: Otros favoritos


zoom Workplace




Usted está viendo la pantalla de USA_CDC_Dr. Eduardo Azziz-Bau...
Ver opciones

Human Exposures to HPAI A(H5N1) Viruses

Exposiciones humanas a los virus HPAI A(H5N1)





Ajustes de au...
Chat
Mostrar subtítulos
Levantar la mano
Español
Configuración
Salir

GBP/COP -0,71%
Buscar
ESP LAA
10:11 a. m. 26/07/2024

https://app.zoom.us/wc/89952464719/join?fromPWA=1&pwd=QEC2U9hLcV2RPMxOIbEouC7BWBZ38Y.1&tk=ya30J_sxoKfs8o3RdmcLq5diyPKaLnTlqdt...

YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest .:: Radionica ::. Apple TV+ Claude .::AI Aire::. Otros favoritos




Usted está viendo la pantalla de USA_CDC_Dr. Eduardo Azziz-Bau...

Ver opciones

HPAI A(H5N1) in U.S Dairy Herds

HPAI A(H5N1) en rebaños lecheros de EE. UU.

- Since March 2024: USDA has confirmed influenza A(H5N1) virus infections in dairy herds **in >160 farms in 13 states**
  - Clade 2.3.4.4b virus
  - High levels of virus in raw milk
- *Desde marzo de 2024: el USDA ha confirmado infecciones por el virus de la influenza A(H5N1) en rebaños lecheros **en >160 granjas en 13 estados***
  - *Virus Clado 2.3.4.4b*
  - *Altos niveles de virus en la leche cruda*



USDA Animal and Plant Health Inspection Service

16°C Mayorm. nublado

Buscar

ESP LAA

10:13 a. m. 26/07/2024


https://app.zoom.us/wc/89952464719/join?fromPWA=1&pwd=QEC2U9hLcV2RPMxOlbEouC7BWBZ38Y.1&tk=ya30J_sxoKfs8o3RdmcLq5diyPKaLnTlqdt...
YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest .:: Radionica ::. Apple TV+ Claude .::Al Aire::. Otros favoritos



Usted está viendo la pantalla de USA_CDC_Dr. Eduardo Azziz-Bau...
Ver opciones

Human HPAI A(H5) Cases, U.S. 2022-2024

Casos de A(H5) de HPAI en humanos, EE. UU. 2022-2024





Avenida Carrera... Obras
Buscar
ESP LAA
10:17 a. m. 26/07/2024

https://app.zoom.us/wc/89952464719/join?fromPWA=1&pwd=QEC2U9hLcV2RPMxOIbEouC7BWBZ38Y.1&tk=ya30J_sxoKfs8o3RdmcLq5diyPKaLnTlqdt...
YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest .:: Radionica ::. Apple TV+ Claude .::AI Aire::. Otros favoritos



Usted está viendo la pantalla de USA_CDC_Dr. Eduardo Azziz-Bau...
Ver opciones

Recent Findings on Asymptomatic Infection

Hallazgos recientes sobre la infección asintomática

- In June 2024, Michigan Department of Health collected samples from 35 dairy workers
  - had varying roles, but most worked with infected cows
  - less than half reported using masks or goggles
- Study aimed to assess potential for asymptomatic infection
- None of the participants showed neutralizing antibodies specific to avian influenza A(H5N1) virus
- Suggests that asymptomatic infections in people are not occurring; additional information still needed

- *En junio de 2024, el Departamento de Salud de Michigan recolectó muestras de 35 trabajadores lecheros*
  - *tenían diferentes roles, pero la mayoría trabajaba con vacas infectadas*
  - *Menos de la mitad reportó usar mascarillas o gafas protectoras*
- *Un estudio tuvo como objetivo evaluar el potencial de infección asintomática*
- *Ninguno de los participantes mostró anticuerpos neutralizantes específicos contra el virus de la influenza aviar A(H5N1)*
- *Sugiere que no se están produciendo infecciones asintomáticas en las personas; todavía se necesita información adicional*

16°C Mayorm. nublado
Buscar
ESP LAA
10:18 a. m. 26/07/2024

https://app.zoom.us/wc/89952464719/join?fromPWA=1&pwd=QEC2U9hLcV2RPMxOIbEouC7BWBZ38Y.1&tk=ya30J_sxoKfs8o3RdmcLq5diyPKaLnTlqdt...

YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest .:: Radionica ::. Apple TV+ Claude .::Al Aire::. Otros favoritos

Workplace



Usted está viendo la pantalla de USA_CDC_Dr. Eduardo Azziz-Bau...

Ver opciones

Worker Protection

Protección del Trabajador

Protect Yourself From H5N1 When Working With Farm Animals

H5N1 is a bird flu virus that could make you sick. Wear recommended personal protective equipment (PPE) when working directly or closely with sick or dead animals, animal feces, litter, raw milk, and other materials that might have the virus.



Wash hands with soap and water, then put on PPE in this order:

1. Fluid-resistant coveralls
2. Waterproof apron, if needed for job task
3. NIOSH Approved® Respirator (e.g., N95® filtering facepiece respirator or elastomeric half mask respirator)
4. Properly-fitted unvented *or* indirectly vented safety goggles or face shield
5. Head cover or hair cover
6. Gloves
7. Boots

While wearing PPE

- Use separate designated clean areas, one for putting on PPE and one for taking off PPE.
- Avoid touching your eyes, mouth, and nose after touching any contaminated material.
- Do not eat, drink, smoke, vape, chew gum, dip tobacco, or use the bathroom.

Follow these steps to safely remove PPE

1. Remove the apron, if worn
2. Clean and disinfect boots
3. Remove boots

After removing PPE

- Shower at the end of the work shift.
- Leave all contaminated clothing and equipment at work.
- Watch for symptoms of illness while you are working with potentially sick animals or materials. Continue watching for symptoms for 10 days after finishing working. If you get sick, tell your supervisor and talk with a doctor.

Reusable and disposable PPE

- While removing PPE, dispose of all disposable PPE appropriately and set aside reusable PPE
- Clean and disinfect reusable PPE after every use

Protéjase del virus H5N1 si trabaja con animales de granja

El H5N1 es un virus de la influenza aviar que podría enfermarlo. Use el equipo de protección personal (EPP) recomendado cuando trabaje directamente o de cerca con animales enfermos o muertos, heces, camas (*litter*) y leche cruda de animales u otros materiales que podrían tener el virus.



Lávese las manos con agua y jabón y luego póngase el EPP en este orden:

1. Overoles resistentes a líquidos.
2. Delantal a prueba de agua, si es necesario para las tareas del trabajo.
3. Respirador aprobado por NIOSH (*NIOSH Approved® Respirator*; p. ej., respirador con pieza facial filtrante N95® o respirador con media máscara elastomérica).
4. Gafas protectoras o protector facial que no tengan canales de ventilación o que tengan ventilación indirecta y se ajusten de manera adecuada.
5. Cubierta para la cabeza o el cabello.
6. Guantes.
7. Botas.

Mientras tenga puesto el EPP:

- Use áreas designadas para el aseo separadas, una para ponerse el EPP y otra para quitárselo.
- Evite tocarse los ojos, la boca y la nariz después de tocar cualquier material contaminado.
- No coma, beba, fume, vapee, masque chicle, ni masque o chupe tabaco, ni use el baño.

Siga estos pasos para quitarse el EPP de manera segura:

1. Quítese el delantal, si lo usó.
2. Limpie y desinfecte las botas.
3. Quítese las botas.

Después de quitarse el EPP:

- Dúchese al final de la jornada laboral.
- Deje toda la ropa y los equipos contaminados en el trabajo.
- Esté atento a si presenta síntomas de enfermedad mientras trabaja con animales posiblemente enfermos o materiales contaminados. Siga atento por si presenta síntomas en los 10 días después de terminado el trabajo. Si se enferma, avísele a su supervisor y consulte a un médico.

EPP reutilizable y desechable:

- Mientras se quite el EPP, deshágase de todo lo que sea desechable de manera adecuada y ponga aparte el EPP reutilizable.

Ajustes de au...

Chat Mostrar subtítulos Levantar la mano Español Configuración Salir

16°C Mayorm. nublado

Buscar

ESP LAA

10:21 a. m. 26/07/2024

https://app.zoom.us/wc/89952464719/join?fromPWA=1&pwd=QEC2U9hLcV2RPMxOlbEouC7BWBZ38Y.1&tk=ya30J_sxoKfs8o3RdmcLq5diyPKaLnTlqdt...

YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest .:: Radionica ::. Apple TV+ Claude .::AI Aire::. Otros favoritos



Usted está viendo la pantalla de USA_CDC_Dr. Eduardo Azziz-Bau...

Ver opciones

Worker Protection

Protección del Trabajador

Protect Yourself From H5N1 When Working With Farm Animals

H5N1 is a bird flu virus that could make you sick. Wear recommended personal protective equipment (PPE) when working directly or closely with sick or dead animals, animal feces, litter, raw milk, and other materials that might have the virus.



Wash hands with soap and water, then put on PPE in this order:

1. Fluid-resistant coveralls
2. Waterproof apron, if needed for job task
3. NIOSH Approved® Respirator (e.g., N95® filtering facepiece respirator or elastomeric half mask respirator)
4. Properly-fitted unvented *or* indirectly vented safety goggles or face shield
5. Head cover or hair cover
6. Gloves
7. Boots

Scan to learn how to put on and take off equipment

While wearing PPE

- Use separate designated clean areas, one for putting on PPE and one for taking off PPE.
- Avoid touching your eyes, mouth, and nose after touching any contaminated material.
- Do not eat, drink, smoke, vape, chew gum, dip tobacco, or use the bathroom.

Follow these steps to safely remove PPE

1. Remove the apron, if worn
2. Clean and disinfect boots
3. Remove boots
4. Remove coveralls
5. Remove gloves
6. Wash hands with soap and water or alcohol-based

After removing PPE

- Shower at the end of the work shift.
- Leave all contaminated clothing and equipment at work.
- Watch for symptoms of illness while you are working with potentially sick animals or materials. Continue watching for symptoms for 10 days after finishing working. If you get sick, tell your supervisor and talk with a doctor.

Reusable and disposable PPE

- While removing PPE, dispose of all disposable PPE appropriately and set aside reusable PPE
- Clean and disinfect reusable PPE after every use

Protéjase del virus H5N1 si trabaja con animales de granja

El H5N1 es un virus de la influenza aviar que podría enfermarlo. Use el equipo de protección personal (EPP) recomendado cuando trabaje directamente o de cerca con animales enfermos o muertos, heces, camas (*litter*) y leche cruda de animales u otros materiales que podrían tener el virus.



Lávese las manos con agua y jabón y luego póngase el EPP en este orden:

1. Overoles resistentes a líquidos.
2. Delantal a prueba de agua, si es necesario para las tareas del trabajo.
3. Respirador aprobado por NIOSH (*NIOSH Approved® Respirator*; p. ej., respirador con pieza facial filtrante N95® o respirador con media máscara elastomérica).
4. Gafas protectoras o protector facial que no tengan canales de ventilación o que tengan ventilación indirecta y se ajusten de manera adecuada.
5. Cubierta para la cabeza o el cabello.
6. Guantes.
7. Botas.

Escanee para saber cómo ponerse y quitarse un respirador

Mientras tenga puesto el EPP:

- Use áreas designadas para el aseo separadas, una para ponerse el EPP y otra para quitárselo.
- Evite tocarse los ojos, la boca y la nariz después de tocar cualquier material contaminado.
- No coma, beba, fume, vapee, masque chicle, ni masque o chupe tabaco, ni use el baño.

Siga estos pasos para quitarse el EPP de manera segura:

1. Quítese el delantal, si lo usó.
2. Limpie y desinfecte las botas.
3. Quítese las botas.
4. Quítese el overol.
5. Quítese los guantes.
6. Lávese las manos con agua y jabón o use un

Después de quitarse el EPP:

- Dúchese al final de la jornada laboral.
- Deje toda la ropa y los equipos contaminados en el trabajo.
- Esté atento a si presenta síntomas de enfermedad mientras trabaje con animales posiblemente enfermos o materiales contaminados. Siga atento por si presenta síntomas en los 10 días después de terminado el trabajo. Si se enferma, avísele a su supervisor y consulte a un médico.

EPP reutilizable y desechable:

- Mientras se quite el EPP, deshágase de todo lo que sea desechable de manera adecuada y ponga aparte el EPP reutilizable.
- Limpie y desinfecte el EPP reutilizable después de cada uso.

16°C Mayorm. nublado

Buscar

ESP LAA

10:22 a. m. 26/07/2024

https://app.zoom.us/wc/89952464719/join?fromPWA=1&pwd=QEC2U9hLcV2RPMxOlbEouC7BWBZ38Y.1&tk=ya30J_sxoKfs8o3RdmcLq5diyPKaLnTlqdt...
YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest .:: Radionica ::. Apple TV+ Claude .::AI Aire::. Otros favoritos
zoom Workplace



Usted está viendo la pantalla de USA_CDC_Dr. Eduardo Azziz-Bau...
Ver opciones

CDC Recommendations on Raw Milk

Recomendaciones de los CDC sobre la leche cruda

- CDC recommends against consuming raw milk contaminated with live A(H5N1) virus as a way to develop antibodies against A(H5N1) virus to protect against future disease.

- *Los CDC recomiendan no consumir leche cruda contaminada con virus vivos A(H5N1) como una forma de desarrollar anticuerpos contra el virus A(H5N1) para protegerse contra*



Ajustes de au...
Chat Mostrar subtítulos Levantar la mano Español Configuración Salir
16°C Mayorm. nublado
Buscar
ESP LAA
10:23 a. m. 26/07/2024

https://app.zoom.us/wc/89952464719/join?fromPWA=1&pwd=QEC2U9hLcV2RPMxOIbEouC7BWBZ38Y.1&tk=ya30J_sxoKfs8o3RdmcLq5diyPKaLnTlqdt...
YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest .:: Radionica ::. Apple TV+ Claude .::AI Aire::. Otros favoritos



Usted está viendo la pantalla de USA_CDC_Dr. Eduardo Azziz-Bau...
Ver opciones

Symptom Monitoring

Monitoreo de síntomas

- All people with direct or close exposure to infected animals **should be monitored for illness during exposure and for 10 days after their last exposure.**
- Signs/symptoms may include:
  - feeling feverish, cough, sore throat, runny or stuffy nose, muscle or body aches, headaches, fatigue, **eye redness (or conjunctivitis),** shortness of breath or difficulty breathing
  - less commonly, diarrhea, nausea, vomiting, or seizures
- Todas las personas que hayan tenido exposición directa o cercana a animales infectados **deben ser vigiladas para detectar enfermedades durante la exposición y por 10 días después de su última exposición.**
- Los signos y síntomas pueden incluir los siguientes:
  - *sensación de fiebre, tos, dolor de garganta, secreción o congestión nasal, dolores musculares o corporales, dolores de cabeza, fatiga,* ***enrojecimiento de los ojos (o conjuntivitis),*** *falta de aliento o dificultad para respirar*
  - *con menos frecuencia, diarrea, náuseas, vómitos o convulsiones*



16°C Mayorm. nublado
Buscar
ESP LAA
10:23 a. m. 26/07/2024

https://app.zoom.us/wc/89952464719/join?fromPWA=1&pwd=QEC2U9hLcV2RPMxOIbEouC7BWBZ38Y.1&tk=ya30J_sxoKfs8o3RdmcLq5diyPKaLnTlqdt...
YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest .:: Radionica ::. Apple TV+ Claude ::Al Aire::. Otros favoritos
zoom Workplace
::Al Aire::
www.radionica.rocks/streaming/rtvc-radionica.html?cache=0





Usted está viendo la pantalla de USA_CDC_Dr. Eduardo Azziz-Bau...
Ver opciones

Surveillance, Human Monitoring, and Testing

Vigilancia, monitoreo humano y pruebas

- Since February 2024, public health laboratory monitoring includes testing of **34,091 specimens** using a protocol that would have detected HPAI A(H5N1)
- *Desde febrero de 2024, el monitoreo de los laboratorios de salud pública incluye la realización de pruebas a 34,091 especímenes utilizando un protocolo que habría detectado la gripe aviar altamente patógena A(H5N1)*






No indicators of unusual influenza activity in people, including avian influenza A(H5N1)

No hay indicadores de actividad inusual de la influenza en las personas, incluida la influenza aviar A(H5N1)





Ajustes de au...
Chat
Mostrar subtítulos
Levantar la mano
Español
Configuración
Salir

16°C Mayorm. nublado
Buscar
ESP LAA
10:28 a. m. 26/07/2024

https://app.zoom.us/wc/89952464719/join?fromPWA=1&pwd=QEC2U9hLcV2RPMxOIbEouC7BWBZ38Y.1&tk=ya30J_sxoKfs8o3RdmcLq5diyPKaLnTlqdt...
YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest .:: Radionica ::. Apple TV+ Claude .::Al Aire::. Otros favoritos
zoom Workplace




Usted está viendo la pantalla de USA_CDC_Dr. Eduardo Azziz-Bau...
Ver opciones

Resources from CDC

Recursos de los CDC

- **Situation Updates:**
  - CDC A(H5N1) Bird Flu Response Update, July 19, 2024 | Bird Flu | CDC
- **Surveillance Updates**
  - How CDC is monitoring influenza data among people to better understand the current avian influenza A (H5N1) situation | Avian Influenza (Flu)
- **Technical Report**
  - Technical Report: Highly Pathogenic Avian Influenza A(H5N1) Viruses | Avian Influenza (Flu) (cdc.gov)
- **Updated Recommendations**
  - Highly Pathogenic Avian Influenza A(H5N1) Virus in Animals: Interim Recommendations for Prevention, Monitoring, and Public Health Investigations
  - Recommendations for Worker Protection and Use of Personal Protective Equipment (PPE) to Reduce


Avian Influenza (Bird Flu)

EXPLORE TOPICS

SEARCH

CDC A(H5N1) Bird Flu Response Update, July 19, 2024

AT A GLANCE

CDC provides an update on its response activities related to the multistate outbreak of avian influenza A(H5N1) virus, or "H5N1 bird flu," in dairy cows and other animals in the United States.

What to Know

ON THIS PAGE

What to Know

CDC Update

Publication Highlights

CDC Recommendations

In this week's Spotlight, we include the key findings from the recent Michigan-led study that tested the blood of farmworkers from two dairy farms that experienced an outbreak of highly pathogenic avian influenza A(H5N1) virus among cattle. The study looked for antibodies that would indicate infection with the virus. None of the blood samples collected from people who had been exposed to infected dairy cows showed avian influenza A(H5N1) neutralizing antibodies. This is an important finding because it suggests that asymptomatic infections in people are not occurring and provides support to the current testing approach – i.e., collecting samples from symptomatic people who have been exposed to sick animals.

Today's edition also includes details about CDC's analysis of the genetic sequence (RNA) from one of the infected Colorado poultry farm workers diagnosed with avian influenza A(H5N1) virus infection. The findings are reassuring, showing it is closely related to the first human case discovered in Michigan and that it does not have changes associated with antiviral resistance. The full sequence was uploaded to a public database so that researchers in the U.S. and around the world can analyze it.

Finally, we confirm in today's Spotlight two additional cases of avian influenza in Colorado poultry farm workers. There was a recent poultry outbreak on the farm with human cases that were exposed to the virus related to a culling of birds, and we have confirmed avian influenza A(H5N1) virus infection in six poultry workers from that event. The infected

Ajustes de au...
Chat
Mostrar subtítulos
Levantar la mano
Español
Configuración
Salir
16°C Mayorm. nublado
Buscar
ESP LAA
10:30 a. m. 26/07/2024

https://app.zoom.us/wc/89952464719/join?fromPWA=1&pwd=QEC2U9hLcV2RPMxOIbEouC7BWBZ38Y.1&tk=ya30J_sxoKfs8o3RdmcLq5diyPKaLnTlqdt...
YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest :: Radionica :: Apple TV+ Claude ::AI Aire:: Otros favoritos
zoom Workplace
USA IHR NFP
Usted está viendo la pantalla de USA IHR NFP
Ver opciones

Background

- USDA confirmed H5N1 in a cattle herd in Texas on March 22, 2024.
  - Strain - wild birds and commercial poultry.

- Multi-agency response group was formed including Departments of Agriculture, Health & Human Services, and White House.
  - Unified response activities, information exchange, and shared resources.

- In April, USDA implemented a requirement for pre-movement testing to reduce spread via interstate dairy cattle movement.
  - Federal Order Requiring Testing for and Reporting of Highly Pathogenic Avian Influenza (HPAI) in Livestock (usda.gov)

Ajustes de au...
Chat Mostrar subtítulos Levantar la mano Español Configuración Salir
19°C Mayorm. nublado
Buscar
ESP LAA
10:36 a. m. 26/07/2024

https://app.zoom.us/wc/89952464719/join?fromPWA=1&pwd=QEC2U9hLcV2RPMxOIbEouC7BWBZ38Y.1&tk=ya30J_sxoKfs8o3RdmcLq5diyPKaLnTlqdt...
YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest .:: Radionica ::. Apple TV+ Claude .::AI Aire::. Otros favoritos
zoom Workplace




Usted está viendo la pantalla de USA IHR NFP
Ver opciones

USDA Animal and Plant Health Inspection Service
U.S. DEPARTMENT OF AGRICULTURE

National Summary Overview of HPAI H5N1 in Domestic Livestock: 30-day overview

On **March 25, 2024**, the USDA National Veterinary Services Laboratory confirmed the first detection of HPAI H5N1 clade 2.3.4.4b, genotype B3.13, in a Texas dairy herd. Phylogenetic analysis and epidemiology support a single introduction into this novel host followed by onward transmission.

As of **July 25, 2024**, the total confirmed detections for the domestic livestock incident includes 170 premises in 12 states.



Ajustes de au...
Chat
Mostrar subtítulos
Levantar la mano
Español
Configuración
Salir
Lloverá pronto
En aprox. 1.5 horas
Buscar
ESP
LAA
10:44 a. m.
26/07/2024

https://app.zoom.us/wc/89952464719/join?fromPWA=1&pwd=QEC2U9hLcV2RPMxOIbEouC7BWBZ38Y.1&tk=ya30J_sxoKfs8o3RdmcLq5diyPKaLnTlqdt...
YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest .:: Radionica ::. Apple TV+ Claude .::AI Aire::. Otros favoritos
zoom Workplace



Usted está viendo la pantalla de USA IHR NFP
Ver opciones

Key Activities

- Surveillance and Testing
- Collaboration and Communication
  - Internally within USDA and with other federal agencies
  - States, industry Associations, producers, academia
  - Trading partners
- Research
  - Vaccines
  - Food security
- Biosecurity
  - Established practice for producers and workers
- Support for producers
  - Herd Status program


USDA Farm Service Agency

DISASTER ASSISTANCE - DAIRY
ELAP - Highly Pathogenic Avian Influenza (H5N1)
Emergency Assistance for Livestock, Honeybees and Farm-Raised Fish Program



Ajustes de au...
Chat
Mostrar subtítulos
Levantar la mano
Español
Configuración
Salir
Llovizna Hoy
Buscar
ESP LAA
10:45 a. m. 26/07/2024

https://app.zoom.us/wc/89952464719/join?fromPWA=1&pwd=QEC2U9hLcV2RPMxOIbEouC7BWBZ38Y.1&tk=ya30J_sxoKfs8o3RdmcLq5diyPKaLnTlqdt...
YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest :: Radionica :: Apple TV+ Claude ::AI Aire:: Otros favoritos
zoom Workplace



Usted está viendo la pantalla de USA IHR NFP
Ver opciones

Next Steps

- Continue Regulatory Activities
  - Surveillance, testing, and engaging with States and producers.
- Ongoing producer support.
- Indemnification for lost milk.
- Research studies including vaccine development.
- Ongoing engagement with trading partners and international organizations.

USDA



Ajustes de au...
Chat Mostrar subtítulos Levantar la mano Español Configuración Salir
19°C Mayorm. nublado
Buscar
ESP LAA
10:52 a. m. 26/07/2024

https://app.zoom.us/wc/89952464719/join?fromPWA=1&pwd=QEC2U9hLcV2RPMxOIbEouC7BWBZ38Y.1&tk=ya30J_sxoKfs8o3RdmcLq5diyPKaLnTlqdt...


YouTube Netflix Prime Video Crunchyroll Disney+ Max | Star+ MUBI Paramount+ LEZHIN Pinterest .:: Radionica ::. Apple TV+ Claude .::AI Aire::. Otros favoritos



Usted está viendo la pantalla de PAHO_AFT_Dr. Manuel Jose Sanc...

Ver opciones

Context of Regional Risk



19°C Mayorm. nublado

Buscar

ESP LAA

11:03 a. m. 26/07/2024