
38D764


Single-Port Charging
2XKZ7


38D763


Multi-Port Simultaneous Charging
32NN05

M12

Batteries & Chargers

- No memory
- Lithium-ion batteries
- Battery fuel gauge

Battery Capacity	Number of Batteries Included 1 Mfr. Model	1 Item No.	2 Mfr. Model	2 Item No.
Battery				
M12 REDLITHIUM				
1.5 Ah	48-11-2401	**2XKZ6**	48-11-2411	**38D759**
2 Ah	48-11-2420	**38D763**		—
3 Ah	48-11-2430	**49JV07**		—
M12 REDLITHIUM XC				
3 Ah	48-11-2402	**4PKY2**	48-11-2412	**38D760**
4 Ah	48-11-2440	**38D764**		—
6 Ah	48-11-2460	**49JV08**		—
Battery & Charger				
M12 REDLITHIUM				
2 Ah	48-59-2420	**60RE93**		—

For Battery Chemistry	No. of Ports	Charging Port Voltage	Charger Class	Mfr. Model	Item No.
Single-Port Charging					
Li-Ion	1	(1) 12V	Standard	48-59-2401	**2XKZ7**
Multi-Port Simultaneous Charging					
Li-Ion	2	(1) 12V, (1) 18V	Standard	48-59-1812	**23Y581**
		(1) 12V, (1) 18V	Standard	48-59-1810	**53KK02**
	4	(4) 12V	Standard	48-59-1204	**39RY20**
	6	(3) 12V, (3) 18V	Rapid	48-59-1807	**32NN05**

M12

Combo Kits

- Includes contractor bag


794JK2


14G946

No. of Tools	Included Drills	Included Fastening Tools	Included Saws & Grinders	Other Tools and Accessories	Battery Capacity	Item No.
M12 REDLITHIUM						
2	—	¼ in Screwdriver (500 RPM)	Compact Reciprocating Saw	—	(1) 1.5 Ah	**2PYX9**
2	⅜ in Drill (Subcompact, 1,500 RPM)	Impact Driver (1,000 in-lb)	—	—	(2) 1.5 Ah	**12E731**
2	⅜ in Hammer Drill (General Purpose, 22,500 BPM)	Impact Driver (1,000 in-lb)	—	—	(2) 1.5 Ah	**12E732**
2	½ in Hammer Drill (General Purpose, 25,500 BPM)	Impact Driver (1,300 in-lb)	—	—	(1) 2.0 Ah, (1) 4.0 Ah	**423K53**
2	½ in Hammer Drill	¼ in Hex Impact Driver (1,500 in-lbs)	—	(1) M12 Lithium-Ion Battery Charger (48-59-2401), (1) M12 REDLITHIUM CP2.0 Battery (48-11-2420), (1) M12 REDLITHIUM XC 4.0 Extended Capacity Battery Pack (48-11-2440)	2.0Ah, 4.0Ah	**794JK2**
4	⅜ in Drill (Subcompact, 1,500 RPM)	Impact Driver (1,000 in-lb)	Compact Reciprocating Saw	Work Light	(2) 1.5 Ah	**14G946**


Compact Premium Bare Tool
794JJ5


Subcompact
22UT56

M12

Cordless Pistol-Grip Drills

- Keyless chuck
- 2 speed settings
- Built-in light

Chuck Size	Max. Speed	Max. Torque	Cordless Tool Kit Contents	Battery Capacity	Number of Clutch Settings	Item No.
Compact Premium						
½ in	—	—	(1) Bare Tool	—	12	**794JJ5**
		—	(1) Battery; (1) Charger	2.0 Ah, 4.0Ah	12	**794JJ6**
Subcompact						
⅜ in	1,500 RPM	275 in-lb	(1) Bare Tool	—	18	**22UT56**
		275 in-lb	(1) Bare Tool, (2) Batteries, (1) Charger	(2) 1.5 Ah	18	**22UT57**


Pivot Handle
34G855

M12

Cordless Screwdrivers

- ¼" keyless hex
- Reversible
- Variable speed
- Built-in light

Free Speed	Max. Torque	Cordless Tool Kit Contents	Battery Capacity	Clutch Type	Number of Speed Settings	Item No.
Pistol Grip						
Brushless Motor: No						
500 RPM	175 in-lb	(1) Bare Tool	—	Positive	Continuous	**5GUV9**
		(1) Bare Tool, (2) Batteries, (1) Charger	(2) 1.5 Ah			**2CDC8**
750 RPM	80 in-lb	(1) Bare Tool	—	Adjustable	2	**5HXN0**
1,500 RPM	275 in-lb	(1) Bare Tool, (2) Batteries, (1) Charger	(2) 1.5 Ah			**22UT45**
Brushless Motor: Yes						
1,700 RPM	325 in-lb	(1) Bare Tool	—	Adjustable	2	**34G847**
		(1) Bare Tool, (2) Batteries, (1) Charger	(2) 2.0 Ah			**34G848**
Pivot Handle						
Brushless Motor: No						
600 RPM	44 in-lb	(1) Bare Tool, (2) Batteries, (1) Charger	(2) 2.0 Ah	Shut-off	2	**34G855**


55VT06

M12

Cordless Interchangable Chuck Pistol-Grip Drills

- Max. speed 1600 RPM
- Max. torque 300 in.-lb.
- 2 speed settings
- Built-in light

Four dedicated heads attach in 16 different positions.

Cordless Tool Kit Contents	Battery Capacity	Includes	Item No.
(1) Bare Tool	—	(1) ⅜ in Metal Chuck Attachment, (1) Belt Clip, (1) Contractor Bag, (1) Offset Attachment, (1) Right Angle Attachement	**55VT06**
(1) Bare Tool, (2) Batteries, (1) Charger	(2) 2.0 Ah	(1) ⅜ in Metal Chuck Attachment, (1) Belt Clip, (1) Contractor Bag, (1) Offset Attachment, (1) Right Angle Attachement	**55VT07**

MILWAUKEE

Kit 4 Herramientas Inalámbricas



Especificaciones

Superficie de aplicación	Acero; Aluminio; Fibra de vidrio; Fibrocemento; Drywall; Madera; MDF; Porcelanato; PVC
Uso de herramienta	Profesional
Modelo	2498-24
Observaciones	La foto de este producto ha sido ambientada, por lo cual no incluye ningún adorno, ni accesorios, ni piezas adicionales ni ningún otro elemento que lo acompañan. El color presentado en la fotografía es una aproximación al color real.

Inalámbrico	Si
Términos y Condiciones Productos Internacionales	Producto sujeto a demoras en aduana y tránsito internacional
Alto	19.21 cm
Material	Plástico HDP
Términos Garantía	10 meses
Envío Gratis	Este producto tiene envío incluido sin costo adicional. Consulta más información en métodos de envío y retiro.
Largo	10.83 cm
Cantidad contenida en el empaque	4

Ancho	7.44 cm
País de Origen	Estados Unidos
Velocidad	2000 RPM
Peso	12.35 kg
Tipo	Kit de herramientas
Características	Sistema inalámbrico M12 está diseñado para ofrecer la potencia
Alimentación	Batería de Litio, Batería
Batería	M12 RedLithium CP 1.5
Voltaje	12 V

Tipo velocidad	Fijo
Incluye	(2) Clip para cinturón (1) Bolsa de contratista (1) Taladro / destornillador M12 de 3/8 pulgadas. (1) Sierra recíproca M12 HACKZALL (1) Destornillador de impacto hexagonal M12 de 1/4 pulgadas. (2) Paquete de baterías M12 RedLithium CP 1.5 (1) Cargador de batería de iones de litio M12 y (1) Luz de trabajo M12
Marca	Milwaukee