

Subject: Fwd: Radicado 20-2063
From: "Ing.Carlos A.Lobo M." <calobo@inm.gov.co>
Date: 24/06/2020, 4:46 p. m.
To: Mesa de Servicio INM <mesadeayuda@inm.gov.co>
References: <CAKf6Swnrr7TWDU_ whwHoR1fdF-bDMJ_ybxUTheRa=aVvaxWLDQ@mail.gmail.com>
X-Tagtoolbar-Keys: D20200624164622090
X-Forwarded-Message-Id: <CAKf6Swnrr7TWDU_ whwHoR1fdF-bDMJ_ybxUTheRa=aVvaxWLDQ@mail.gmail.com>
Message-ID: <44355e6e-607f-99da-e363-02a757a3f7f1@inm.gov.co>
Disposition-Notification-To: "Ing.Carlos A.Lobo M." <calobo@inm.gov.co>
User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64; rv:68.0) Gecko/20100101 Thunderbird/68.9.0
MIME-Version: 1.0
In-Reply-To: <CAKf6Swnrr7TWDU_ whwHoR1fdF-bDMJ_ybxUTheRa=aVvaxWLDQ@mail.gmail.com>
Content-Type: multipart/alternative; boundary="-----573027488E2691FEA43CAD0B"
Content-Language: es-AR

Buenas tardes Ing.Viviana

De acuerdo a la reunión del día 2020-06-24, 15:45 se adjunta la traza, correspondiente al total de servicios programados, según figura 1.

Figura 1. Trazo resaltado 20002063

Acción	Etapa	Dif. Tie...	Asunto	Prioridad	F. Recibo	H. Recibo	Fecha li...	Hora lim...	T. Estima...	T. Ejecuc...	H. Eje...
	1		Diligenciar ...	B	15/04/2020	9:06:28 am	15/04/2020	10:06:28 am		22/04/2020	3:18:4
	151		Solicitud se...	B	22/04/2020	3:18:48 pm	22/04/2020	4:18:48 pm		22/04/2020	3:33:4
	76		Validar Con...	B	29/05/2020	10:20:58 am	29/05/2020	11:20:58 am		05/06/2020	1:43:4
	116		Ajustar Soli...	B	05/06/2020	1:43:51 pm	06/06/2020	1:48:51 pm		05/06/2020	2:09:4
	76		Validar Con...	B	17/06/2020	3:21:37 pm	17/06/2020	4:21:37 pm		18/06/2020	8:02:2
	107		Validar Con...	B	18/06/2020	8:02:29 am	18/06/2020	9:02:29 am		18/06/2020	9:45:0

*Descripción del Equipo	*Marca del Equipo	*Modelo del Equipo	*Serial de Equipo	*Intervalo de Medición	*Clase o li
TERMOHIGROBAROMETRO	LUFFT	OPUS 20	096.1114.0802.028	400 A 1100 hpa	U=0.080
TERMOHIGROBAROMETRO	LUFFT	OPUS 20	096.1114.0802.028	19 °C , 20 °C , 21 °C	U=0.044
TERMOHIGROBAROMETRO	LUFFT	OPUS 20	096.1114.0802.028 *	40 % HR, 50 % HR, 60 % HR	U= 1.7 %
TERMOHIGROMETRO	VAISALA	HMP 75	L3050080	19 °C , 20 °C, 21 °C	U=0.044
TERMOHIGROBAROMETRO	VAISALA	HMP 75	L3050080 *	40 % HR, 50 % HR, 60 % HR	N/D

51020

Página 1 de 2 (9 elementos)12

TERMOMETRO DE CUATRO CANALES	FLUKE	1525 CHUBE E 4	A65167	19 °C, 20 °C, 21 °C	U=
TERMOMETRO DE CUATRO CANALES	FLUKE	1525 CHUBE E 4	A65167 1	19 °C, 20 °C, 21 °C	U=
TERMOMETRO DE CUATRO CANALES	FLUKE	1525 CHUBE E 4	A65167 2	19 °C, 20 °C, 21 °C	U=
TERMOMETRO DE CUATRO CANALES	FLUKE	1525 CHUBE E 4	A65167 3	19 °C, 20 °C, 21 °C	U=

Cordial saludo,

Ing. Carlos A. Lobo

Profesional Especializado

Sistemas de Información y Redes

Instituto Nacional de Metrología de Colombia

Teléfono: (57-1) 2542222 Ext. 1414

Página Web: www.inm.gov.co

Av. Cra 50 No 26-55 Int. 2 CAN

Bogotá, D.C., Colombia



SIMPOSIO
Trazabilidad y talento humano
en el campo de la metrología:
HORIZONTES Y RETOS

Antes de imprimir, piense si debe hacerlo, use papel reciclable.

----- Forwarded Message -----

Delivered-To: calobo@inm.gov.co

Received: by 2002:a92:895d:0:0:0:0 with SMTP id n90csp1035945ild; Fri, 29 May 2020 15:29:46 -0700 (PDT)

X-Received: by 2002:a2e:2204:: with SMTP id i4mr5413465jli.110.1590791386717; Fri, 29 May 2020 15:29:46 -0700 (PDT)

ARC-Seal: i=1; a=rsa-sha256; t=1590791386; cv=none; d=google.com; s=arc-20160816;

b=eTYvj8WBVQuHa2mQksuyXCbTo/QpK6nYBzUunwB4sKMAC4wuOjxd9GXHn2mH623yk8

SxM2stllgXSEzxc+wUNuJIOPiW9EgMBLWKV6rHlHWg6dtpFBBzUOSpXwNmqrBx4Naum

6JUQbqStwSahJnJX3E9DkzFtnQNXUffJGbhVjb0QvEkBu7VO56gzMA+BEfjQkyYsVxAl

M+EOG6pvC9r2KaF3W7/1RcVbx+tguaPzRvG6zIOptmSc1cbXpChQmvoFNeo6qAkXq EQqL1R+8LFYGFygcCWBUJf/jKc/oJQavOplZdGRWhlZW60L+zEH5ubH/Y9Ty45Phi1+ tDng==

ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=google.com; s=arc-20160816; h=cc:to:subject:message-id:date:from:mime-version:dkim-signature;

bh=MaPvYyGVOjWtGP9k7LglEFGb+SvW05wykTOBzhjn38Y=; b=czkVNTiYjXmm1OlqXTzLDN3GjRCv4myUdZavcEwuazpe0uj9eX1Y3dcKyc8ysWta8

glcqmF5Wc3LFjvdCh9voABEsLQ/BSQFUtEfMCSL8r1zfwzT6nnn6szvGaaZKrSXEPWh

SxDyI5VS6jFpGuCscq4HbllwFBcA4RHC4uRP7H23nk6fZ9fbHjwT1WorDWXyQIKdc9P rPPP6n0iFJDC/2H8Jor8aO04GQ5D91S+Q

/ySFZ9LDwF0tkP9zgXMGiiKmSS15m+rgCEt /37/v7RlBmmb9nz0ifUSjWT05NoPbanOxAw+Cd+hP6LQfRQ+RcouEB16U/xatRGQ60r ik6w==

ARC-Authentication-Results: i=1; mx.google.com; dkim=pass header.i=@inm.gov.co.20150623.gappssmtp.com header.s=20150623 header.b=1M0fs8bx; spf=pass (google.com: domain of calibraciones@inm.gov.co designates 209.85.220.41 as permitted sender) smtp.mailfrom=calibraciones@inm.gov.co

Return-Path: calibraciones@inm.gov.co

Received: from mail-sor-f41.google.com (mail-sor-f41.google.com. [209.85.220.41]) by mx.google.com with SMTPS id h14sor6668117lja.21.2020.05.29.15.29.46 for

calobo@inm.gov.co (Google Transport Security); Fri, 29 May 2020 15:29:46 -0700 (PDT)

Received-SPF: pass (google.com: domain of calibraciones@inm.gov.co designates 209.85.220.41 as permitted sender) client-ip=209.85.220.41;

Authentication-Results: mx.google.com; dkim=pass header.i=@inm.gov.co.20150623.gappssmtp.com header.s=20150623 header.b=1M0fs8bx; spf=pass (google.com: domain of calibraciones@inm.gov.co designates 209.85.220.41 as permitted sender) smtp.mailfrom=calibraciones@inm.gov.co

DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=inm.gov.co.20150623.gappssmtp.com; s=20150623; h=mime-version:from:date:message-id:subject:to:cc;

bh=MaPvYyGVOjWtGP9k7LglEFGb+SvW05wykTOBzhjn38Y=; b=1M0fs8bxS42vcjOfjYLMgu1tLcEqjH6Ai5RRdh0uFQJ9kztfXfiqZNZ1m12p9NK

BLuwn3nLDX0dWPCBSvVgFsvSBVKbvssPoli6EycX4VbBChFFEMPBw4trKXrLmqSdgm

tKBW5vGDDfJekNkf2nC8/gwJ24CRtNmC7VBjOOAXaFW5rp0UdC6T6ArLEtLuYULsKmbi

J6H00lI2wRq+Ol8A63WGbdID2vo3T1hPTQteHfuEvybZBIZTXRwO9ND4byN7oC4XUE

ctMqfs/zUvgORlljcsnF5ZphEtEaHR8tM7okH23FyQ7B6lpWuTejt7cC18d9SIDs4IO a69A==

X-Google-DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=1e100.net; s=20161025; h=x-gm-message-state:mime-version:from:date:message-id:subject:to:cc;

bh=MaPvYyGVOjWtGP9k7LglEFGb+SvW05wykTOBzhjn38Y=; b=YLI740/El7bBxvnOJwMms/SB9PzUEiue216fLbWyLHt6DISrqOeuqaEgCikdlFp

B4PmVb7S34vL4PMYLyDX/kirizOrgCj0c/KKIUP9v/21RakPi0Kur3YDIvKfHCFJRv Ok7HxjucAU3luUBbEfqpD2eHCEkLP7wdaCP4FJUKINKQosEZkxu6Ke9Z86NrtDjt9I+

MLsGGVzO23Wl7i7zDMZeRZ9/Rcv14klkX4vL5hgVXZkEkxeWZBxr3etZr7VszZkF1P

1AlWVW7qPGBA/O9QH55a4vOAErfj9pVzzMweeu4BFEMDwo8rVobTnR3E50zTsh7Zfa3g V30Q==

X-Gm-Message-State: AOAM533cHtoRVza+jHlOPnh/rhAMTXWv6mCqpYIYtZidliqKmqVbTn ZHLzFC3nflPqV8W7MAcbLsxQ1DC8Dr2GU6/33ZLxmPqupzpflljczZzuyo2E+JfImAHschHF4MA
PC+10CGiLo53L18CrRMS0PmjK6NE=

X-Google-Smtp-Source: AbdhPlz/Vc/6iz+ecczAtFht8jyglM/pNUIwXKzV/kpt3SkUAJfOr+t4985YEj/hIOBEOErX9XF80/9hmnqUasRto=

X-Received: by 2002:a05:651c:1199:: with SMTP id w25mr2658087jo.301.1590791385149; Fri, 29 May 2020 15:29:45 -0700 (PDT)

MIME-Version: 1.0

From: Calibraciones INM calibraciones@inm.gov.co

Date: Fri, 29 May 2020 17:29:34 -0500

Message-ID: CAKf6Swnrr7TWDU_WhwHoR1fdF-bDMJ_ybxUTHeRa=aVvaxWLDQ@mail.gmail.com

Subject: Radicado 20-2063

To: Ing. Carlos A. Lobo M. calobo@inm.gov.co


Cc: Mesa de Servicio INM mesadeayuda@inm.gov.co, Subdirector de Innovación y Servicios Tecnológicos subdirinnovacion@inm.gov.co, Secretaria General

secgeneral@inm.gov.co, Ana María Reyes Sanclemente coordinacioncsm@inm.gov.co, Jose Laureano Urrego clurrego@inm.gov.co

Content-Type: multipart/related; boundary="00000000000006ceb4d05a6d0fb2b"

Cordial Saludo,

De manera atenta y respetuosa, informo que el radicado 20-2063 solicitud interna del INM, fue ingresada al aplicativo BPM metro, con 9 equipos para ser cotizados en la magnitud de temperatura y humedad y presión, después de ser cotizada por los laboratorios y remitida nuevamente al EREE solo aparecen 4 equipos de los 9 ingresados inicialmente.
Envío pantallazo



Quedo atenta.

Cordialmente,

Maria Nelly Moreno

Oficina de Recepción y Entrega de equipos

Subdirección Innovación y Servicios Tecnológicos

Teléfono: (57-1) 2542222 opción 2

www.inm.gov.co

Av. Cra. 50 No. 26-55 Int. 2 CAN

Bogotá D.C., Colombia



Organización
de las Naciones Unidas
para la Educación,
la Ciencia y la Cultura



Año Internacional
de la Tabla Periódica
de los Elementos Químicos

Día Mundial de la Metrología 23 - 24 mayo 2019

¿Sabías qué...? "Con una tonelada de papel que no utilizemos evitamos la tala de 17 árboles nuevos, ahorramos agua en un 86%, energía en un 62.5% y disminuimos la contaminación".

CONFIDENCIALIDAD: Este mensaje y cualquier archivo anexo son confidenciales y para uso exclusivo del destinatario. Esta comunicación puede contener información protegida por derechos de autor. Si usted ha recibido este mensaje por error, equivocación u omisión queda estrictamente prohibida la utilización, copia, reimpresión y/o reenvío del mismo. En tal caso, por favor notificar, de forma inmediata al remitente y borrar el mensaje original y cualquier archivo anexo. Gracias.

CONFIDENTIALITY: This message and any of its attachments are confidential and for the exclusive use of their addressee. This communication may contain information protected under copyright laws. If you have received this message by error, mistake or omission, please be advised that the use, copy, printing or resending of this message becomes strictly prohibited. In such a case, please inform the sender immediately, and proceed to erase the original message and all of its attachments. Thank you.

CONFIDENCIALIDAD: Este mensaje y cualquier archivo anexo son confidenciales y para uso exclusivo del destinatario. Esta comunicación puede contener información protegida por derechos de autor. Si usted ha recibido este mensaje por error, equivocación u omisión queda estrictamente prohibida la utilización, copia, reimpresión y/o reenvío del mismo. En tal caso, por favor notificar, de forma inmediata al remitente y borrar el mensaje original y cualquier archivo anexo. Gracias.

CONFIDENTIALITY: This message and any of its attachments are confidential and for the exclusive use of their addressee. This communication may contain information protected under copyright laws. If you have received this message by error, mistake or omission, please be advised that the use, copy, printing or resending of this message becomes strictly prohibited. In such a case, please inform the sender immediately, and proceed to erase the original message and all of its attachments. Thank you.