







Wireless Herramientas Ayuda

Protocol	Length	Info
CP	68	51126 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM=1 Len=0
CP	54	51126 → 443 [ACK] Seq=1 Ack=1 Win=262144 Len=0
LSv1.2	264	Client Hello
CP	54	51126 → 443 [ACK] Seq=211 Ack=1461 Win=262144 Len=0
CP	54	51126 → 443 [ACK] Seq=211 Ack=2921 Win=262144 Len=0
CP	54	51126 → 443 [ACK] Seq=211 Ack=4239 Win=260608 Len=0
CP	54	51126 → 443 [ACK] Seq=211 Ack=4239 Win=260608 Len=0
TLsv1.2	212	Client Key Exchange, Change Cipher Spec, Encrypted Handshake Message
CP	54	51126 → 443 [ACK] Seq=369 Ack=4290 Win=260608 Len=0
TCP	141	Application Data
TLsv1.2	443	Application Data
TLsv1.2	396	Application Data
TLsv1.2	92	Application Data
CP	54	51126 → 443 [ACK] Seq=1225 Ack=4359 Win=260608 Len=0
TCP	92	Application Data
TLsv1.2	54	51126 → 443 [ACK] Seq=1263 Ack=4397 Win=262144 Len=0
TCP	54	51126 → 443 [ACK] Seq=1263 Ack=5533 Win=260864 Len=0
TCP	54	51126 → 443 [ACK] Seq=1263 Ack=5533 Win=260864 Len=0
TLsv1.2	193	Application Data

Bytes A → B	Packets B → A	Bytes B → A	Abs Start	Duration	Bits/s A → B	Bits/s B → A
2908	0	0	19:58.1455	413.8011	56	37k
61k	92	38k	13:44.4153	13.2550	43k	47k
5600	25	20k	19:11.3401	1.0296	51k	2
5382	15	5109	13:39.0614	0.9119	2189	310
6590	38	40k	21:33.8718	1.0199	27k	15k
330	5	5218	25:02.4219	114.8463	983	34k
31k	55	10k	18:41.7539	376.8646	11k	2665
14k	28	8559	13:39.1096	2.1630	25k	296
7431	18	7387	17:10.5491	3.1223	303	11k
5872	20	146k	09:18.6041	127.7492	62k	9220
15k	128	46k	27:02.3982	1.5304	1373k	205
6682	44	23k	24:26.2293	4.5199	35	49
6466	31	108	09:12.9074	0.1621	9	9
54	2	293k	14:29.9336	4.6169		
14k	214	10k	08:20.7029	396.0336		
14k	32	2244	13:37.4615	120.8659		
4658	10	16k	17:09.3427	4.3394		
6131	28	1998	25:08.6176	1.0678		
7342	13	17k	13:41.4379	2.8283		
22k	69	6104	25:05.9152	111.2581		
	69	1078	14:03.7244	0.0418		
	69	41k	08:18.0073	1329.5489		
			103.7297			
			2204	4052		







