Salazar, Diana Lorena <diana.salazar@cali.gov.co> 16 abr. 2020 11:24 (hace 7 días)

para mí

---------- Forwarded message ---------
De: **MEJIA JARAMILLO Pablo Andres** <pablo.mejia@melexa.com>
Date: jue., 16 abr. 2020 a las 10:13
Subject: Lead web "Contáctenos" diana lorena salazar beltran
To: diana.salazar@cali.gov.co <diana.salazar@cali.gov.co>
Cc: GUZMAN YANGUMA Vanesa <vanesa.guzman@melexa.com>, BOLAÑOS BOLAÑOS Erika <erika.bolanos@melexa.com>

Sra Diana Lorena buen dia

En atención a su amable solicitud, ponemos a su consideración la siguiente oferta por los elementos requeridos, por favor tener en cuenta la siguiente información:

- Se adjuntas las fichas técnicas de los elementos para su revisión.
- Los elementos al día de hoy están exentos de IVA según el decreto nacional, sin embargo esto puede cambiar una vez se termine o derogue el decreto.
- En rojo las cantidades que vienen en la caja de cada referencia
- El tiempo de entrega está sujeto al momento que se envie la OC, El stock puede variar drásticamente debido a la situación a nivel nacional.

#	Referencia	Cantidad	Descripción de la referencia	Marca	Unidad	Divisa	Valor Unitario	Valor Total	Tiempo de entrega
1	**27GA93-252M**	1000	GUANTE MICROFLEX GUANTE DESECH x 50 pares	ANSELL	CAJA	**COP**	34.250,00	34.250.000,00	2-4 DIAS
2	**27ZZ**	1000	MASCARILLAS QUIRURGICA x 50 unidades	TAPABOCAS	CAJA	**COP**	2.100,00	2.100.000,00	1 SEMANA
3	**27RGT-005**	1000	MASCARILLA LAVABLE x 12 unidades	N/D	CAJA	**COP**	2.000,00	2.000.000,00	1 SEMANA
4	**27ZZK95**	1000	PROTECCION RESPIRATORIA K95	N/D	UND	**COP**	14.000,00	14.000.000,00	1-2 SEMANAS

SUBTOTAL	52.350.000,00
IVA	0,00
TOTAL	52.350.000,00

Cualquier duda o comentario no duden en comunicarse con nosotros,

Cordialmente,

Para solicitar COTIZACIONES por favor enviar con COPIA a:
cotizacionesdatacom@melexa.com / Ext. 11477

Para envio o seguimiento de sus ORDENES DE COMPRA por favor enviar con COPIA a:
Lizeth Fernandez lizeth.fernandez@melexa.com / Ext. 13426 celular: 315 899 61 88

Ing. Pablo Andres Mejia Jaramillo - Asesor Comercial DATACOM
mailto: pablo.mejia@melexa.com
PBX: (57 2) 687 0800 Ext. 13118
Cel: 315 852 3103
Calle 23 #5-98 – Cali, Colombia
www.melexa.com

MICROFLEX®
ADVANCED DISPOSABLE HAND PROTECTION

93-252
Distinctive, Black Nitrile Exam Glove

NBR
Nitrile

Distinct black color to mask stains

- **Distinctive black color hides stains and provides contrast for improved visibility**
- **Fully textured design for confident grip**
- **Non-foaming for easy handling of objects in wet environments**



Industries

- Automotive
- Automotive Aftermarket
- Life Sciences
- Machinery and Equipment

Recommended For

- Inspection, selecting, checking parts
- General Purpose Auto Aftermarket
- Use of cleaning tools and robotic equipment
- Oil, fluids and filter change
- Engine transmission and repair
- Tire rotation & changes
- Maintaining lab furniture and equipment
- Sample taking and processing
- Blending, compounding solids and liquids
- Raw material sample collection
- Weighing and dispensing of solid and liquid raw materials
- Inspection (picking, checking and marking)



MICROFLEX®
ADVANCED DISPOSABLE HAND PROTECTION

93-252
Distinctive, Black Nitrile Exam Glove

TECHNICAL DATA SHEET

PRODUCT INFORMATION

	93-252
Material	Nitrile
Color	Black
Glove Design	Chlorinated, Powder-Free, Silicone Free, Fully Textured
Cuff	Beaded
Manufacturing/QMS Audit Standards	ISO 13485:2003
Regulatory/Standards Compliance	EN ISO 374-1:2016, EN 420:2003 + A1:2009, EN ISO 374-5:2016, FDA21 CFR 177-2600, ISO 9001
Packaging	100 gloves per dispenser 10 dispensers per case 1000 gloves per case
Storage	Keep out of direct sunlight; store in a cool and dry place. Keep away from sources of ozone or ignition.
Country of Origin	Malaysia
User Needs Segment	Robust
Available sizes	XS (5.5 - 6), S (6.5 - 7), M (7.5 - 8), L (8.5 - 9), XL (9.5 - 10)

PHYSICAL PROPERTIES

	Typical Values		Testing Method
Length (mm/inches)	245 / 9.6		ASTM D3767,EN420
Freedom from Holes (Inspection level I)	1.5 AQL		ASTM D5151,EN 455-1
Palm Thickness (mm/mils)	0.12 / 4.7		ASTM D3767,EN420
Finger Thickness (mm/mils)	0.15 / 5.9		ASTM D3767,EN420
	BEFORE AGING	AFTER AGING	
Ultimate Tensile Strength (MPa)	≥ 23	≥ 20	ASTM D412 & D573
Elongation at Break (%)	≥ 500	≥ 400	ASTM D412
Force at break (N)	≥ 10	≥ 9	

ORDERING INFORMATION

Size	XS (5.5 - 6)	S (6.5 - 7)	M (7.5 - 8)	L (8.5 - 9)	XL (9.5 - 10)
Ansell Product Code	93252060	93252070	93252080	93252090	93252100

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region
Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

Asia Pacific Region
Ansell Global Trading Center (Malaysia) Sdn Bhd
T: +603 8310 6688
F: +603 8310 6699

North America Region
Ansell Healthcare Products LLC
T: +1 800 800 0444
F: +1 800 800 0445

Latin America & Caribbean Region
Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Australia
Ansell Limited
T: +61 1800 337 041
F: +61 1800 803 578

Russia
Ansell PYC
Ten. +7 495 258 13 16

Performance Standards and Regulatory Compliance

EN ISO 374-1:2016 Type B JKT
EN ISO 374-5:2016 VIRUS
ISO 9001

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2020 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

Ansell

MICROFLEX®
ADVANCED DISPOSABLE HAND PROTECTION

93-252
Distinctive, Black Nitrile Exam Glove

NBR
Nitrile

Distinct black color to mask stains

- **Distinctive black color hides stains and provides contrast for improved visibility**
- **Fully textured design for confident grip**
- **Non-foaming for easy handling of objects in wet environments**



Industries

- Automotive
- Automotive Aftermarket
- Life Sciences
- Machinery and Equipment

Recommended For

- Inspection, selecting, checking parts
- General Purpose Auto Aftermarket
- Use of cleaning tools and robotic equipment
- Oil, fluids and filter change
- Engine transmission and repair
- Tire rotation & changes
- Maintaining lab furniture and equipment
- Sample taking and processing
- Blending, compounding solids and liquids
- Raw material sample collection
- Weighing and dispensing of solid and liquid raw materials
- Inspection (picking, checking and marking)



MICROFLEX®
ADVANCED DISPOSABLE HAND PROTECTION

93-252
Distinctive, Black Nitrile Exam Glove

TECHNICAL DATA SHEET

PRODUCT INFORMATION

	93-252
Material	Nitrile
Color	Black
Glove Design	Chlorinated, Powder-Free, Silicone Free, Fully Textured
Cuff	Beaded
Manufacturing/QMS Audit Standards	ISO 13485:2003
Regulatory/Standards Compliance	EN ISO 374-1:2016, EN 420:2003 + A1:2009, EN ISO 374-5:2016, FDA21 CFR 177-2600, ISO 9001
Packaging	100 gloves per dispenser 10 dispensers per case 1000 gloves per case
Storage	Keep out of direct sunlight; store in a cool and dry place. Keep away from sources of ozone or ignition.
Country of Origin	Malaysia
User Needs Segment	Robust
Available sizes	XS (5.5 - 6), S (6.5 - 7), M (7.5 - 8), L (8.5 - 9), XL (9.5 - 10)

PHYSICAL PROPERTIES

	Typical Values		Testing Method
Length (mm/inches)	245 / 9.6		ASTM D3767,EN420
Freedom from Holes (Inspection level I)	1.5 AQL		ASTM D5151,EN 455-1
Palm Thickness (mm/mils)	0.12 / 4.7		ASTM D3767,EN420
Finger Thickness (mm/mils)	0.15 / 5.9		ASTM D3767,EN420
	BEFORE AGING	AFTER AGING	
Ultimate Tensile Strength (MPa)	≥ 23	≥ 20	ASTM D412 & D573
Elongation at Break (%)	≥ 500	≥ 400	ASTM D412
Force at break (N)	≥ 10	≥ 9	

ORDERING INFORMATION

Size	XS (5.5 - 6)	S (6.5 - 7)	M (7.5 - 8)	L (8.5 - 9)	XL (9.5 - 10)
Ansell Product Code	93252060	93252070	93252080	93252090	93252100

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region
Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

Asia Pacific Region
Ansell Global Trading Center (Malaysia) Sdn Bhd
T: +603 8310 6688
F: +603 8310 6699

North America Region
Ansell Healthcare Products LLC
T: +1 800 800 0444
F: +1 800 800 0445

Latin America & Caribbean Region
Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Australia
Ansell Limited
T: +61 1800 337 041
F: +61 1800 803 578

Russia
Ansell PYC
Ten. +7 495 258 13 16

Performance Standards and Regulatory Compliance

EN ISO 374-1:2016 Type B JKT
EN ISO 374-5:2016 VIRUS
ISO 9001

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2020 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

Ansell

its Medical Supplies

Technical Data Sheet

Disposable N95 mask
GMMK01



Description:

Main Material	Non-woven, melt blown
Standard	NOISH、EN 149
Color	customized
Specification	Without valve
Size	Adult
MOQ	1500pcs
Packaging Details	1pcs/bag,customized
Place of origin	China

Advantages:
1. Disposable, single-use, breathable, light and environment-friendly.
2. The elastic rope on both sides can make the mask more stable.
3. Soft nose cushion for easy and comfortable fit.
4. At least 95% filtration efficiency against certain non-oil based particles.

Applications:
High-risk scenarios:
1. Hot outbreaks in epidemic areas.
2. Medical staff in isolation ward.
3. High-risk medical workers such as incision.
4. Service personnel in the quarantine area; for confirmed diagnosis, suspected on-site epidemiological investigators.

N95 masks are recommended because they can effectively block droplets, blood and body fluids.

Notice:
1.Medical N95 masks are not allowed to have valves.
2.When ordinary people are infected or suspected to be infected, a medical mask without a valve must be selected.

318 815 33 60
itsmedicalsupplies@gmail.com
Calle 114A No. 18 A 41 Of. 501 Bogotá, Colombia

By: CARDOGAL LTDA.
Nit. 830.069.545-0
IVA RÉGIMEN COMÚN

its Medical Supplies

Technical Data Sheet



Disposable KN95 mask
GMMK02

Description:

Main Material	Non-woven fabric, melt-blown cotton, heat-seal cotton
Standard	GB2626-2006、EN 149
Color	customized
Specification	Without valve
Size	Adult
MOQ	1500pcs
Packaging Details	1pcs/bag,customized
Place of origin	China

Advantages:
1. Disposable, single-use, breathable, light and environment-friendly.
2. The elastic rope on both sides can make the mask more stable.
3. Soft nose cushion for easy and comfortable fit.
4. At least 95% filtration efficiency against certain non-oil based particles.

Applications:
High-risk scenarios:
1. Hot outbreaks in epidemic areas.
2. Medical staff in isolation ward.
3. High-risk medical workers such as incision.
4. Service personnel in the quarantine area; for confirmed diagnosis, suspected on-site epidemiological investigators.

KN95 masks are recommended because they can effectively block droplets, blood and body fluids.

Notice:
1.Medical KN95 masks are not allowed to have valves.
2.When ordinary people are infected or suspected to be infected, a medical mask without a valve must be selected.

318 815 33 60
itsmedicalsupplies@gmail.com
Calle 114A No. 18 A 41 Of. 501 Bogotá, Colombia

By: CARDOGAL LTDA.
Nit. 830.069.545-0
IVA RÉGIMEN COMÚN