

INFORME BOLSA DE HORAS

Contrato 235/2023 MDN-UGG-DA

Enero de 2026

Jose Marcelino Escallon Morales
Representante Legal



FECHA DE EMISIÓN: enero 04 de 2026

OBJETIVO

El propósito de este documento es presentar una relación de las actividades realizadas por EUPHORIANET en el marco del CONTRATO: 235/2023 MDN-UGG-DA durante enero del 2026.

CONTRATO No.: 235/2023 MDN-UGG-DA
CONTRATISTA: EUPHORIANET

INTRODUCCIÓN

PRESTACIÓN DE SERVICIOS DE MANTENIMIENTO PREVENTIVO Y CORRECTIVO PARA LAS BASES DE DATOS ORACLE Y LA PLATAFORMA WEBLOGIC, A TRAVÉS DE BOLSA DE HORAS, CON DESTINO A LA UNIDAD DE GESTIÓN GENERAL DEL MINISTERIO DE DEFENSA NACIONAL."

DESARROLLO TEMÁTICO

1 Actividades

A continuación, las actividades proyectadas:

MES	Frente de trabajo	Actividad	Item	Pág.	Horas
ENERO	SOPORTE	Corrección Error Replica BD ADM1STBY	2.1	3	10
ENERO	SOPORTE	Seguimiento Replicas de BD	2.2	5	12
ENERO	SOPORTE	Errores en Conexiones hacia los Repositorios de Oc3 y SR por Error al tratar de descargar VM de manera local ubicada en OC3	2.3	7	12
ENERO	SOPORTE	SR 4-0001318783 -IR: Oracle Database Packages and Types INVALID y SR 4-0001886489 - INVALID GSMADMIN OBJECT por Errores en Metadata de BD - CD1PRU	2.4	9	16
ENERO	SOPORTE	Seguimientos Casos de Soporte por Error en Creación de PDBs para BD 23AI : SR: 4-0001790362 Unable create PDB on Container DB, SR 4-0001920964 Console Error Exacs Cloud Service y el SR 4-0001921045 Errro Create PDB on exacc with Replication DG on exacs	2.5	11	23
ENERO	SOPORTE	Se revisa a nivel lógico los umbrales de cada uno de los diskgroup que soportan los datos de cada una de las bases de datos productivas, los cuales sus recursos son satisfactorios.	2.6	14	18
ENERO	SOPORTE	Se revisa el espacio lógico de cada uno de los filesystem a nivel de los servidores de base de datos y sus recursos son satisfactorios.	2.7	18	16

MES	Frente de trabajo	Actividad	Item	Pág.	Horas
ENERO	SOPORTE	Se realiza revisión de los aler.log, listener y servicios de RAC de cada uno de los servidores de base de datos, los cuales operan con normalidad.	2.8	27	18
ENERO	SOPORTE	Se revisa cada una de lun's presentadas a nivel de O.S las cuales hacen parte de cada uno de los diskgroup de las bases de datos.	2.9	55	17
ENERO	SOPORTE	Se realiza mantenimiento lógico el cual comprende la depuración de los archivos con extensiones .xml, .trc y .aud de cada uno de los nodos de las bases de datos de pruebas, desarrollo, contingencia y producción.	2.10	94	17
		Requerimientos y soporte capa media			
ENERO	SOPORTE	Revisión de Error en SIATH-Web – Entorno de Producción	2.11	99	20
ENERO	SOPORTE	Reconfigurar oci cli en servidor puente entre OC3 y OCI srv-mdn-mig-drp (172.29.13.29)	2.12	101	19
ENERO	SOPORTE	Instalación forms 14c en ambiente de pruebas weblogicsvr03	2.13	104	40
ENERO	SOPORTE	Error en despliegue divri en ambiente de pruebas weblogic 15c weblogisvr13	2.14	132	10
ENERO	SOPORTE	Estado nuevo aplicación NuemerancionSGDEA en weblogic de pruebas weblogicsvr13	2.15	135	5
ENERO	SOPORTE	Monitoreo y validación de la integridad de los datos repolicados servidor filesystem	2.16	136	19
TOTAL DE HORAS MES					272

2 Evidencias

2.1 CORRECCION ERROR REPLICA DB ADM1STBY.

Para el día 13 de Enero, se identifican errores en la réplica de la base de datos del ADM1STBY con mas de 13 días de retraso en la aplicación de archives.

```
DBWR001: Database: standby for Primary Release: 10.2.0.4.0 - Production on Tue Jan 11 09:54:11 2026
Version: 10.2.0.4.0
Copyright (c) 1992, 2016, Oracle and/or its affiliates. All rights reserved.
Welcome to DBWR001, type "help" for information.
DBWR001> connect user sys as sysdba
DBWR001>
Database: standby
Role: PHYSICAL STANDBY
Instandby State: APPLY-ON
Transport Lag: 0 seconds (computed 0 seconds ago)
Apply Lag: 13 days 19 hours 20 minutes 56 seconds (computed 0 seconds ago)
Average Apply Rate: 258.00 KB/s
Real Time Query: OFF
Instance(s):
  + dbf1adm1 (apply instance)
  + dbf1adm2
Database: standby
ORA-10201: (osn) Apply is stopped
Database Warning(s):
  ORA-16916: apply lag has exceeded specified threshold
Database Status:
  apply
```

Al revisar el alert.log de la BD de la replica se puede identificar el siguiente error:

```
standby recovery and the database is in standby mode.
2026-01-13 09:01:38.272000000
ORA-01111: name for data file 355 is unknown - rename to correct file
ORA-01118: data file 355: '/u02/app/oracle/product/10.2.0.4.0/dbhome_1/dbs/unnamed00355'
ORA-01157: cannot identify/lock data file 355 - see DBWR trace file
ORA-01111: name for data file 355 is unknown - rename to correct file
ORA-01118: data file 355: '/u02/app/oracle/product/10.2.0.4.0/dbhome_1/dbs/unnamed00355'
2026-01-13 09:01:38.298040000
Completed Standby Recovery.
```

Se procede con el siguiente plan de acción para dar solución:

```
SQL> ALTER SYSTEM SET STANDBY DATABASE=MANUAL;
System altered.

SQL> ALTER DATABASE RECOVER MANAGED STANDBY DATABASE CANCEL;
ALTER DATABASE RECOVER MANAGED STANDBY DATABASE CANCEL
*
Error at Line 1:
ORA-16916: Managed Standby recovery not allowed

SQL> ALTER DATABASE RECOVER MANAGED STANDBY DATABASE CANCEL;
ALTER DATABASE RECOVER MANAGED STANDBY DATABASE CANCEL
*
Error at Line 1:
ORA-16916: Managed Standby recovery not allowed

SQL> show pdump;
-----
FILE ID CONT NAME                                OPEN MODE REOPENED
-----
2 OPENED
3 OPENED
4 STANDBY
5 OPENED
SQL> alter session set container=STANDBY;
Session altered.

SQL> ALTER DATABASE CREATE DATAFILE '/u02/app/oracle/product/10.2.0.4.0/dbhome_1/dbs/unnamed00355' as '+DATAFILE';
ALTER DATABASE CREATE DATAFILE '/u02/app/oracle/product/10.2.0.4.0/dbhome_1/dbs/unnamed00355' as '+DATAFILE'
*
```



```

Welcome to DGMGR, type "help" for information.
DGMGR> connect to "cdbradm_pro"
Connected to AS SYSDBA
DGMGR>
Database = cdbrs1thy

Role:                PHYSICAL STANDBY
Intended State:       APPLY-ON
Transport Lag:        0 seconds (computed 0 seconds ago)
Apply Lag:            0 seconds (computed 0 seconds ago)
Average Apply Rate:   468.00 KByte/s
Real Time Query:      ON
Instance(s):
  cdbradm1 (apply instance)
  cdbradm2

Database Status:
SUCCESS

```

```

DGMGR> show configuration
Configuration = dbradm1, cdbradm
Protection Mode: MaxPerformance
Members:
  cdbradm_pro = Primary database
  cdbrs1thy = Physical standby database

Last startup failure: 0, Success
Configuration Status:
SUCCESS (Status updated 17 seconds ago)

DGMGR> show database cdbrs1thy;
Database = cdbrs1thy

Role:                PHYSICAL STANDBY
Intended State:       APPLY-ON
Transport Lag:        0 seconds (computed 1 second ago)
Apply Lag:            1 second (computed 1 second ago)
Average Apply Rate:   610.00 KByte/s
Real Time Query:      ON
Instance(s):
  cdbradm1 (apply instance)
  cdbradm2

Database Status:
SUCCESS

```

```

[oracle@rac-xaccq-mn001-dh01 ~]$ dgmgrl /
DGMGR for Linux: Release 19.0.0.0 - for Oracle Cloud and Engineered Systems on Sat Jan 11 09:29:00 2020
Version 19.0.0.0.0

Copyright (c) 1992, 2020, Oracle and/or its affiliates. All rights reserved.

Welcome to DGMGR, type 'help' for information.
Connecting to "edbzoper.pro"
connected as SYSDBA.
DGMGR> show configuration

Configuration = dgmgrl.edbzoper

  Protection Mode: MaxPerformance
  Members:
    edbzoper.pro - Primary database
    ope2stby     - Physical standby database

Fast-Start Failover: Enabled

Configuration Status:
SUCCESS (status updated 46 seconds ago)

DGMGR> show database ope2stby;

Database = ope2stby

  Role:                PHYSICAL STANDBY
  Intended State:       APPLY-ON
  Transport Lag:        0 seconds (computed 1 second ago)
  Apply Lag:            0 seconds (computed 1 second ago)
  Average Apply Rate:   46.00 KByte/s
  Real Time Query:      OFF
  Instance(s):
    edbzoper1
    edbzoper2 (apply instance)

```

2.3 Errores en Conexiones hacia los Repositorios de Oc3 y SR por Error al tratar de descargar VM de manera local ubicada en OC3.

Al tratar de mover la VM del GitLab desde Tierra a Nuber (OC3- to OCI) inicialmente se experimentaron errores de conectividad al tratar de acceder los servicios de OC3 desde la red del MDN, tal como se muestra a continuación,

[illegible]

Solicitando una sesión de trabajo con el área de Redes del MDN

Solicitud Sesión de Trabajo Equipo de Firewall Revisión Conexión Servicios de OC3 para Gestión de VM en OCI

Resumir este correo

Alex Jiménez <diba@euphoria-net.com>
para Nelly

lun, 19 ene, 14:24 (hace 12 días)

Bueno tarde , Ing - Nelly.

Estamos solicitando que a través de su gestión, podamos tener una sesión de trabajo con el Ing. Erik o el Ing. Fabio que conocen el tema de Firewall y Redes del MDN y la OC3 para revisar la pérdida de acceso a los servicios que provee la misma OC3 desde las máquinas virtuales, y a través de los cuales que pueden gestionar las VM por comandos OCI

Agradecemos si se pueda mañana martes en las Horas de la tarde, el día Miércoles o Jueves

Quedamos atentos.

Nelly Forero Pinzon
para mí

19 ene 2026, 14

Ya la solicite, una vez me respondan agendo la reunión

Cordialmente,



NELLY FORERO PINZON
Dirección de Tecnologías de la Información y las Comunicaciones TICS
Grupo Sistemas de Información
nelly.forero@mindefensa.gov.co
Carrera 54 N° 26 – 25 CAN - Edificio Temporal Fortaleza Oficina 221
Bogotá - Colombia

Solucionado el inconveniente de conexión reconstruyendo la configuración de OCI-Client y revisión por parte del área de redes, se logra solucionar el problema, sin embargo aparece un nuevo error: "The service returned error code 404".

```
{opc@srv-mdn-mig-drp [/]}$ oci os object get --bucket-name BUCK-DCCA --name "GITLABSVR01_29122025" --file /data/GITLABSVR01_29122025
ServiceError:
{
  "client_version": "Oracle-PythonSDK/2.128.0, Oracle-PythonCLI/3.43.0",
  "code": null,
  "logging_tips": "Please run the OCI CLI command using --debug flag to find more debug information.",
  "message": "The service returned error code 404.",
  "opc-request-id": "58E8CF722120417AA1595D2999A4A178/4c90ee3cb3/006977e1be",
  "operation_name": "head_object",
  "request_endpoint": "HEAD https://objectstorage.oc3mdn.mindefensa.col/n/grgipr3p3qcm/b/BUCK-DCCA/o/GITLABSVR01_29122025",
  "status": 404,
  "target_service": "object_storage",
  "timestamp": "2026-01-26T21:50:55.066494+00:00",
  "troubleshooting_tips": "See [https://docs.oracle.com/iaas/Content/API/References/apierrors.htm] for more information about resolving this error."
}
```

Debido a este motivo fue necesario abrir un caso de Soporte con el fabricante, el cual está en investigación por parte de ellos mismos.

cloud.oracle.com/support/view/tech/4-0001836046?getIncidentAction=LIST_SR_MESSAGE&region=us-ashburn-1

Cloud

Search resources, services, documentation, and Marketplace

Support Center > Support Requests > Support Request Details

SR

PENDING WITH ORACLE

Download Image from Bucket OC3 Error

Description: We try download Image of VM from Bucket OC3 but appear the error "The service returned error code 404"

Close Ticket

Support Request Information

Issue Number: 4-0001886048

Support Request Type: Technical Support

OCID: .../tech

Opened: Tue, 27 Jan 2026 01:30:57 UTC

User Group Name: 22684140

Primary Contact: Lider Tecnico

Hi,...

Oracle

Tue, 27 Jan 2026 02:11:19 UTC

Hi,...

Customer

Tue, 27 Jan 2026 01:40:47 UTC

When we try the image VM through OCI command appear the error:

^

[root@srv-mdn-mig-drp /]# oci os object get --bucket-name BUCK-DCCA --name "GITLABSVR01_29122025" --file /data/GITLABSVR01_29122025

ServiceError:

{

"client_version": "Oracle-PythonSDK/2.128.0, Oracle-PythonCLI/3.43.0",

"code": null,

"logging_tips": "Please run the OCI CLI command using --debug flag to find more debug information.",

"message": "The service returned error code 404",

"opc-request-id": "0B385C3EA0124D9C8D6237A982DD1617/33ec57c512/0069781486",

"operation_name": "head_object",

"request_endpoint": "HEAD https://objectstorage.oc3mdn.mindefensa.col/rvgrlpr3p3qcm/b/BUCK-DCCA/o/GITLABSVR01_29122025",

"status": 404,

"target_endpoint": "object_endpoint"

}

Customer

Tue, 27 Jan 2026 01:31:59 UTC

Calle 74 A # 22-31 Oficina 301 Bogotá D.C., Colombia – Teléfono: (+57) 601 345 3384
E-mail: info@euphoria-net.com http://www.euphoria-net.com

Página: 9

ORACLE

Support Request Information

Issue Number: 4-0001886046

Support Request Type: Technical Support

OCID: .../Web

Opened: Tue, 27 Jan 2026 01:30:57 UTC

User Group Name: 22694140

Primary Contact: Lider Tecnico

Severity: HIGH

Comments

Add Comment

Comments	Updated By	Posted
EMAIL Alert sent...	✓ Oracle	Tue, 27 Jan 2026 02:19:06 UT
Hi...	✓ Oracle	Tue, 27 Jan 2026 02:11:19 UT
Hi...	✓ Customer	Tue, 27 Jan 2026 01:40:47 UT
When we try the image VM thought OCI command appear the error...	✓ Customer	Tue, 27 Jan 2026 01:31:59 UT

2.4 SR 4-0001318783 -IR: Oracle Database Packages and Types INVALID y SR 4-0001886489 - INVALID GSMADMIN OBJECT por Errores en Metadata de BD - CD1PRU.

Con el soporte del fabricante se logro solucionar parte de la problemática de la base de datos de pruebas CD1PRU, que registraba errores en componentes de bases de datos que impiden la clonación de PDBs. El primer caso de Soporte: SR 4-0001318783 -IR: Oracle Database Packages and Types INVALID abierto logro solucionar parte del problema:

Support Request Details

IR: Oracle Database Packages and Types INVALID

Description:

Our Database 23Ai have a component Oracle Database Packages and Types on State Invalid

We run the note: How to validate CATALOG And CATPROC In Multitenant environment (Doc ID 2133437.1) more or 4 times but ever the component apper how invalid

Close Ticket

Support Request Information

Issue Number: 4-0001318783

Support Request Type: Technical Support

OCID: .../Web

Opened: Thu, 04 Dec 2025 02:19:31 UTC

User Group Name: 22694140

Primary Contact: Lider Tecnico

Plan de acción:

Calle 74 A # 22-31 Oficina 301 Bogotá D.C., Colombia – Teléfono: (+57) 601 345 3384
E-mail: info@euphoria-net.com http://www.euphoria-net.com

Página: 10

Hi,

Action Plan :
=====

Please take a valid (fully restorable) backup before performing any action plan

1) Please let me know have you ran the below Doc ID 2133437.1 steps in database upgrade mode ?
How to validate CATALOG And CATPROC In Multitenant environment (Doc ID 2133437.1)
If not then please it in upgrade mode.

2) If above steps are complete but still not catproc is validated.
then follow below action plan:
open database in upgrade mode.make sure il pdb is opned in "OPen Migrated" and eun below catupgnd.sql

cd \$ORACLE_HOME/rdbms/admin
\$ORACLE_HOME/perl/bin/perl catctl.pl -d \$ORACLE_HOME/rdbms/admin -n <parallel_processes> -l <log_location> catupgnd.sql

Regards,
prashant

Luego Oracle abrió un SR del tipo (SPIN) para solucionar la no compilación de los objetos propiedad del usuario GSMADMIN que no pudieron ser compilados y aun quedaron en estado invalido luego de la aplicación del ultimo plan de acción sugerido por Oracle:

cloud.oracle.com/support/view/tech/4-0001886489?getIncidentAction=LIST_SR_MESSAGE&region=us-ashburn-1

Search for resources, services, documentation, and Marketplace

Support Requests • Support Request Details



INVALID GSMADMIN OBJECT

Description: PSR : 4-0001318783
INVALID GSMADMIN OBJECT

OWNER OBJECT_NAME OBJECT_TYPE

SYS	DBMS_GSM_SEC	PACKAGE BODY
GSMADMIN_INTERNAL	DBMS_GSM_COMMON	PACKAGE BODY
GSMADMIN_INTERNAL	DBMS_GSM_DBADMIN	PACKAGE BODY
GSMADMIN_INTERNAL	DBMS_GSM_POOLADMIN	PACKAGE BODY
GSMADMIN_INTERNAL	DBMS_GSM_CLOUDADMIN	PACKAGE BODY
GSMADMIN_INTERNAL	DBMS_GSM_ALERTS	PACKAGE BODY
GSMADMIN_INTERNAL	CAT_ROLLBACK_TRIGGER	TRIGGER
GSMADMIN_INTERNAL	REQUEST_DELETE_TRIGGER	TRIGGER
GSMADMIN_INTERNAL	DONE_TRIGGER	TRIGGER
GSMADMIN_INTERNAL	GSMLOGOFF_TRIGGER	TRIGGER

A la fecha de cierre, el error sigue en investigación por parte del fabricante:

AP

Close Ticket

Support Request Information		
Issue Number: 4-0001886489		
Support Request Type: Technical Support		
Opened: Tue, 27 Jan 2026 03:24:26 UTC		
User Group Name: 22694140		
Primary Contact: Lider Tecnico		
Severity: MEDIUM		

Comments

Add Comment

Comments	Updated By	Posted
SQL> Alter PACKAGE...	Customer	Fri, 30 Jan 2026 14:06:23 UTC
OWNER TABLE_NAME GRANTEE PRIVILEGE...	Customer	Fri, 30 Jan 2026 14:05:51 UTC
Connected to:...	Customer	Fri, 30 Jan 2026 14:04:50 UTC
EMAIL Alert sent:...	Oracle	Fri, 30 Jan 2026 04:53:11 UTC

2.5 Seguimientos Casos de Soporte por Error en Creación de PDBs para BD 23AI : SR: 4-0001790362
Unable create PDB on Container DB, SR 4-0001920964 Console Error Exacs Cloud Service y el SR 4-0001921045 Errro Create PDB on exacc with Replication DG on exacs.

Con el soporte del fabricante se ha venido trabajando en los errores de Exadata-OCI que impiden la creación de PDBS, cuando la base de datos es 23AI y tiene una replicación creada con DataGuard. Al final del caso, según análisis del analista de Oracle es una limitante técnica del producto que impide crear PDB's cuando se tienen configuraciones de DataGuard entre una Exacc (Exadata-10 Cloud @ Customer) y una Exacs (Exadata-9 Como Servicio). El primer caso de Soporte: **SR 4-0001325133 - Unable to Create PDB.**

cloud.oracle.com/support/view/tech/4-0001325133?getIncidentAction=LIST_SR_MESSAGE&region=us-ashburn-1

cloud

Search for topics, services, documentation, and Marketplace

US East

Support Requests > Support Request Details

SR

Unable to Create PDB

Description: We want create a new PDB on our database but appear the next message error.

The pluggable database operation is not allowed.
The Data Guard information in the database is missing OCID details of the peer database(s).
Update database to a more recent version to fix the issue or contact Oracle Support by creating a Service Request.
opc-request-id: cald1510950148eab0110efafb29db74/ECBC08F8075D2D27831C1BD5504B2460/E19D8613C10AA2273F2C8D5974C67BF9

Close Ticket

Support Request Information

Issue Number: 4-0001325133

Support Request Type: Technical Support

OCID: ...ab9399

Opened: Fri, 05 Dec 2025 15:48:38 UTC

User Group Name: 22694140

Primary Contact: Lider Tecnico

Severity: HIGH

Closed: Thu, 29 Jan 2026 17:49:07 UTC

Comments

Add Comment

Comments	Updated By	Posted
This service request is closed. Uploaded files...	✓ Oracle	Sun, 11 Jan 2026 15:27:13 UTC
Closing this SR due to customer unavailability for 2 weeks....	✓ Oracle	Mon, 05 Jan 2026 15:17:52 UTC
EMAIL Alert sent:...	✓ Oracle	Fri, 28 Dec 2025 14:33:12 UTC
Hello,...	✓ Oracle	Fri, 28 Dec 2025 14:27:08 UTC

Un nuevo caso asociado con el cual por parte de Oracle-ACS se nos entrega como conclusión final la limitante técnica expuesta: **SR: 4-0001790362 Unable create PDB on Container DB**

Search resources, services, documentation, and Marketplace

US East (Ash)

Support Requests • Support Request Details

R

QUESTED

Unable create PDB on Container DB

Description:

We want create a PDB on our CDB but when we press the button for create the PDB appear the next error:

The pluggable database operation is not allowed.
The Data Guard information in the database is missing OCID details of the peer database(s).
Update database to a more recent version to fix the issue or contact Oracle Support by creating a Service Request.
opc-requestId:
csld1510950148eab0110efdfb29db74/ECBC08F807502D27831C1BD5504B2460/E19D8813C10AA2273F2C8D5974C67BF9

Close Ticket

Support Request Information

Issue Number:

4-0001790362

Support Request Type:

Technical Support

OCID:

...325133

Opened:

Tue, 13 Jan 2026 19:58:08 UTC

User Group Name:

22504140

User Group Name: 22694140

Primary Contact: Lider Tecnico

Severity: HIGH

Closed: Thu, 29 Jan 2026 20:52:06 UTC

Comments		
Add Comment		
Comments	Updated By	Posted
Customer has requested to close the SR with the following reason:...	✓ Customer	Thu, 22 Jan 2026 14:27:23 UTC
EMAIL Alert sent:...	✓ Oracle	Mon, 19 Jan 2026 20:23:09 UTC
Hi,...	✓ Oracle	Mon, 19 Jan 2026 20:18:12 UTC
We load the file: DataGuardGroupError.jpg...	✓ Customer	Mon, 19 Jan 2026 14:45:14 UTC
EMAIL Alert sent:...	✓ Oracle	Thu, 15 Jan 2026 23:26:07 UTC

Hi,

+ The newest Patch (23ai 23.26): Now exposes the "Data Guard Group" tab and enforces checks on Data Guard metadata that it expects to be Cloud-managed

+ The region metadata for your Standby is wrong ("us-ashburn-1" instead of Bogotá) because Cloud tools weren't used to build the Data Guard relationship.

+ As a result, you can't create new PDBs on the CDB due to missing/wrong OCID and region data in Oracle's cloud metadata backend.

+ Oracle's current cloud tooling/hybrid integrations require valid and matching Data Guard metadata for any operations that change CDB topology (like PDB creates/drops).

Manual/traditional Data Guard doesn't sync these values, so recent patches (especially 23ai*) now block these operations to prevent configuration drift and possible data integrity issues.

Oracle

Mon, 19 Jan 2026 20:18:12 UTC

Regards,

Mahendher



A pesar de las conclusiones del analista Oracle- Colombia pidió abrir los siguientes SR para poder evaluar nuevamente alternativas: [SR 4-0001920964 Console Error Exacs Cloud Service](#) y el [SR 4-0001921045 Error Create PDB on exacc with Replication DG on exaccs](#)

Issue Summary	SR Number	Migrated SR Number	User Group Name	Status	Severity	Updated
Console Error Exacs Cloud Service	4-0001920964	-	22694140	Pending with Oracle	Significant	Sat, 31 Jan 2026 14:19:33 UTC
Error Create PDB on exacc with Replication DG on exaccs	4-0001921045	-	22694140	Pending with Oracle	Standard	Thu, 29 Jan 2026 21:01:29 UTC

2.6 Se revisa a nivel lógico los umbrales de cada uno de los diskgroup que soportan los datos de cada una de las bases de datos productivas, los cuales sus recursos son satisfactorios.

172.29.22.11		172.29.22.13		
CDB1ADM1/SIATHPRO		CDB1ADM1/SIATHPRO		
TOTAL DB USADO DB	OCTUBRE	NOVIEMBRE	DICIEMBRE	ENERO
	GB 4.583	GB 4.593	GB 4.598	GB 4.658
	GB 3.550	GB 3.564	GB 3.572	GB 4.645
<div><div>ESPACIO BASE DE DATOS SIATHPRO</div><div><div><div>GB 5.000</div><div>GB 0</div></div><div><div><div>OCTUBRE</div><div>NOVIEMBRE</div><div>DICIEMBRE</div><div>ENERO</div></div><div><div>TOTAL DB</div><div>USADO DB</div></div></div></div></div>				
Ejecutándose correctamente en puerto 1530				
Ninguno supera el umbral del 75% de uso				
Los backups se ejecutan con normalidad;				
Los backups se ejecutan con normalidad				
Sincronizado a la última secuencia				
Ninguna característica utilizada fuera de los parámetros				
El almacenamiento no excede los parámetros normales				
Los chequeos muestran un estado óptimo				

172.29.22.11		172.29.22.13			
CDB1ADM1/NOMIPROAI		CDB1ADM1/NOMIPROAI			
TOTAL DB USADO DB	OCTUBRE	NOVIEMBRE	DICIEMBRE	ENERO	
	GB 3.700	GB 3.707	GB 3.713	GB 3.731	
	GB 2.750	GB 2.786	GB 2.806	GB 2.915	



Ninguno supera el umbral del 75% de uso
Los backups se ejecutan con normalidad;
Los backups se ejecutan con normalidad
Sincronizado a la última secuencia
Ninguna característica utilizada fuera de los parámetros
El almacenamiento no excede los parámetros normales
Los chequeos muestran un estado óptimo

172.29.22.11		172.29.22.13	
CDB1OPER/SICAD1		CDB1OPER/SICAD2	

TOTAL DB USADO DB	OCTUBRE	NOVIEMBRE	DICIEMBRE	ENERO
	GB 169	GB 169	GB 169	GB 169
	GB 123	GB 120	GB 121	GB 121

ESPACIO BASE DE DATOS SICAD

Month	TOTAL DB (GB)	USADO DB (GB)
OCTUBRE	169	123
NOVIEMBRE	169	120
DICIEMBRE	169	121
ENERO	169	121

Ejecutándose correctamente en puerto 1530
Ninguno supera el umbral del 75% de uso
Los backups se ejecutan con normalidad;
Los backups se ejecutan con normalidad
Sincronizado a la última secuencia
Ninguna característica utilizada fuera de los parámetros
El almacenamiento no excede los parámetros normales
Los chequeos muestran un estado óptimo

172.29.22.11	172.29.22.13
--------------	--------------


CDB1OPER / SUITEV		CDB1OPER / SUITEV			
TOTAL DB USADO DB	OCTUBRE	NOVIEMBRE	DICIEMBRE	ENERO	
	GB 365	GB 369	GB 369	GB 369	
	GB 332	GB 338	GB 339	GB 341	

ESPACIO BASE DE DATOS SUITEV

Month	TOTAL DB (GB)	USADO DB (GB)
OCTUBRE	365	332
NOVIEMBRE	369	338
DICIEMBRE	369	339
ENERO	369	341

Ejecutándose correctamente en puerto 1530
Ninguno supera el umbral del 75% de uso
Los backups se ejecutan con normalidad;
Los backups se ejecutan con normalidad
Sincronizado a la última secuencia
Ninguna característica utilizada fuera de los parámetros
El almacenamiento no excede los parámetros normales
Los chequeos muestran un estado óptimo

172.29.22.11		172.29.22.13			
CDB2OPER / CGRDB		CDB2OPER / CGRDB			
TOTAL DB USADO DB	OCTUBRE	NOVIEMBRE	DICIEMBRE	ENERO	
	GB 161	GB 166	GB 167	GB 171	
	GB 138	GB 139	GB 140	GB 140	



2.7 Se revisa el espacio lógico de cada uno de los filesystem a nivel de los servidores de base de datos y sus recursos son satisfactorios.

Estado del Servidor exaccqcnmdn01-db01

Información del Servidor

Static hostname: exaccqcnmdn01-db01
Icon name: computer-vm
Chassis: vm
Machine ID: 4cf2799ae2bd498eb15ad9dalaabcd05
Boot ID: 19066a6fe12346449de7d649a118a49b
Virtualization: kvm
Operating System: Oracle Linux Server 8.10
CPE OS Name: cpe:/o:oracle:linux:8:10:server
Kernel: Linux 5.15.0-308.179.6.16.el8uek.x86_64
Architecture: x86-64

Información del Procesamiento del Servidor

top - 14:30:31 up 48 days, 18:10, 2 users, load average: 7.90, 9.10, 9.47
Tasks: 3548 total, 3 running, 3545 sleeping, 0 stopped, 0 zombie
%Cpu(s): 9.8 us, 6.2 sy, 0.0 ni, 83.6 id, 0.0 wa, 0.0 hi, 0.3 si, 0.0 st

MiB Mem : 354821.7 total, 13516.5 free, 210534.2 used, 130771.0 buff/cache
MiB Swap: 16384.0 total, 3.9 free, 16380.1 used. 128545.9 avail Mem

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
7152	oracle	20	0	93.2g	154292	125368	R	104.2	0.0	72:04.28	oracle_7+
26534	oracle	20	0	91.4g	137768	119948	R	95.8	0.0	0:16.16	oracle_2+
28620	grid	20	0	53776	7996	3456	R	37.5	0.0	0:00.10	top
279266	root	20	0	7561268	87248	2184	S	33.3	0.0	6080:36	ragent
49647	oracle	20	0	90.6g	91872	90480	S	12.5	0.0	581:38.01	ora_dbrm+
10892	root	20	0	1700092	12052	6760	S	8.3	0.0	753:08.97	ragentct+
28611	root	20	0	10356	3240	2756	S	8.3	0.0	0:00.02	get_db_a+
8289	root	20	0	12004	2912	2656	S	4.2	0.0	56:32.61	bash

Información del Espacio del Servidor

Filesystem	Size	Used	Avail	Use%
Mounted on				
devtmpfs	172G	0	172G	0%
/dev				
tmpfs	347G	7.8G	339G	3%
/dev/shm				
tmpfs	172G	13M	172G	1%
/run				
tmpfs	172G	0	172G	0%
/sys/fs/cgroup				
/dev/mapper/VGExaDb-LVDbSys1	15G	8.3G	6.7G	56%
/				
/dev/mapper/VGExaDbDisk.u01.20.img-LVDBDisk	20G	11G	9.0G	56%
/u01				
/dev/mapper/VGExaDb-LVDbKdump	20G	2.4G	18G	12%
/crashfiles				
/dev/sda1	412M	133M	280M	33%
/boot				
/dev/mapper/VGExaDb-LVDbTmp	3.0G	62M	2.9G	3%
/tmp				
/dev/mapper/VGExaDb-LVDbVar1	5.0G	2.0G	3.0G	40%
/var				
/dev/mapper/VGExaDbDisk.u02_extra.img-LVDBDisk	540G	82G	435G	16%
/u02				
/dev/mapper/VGExaDbDisk.grid19.0.0.0.230718.img-LVDBDisk	50G	12G	38G	24%
/u01/app/19.0.0.0/grid				
/dev/mapper/VGExaDb-LVDbVarLog	18G	3.3G	15G	19%
/var/log				
/dev/mapper/VGExaDb-LVDbVarLogAudit	3.0G	186M	2.8G	7%
/var/log/audit				
/dev/mapper/VGExaDb-LVDbHome	4.0G	88M	4.0G	3%
/home				
FILEORACLESVR01:/EXADATABACKUP	6.0T	5.9T	165G	98%
/backups				
oracle_clusterware	128M	5.2M	123M	4%
/u01/app/grid/crsdata/exaccqcnmdn01-db01/shm				
/dev/asm/acfsvol01-107	6.0T	4.2T	1.9T	70%
/acfs01				
tmpfs	35G	0	35G	0%
/run/user/1001				

tmpfs	35G	0	35G	0%
/run/user/1000				
tmpfs	35G	0	35G	0%
/run/user/0				
tmpfs	35G	0	35G	0%
/run/user/2000				

Información de la Memoria RAM del Servidor

	total	used	free	shared	buff/cache	available
Mem:	346	205	13	7	127	125
Swap:	15	15	0			

Servicios de las Bases de Datos del Servidor

grid	28937	28486	0	14:30	pts/1	00:00:00	/bin/sh -c ps -fea grep
pmon							
grid	28942	28937	0	14:30	pts/1	00:00:00	grep pmon
grid	41544	1	0	2025	?	00:15:58	asm_pmon_+ASM1
grid	43205	1	0	2025	?	00:09:53	apx_pmon_+APX1
oracle	47480	1	0	2025	?	00:37:11	ora_pmon_cdb2oper1
oracle	47481	1	0	2025	?	00:37:31	ora_pmon_cdb3oper1
oracle	47496	1	0	2025	?	00:37:43	ora_pmon_cdb2adml
oracle	47538	1	0	2025	?	00:34:32	ora_pmon_cdb9oper1
oracle	48633	1	0	2025	?	00:07:32	ora_pmon_cdb1oper1
oracle	48795	1	0	2025	?	00:11:47	ora_pmon_cdb1adml

Estado del Servidor exaccqcnmdn01-db02

Información del Servidor

Static hostname: exaccqcnmdn01-db02
Icon name: computer-vm
Chassis: vm
Machine ID: 550a82df83af445192375dcfed85ca6a
Boot ID: c5650df8cc634cc4ba5f73ad8efdde30
Virtualization: kvm
Operating System: Oracle Linux Server 8.10
CPE OS Name: cpe:/o:oracle:linux:8:10:server
Kernel: Linux 5.15.0-308.179.6.16.el8uek.x86_64
Architecture: x86-64

Información del Procesamiento del Servidor

top - 14:32:26 up 48 days, 17:20, 2 users, load average: 6.89, 5.04, 4.93
Tasks: 3158 total, 8 running, 3150 sleeping, 0 stopped, 0 zombie
%Cpu(s): 27.0 us, 6.3 sy, 0.0 ni, 66.2 id, 0.0 wa, 0.0 hi, 0.4 si, 0.0 st
MiB Mem : 354821.7 total, 90008.7 free, 224923.4 used, 39889.5 buff/cache
MiB Swap: 16384.0 total, 16384.0 free, 0.0 used. 113537.9 avail Mem

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
204030	grid	20	0	7750028	283820	19444	S	445.8	0.1	0:04.55	java
151491	oracle	20	0	93.0g	255968	118480	R	95.8	0.1	3:12.43	oracle_1+
189333	oracle	20	0	92.9g	134524	117420	R	91.7	0.0	0:42.21	oracle_1+
49867	oracle	20	0	15.9g	414000	341068	R	87.5	0.1	862:52.76	ora_ppa7+
204241	root	20	0	112060	31684	10804	R	79.2	0.0	0:00.19	python3
204157	grid	20	0	53216	7540	3516	R	37.5	0.0	0:00.15	top
100244	oracle	20	0	92.9g	126280	115268	R	16.7	0.0	4:15.24	oracle_1+
292569	root	20	0	7561236	106548	11952	S	16.7	0.0	1961:12	ragent

Información del Espacio del Servidor

Filesystem	Size	Used	Avail	Use%
Mounted on				
devtmpfs	172G	0	172G	0%
/dev				
tmpfs	347G	7.7G	339G	3%
/dev/shm				
tmpfs	172G	13M	172G	1%
/run				
tmpfs	172G	0	172G	0%
/sys/fs/cgroup				
/dev/mapper/VGExaDb-LVDbSys1	15G	8.0G	7.0G	54%
/				
/dev/mapper/VGExaDbDisk.u01.20.img-LVDBDisk	20G	12G	8.2G	59%
/u01				
/dev/mapper/VGExaDb-LVDbVar1	5.0G	1.8G	3.2G	37%
/var				
/dev/mapper/VGExaDb-LVDbKdump	20G	175M	20G	1%
/crashfiles				
/dev/sdcl	412M	133M	280M	33%
/boot				
/dev/mapper/VGExaDb-LVDbTmp	3.0G	57M	2.9G	2%
/tmp				
/dev/mapper/VGExaDbDisk.u02_extra.img-LVDBDisk	540G	86G	432G	17%
/u02				
/dev/mapper/VGExaDbDisk.grid19.0.0.0.230718.img-LVDBDisk	50G	12G	38G	24%
/u01/app/19.0.0.0/grid				
/dev/mapper/VGExaDb-LVDbVarLog	18G	2.2G	16G	12%
/var/log				
/dev/mapper/VGExaDb-LVDbVarLogAudit	3.0G	155M	2.8G	6%
/var/log/audit				
/dev/mapper/VGExaDb-LVDbHome	4.0G	77M	4.0G	2%
/home				
oracle_clusterware	128M	4.9M	124M	4%
/u01/app/grid/crsdata/exaccqcnmdn01-db02/shm				
/dev/asm/acfsvol01-107	6.0T	3.6T	2.5T	60%
/acfs01				
tmpfs	35G	0	35G	0%
/run/user/1001				
tmpfs	35G	0	35G	0%
/run/user/1000				
tmpfs	35G	0	35G	0%
/run/user/2000				
tmpfs	35G	0	35G	0%
/run/user/0				

Información de la Memoria RAM del Servidor

	total	used	free	shared	buff/cache	available
Mem:	346	219	87	7	38	110
Swap:	15	0	15			

Servicios de las Bases de Datos del Servidor

grid	40782	1	0	2025	?	00:15:36	asm_pmon_+ASM2
grid	42814	1	0	2025	?	00:09:38	apx_pmon_+APX2
oracle	47525	1	0	2025	?	00:36:24	ora_pmon_cdb3oper2
oracle	47526	1	0	2025	?	00:35:47	ora_pmon_cdb2oper2
oracle	47530	1	0	2025	?	00:36:32	ora_pmon_cdb2adm2
oracle	47605	1	0	2025	?	00:34:50	ora_pmon_cdb9oper2
oracle	48749	1	0	2025	?	00:07:17	ora_pmon_cdb1oper2
oracle	48839	1	0	2025	?	00:10:42	ora_pmon_cdb1adm2
grid	204281	204144	0	14:32	pts/1	00:00:00	/bin/sh -c ps -fea grep pmon
grid	204283	204281	0	14:32	pts/1	00:00:00	grep pmon

Estado del Servidor exaccqcnmdn01-db03

Información del Servidor

Static hostname: exaccqcnmdn01-db03
Icon name: computer-vm
Chassis: vm
Machine ID: 1271415791524a90afb58e5dfb41519c
Boot ID: f98689b4baa746b3aa6095bac3f77737
Virtualization: kvm
Operating System: Oracle Linux Server 8.10
CPE OS Name: cpe:/o:oracle:linux:8:10:server
Kernel: Linux 5.15.0-308.179.6.16.el8uek.x86_64
Architecture: x86-64

Información del Procesamiento del Servidor

top - 19:32:43 up 48 days, 18:12, 2 users, load average: 4.52, 3.82, 3.21
Tasks: 1991 total, 3 running, 1988 sleeping, 0 stopped, 0 zombie
%Cpu(s): 3.6 us, 26.4 sy, 0.0 ni, 69.6 id, 0.4 wa, 0.0 hi, 0.0 si, 0.0 st
MiB Mem : 186165.8 total, 52764.3 free, 117492.7 used, 15908.9 buff/cache
MiB Swap: 16384.0 total, 8243.8 free, 8140.2 used. 57326.1 avail Mem

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
85	root	20	0	0	0	0	R	100.0	0.0	22033:35	kcompact+
86	root	20	0	0	0	0	R	100.0	0.0	23614:53	kcompact+
11840	grid	20	0	52008	6360	3620	R	25.0	0.0	0:00.06	top
3226	oracle	0	-20	8647088	166348	161312	S	10.0	0.1	40:27.83	ora_vktm+
44303	root	-30	0	1331824	220964	146092	S	5.0	0.1	3087:30	osysmond+
47356	oracle	20	0	8664864	153468	152564	S	5.0	0.1	375:13.91	ora_dial+

47452	oracle	0	-20	8929004	153152	151984	S	5.0	0.1	108:31.85	ora_lmhb+
49791	oracle	20	0	9177120	89584	87740	S	5.0	0.0	253:42.67	ora_dbrm+

Información del Espacio del Servidor

Filesystem	Size	Used	Avail	Use%
Mounted on				
devtmpfs	91G	0	91G	0%
/dev				
tmpfs	182G	4.1G	178G	3%
/dev/shm				
tmpfs	91G	13M	91G	1%
/run				
tmpfs	91G	0	91G	0%
/sys/fs/cgroup				
/dev/mapper/VGExaDb-LVDbSys1	15G	7.6G	7.4G	51%
/				
/dev/mapper/VGExaDb-LVDbKdump	20G	175M	20G	1%
/crashfiles				
/dev/mapper/VGExaDbDisk.u01.20.img-LVDBDisk	20G	12G	8.4G	59%
/u01				
/dev/mapper/VGExaDb-LVDbVar1	5.0G	2.3G	2.7G	46%
/var				
/dev/sda1	412M	133M	280M	33%
/boot				
/dev/mapper/VGExaDb-LVDbTmp	3.0G	63M	2.9G	3%
/tmp				
/dev/mapper/VGExaDbDisk.u02_extra.img-LVDBDisk	194G	120G	65G	66%
/u02				
/dev/mapper/VGExaDbDisk.grid19.0.0.0.231017.img-LVDBDisk	50G	12G	38G	24%
/u01/app/19.0.0.0/grid				
/dev/mapper/VGExaDb-LVDbVarLog	18G	3.5G	15G	20%
/var/log				
/dev/mapper/VGExaDb-LVDbVarLogAudit	3.0G	183M	2.8G	7%
/var/log/audit				
/dev/mapper/VGExaDb-LVDbHome	4.0G	3.2G	882M	79%
/home				
FILEORACLESVR01:/EXADATABACKUP_DEPU	2.0T	1.2T	905G	56%
/backups_depu				
FILEORACLESVR01:/EXADATABACKUP	6.0T	5.3T	739G	88%
/backups				
oracle_clusterware	128M	5.2M	123M	4%
/u01/app/grid/crsdata/exaccqcnmdn01-db03/shm				
/dev/asm/acfsvol01-264	6.0T	2.7T	3.4T	44%
/acfs01				
tmpfs	19G	0	19G	0%
/run/user/2000				
tmpfs	19G	0	19G	0%
/run/user/1001				
tmpfs	19G	0	19G	0%
/run/user/1000				
tmpfs	19G	0	19G	0%
/run/user/0				

Información de la Memoria RAM del Servidor

	total	used	free	shared	buff/cache	available
Mem:	181	114	51	3	15	55
Swap:	15	7	8			

Servicios de las Bases de Datos del Servidor

oracle	3202	1	0	Jan27 ?	00:02:08	ora_pmon_cdb6pru1
grid	11876	11814	0	19:32 pts/1	00:00:00	/bin/sh -c ps -fea grep
pmon						
grid	11878	11876	0	19:32 pts/1	00:00:00	grep pmon
grid	41398	1	0	2025 ?	00:15:18	asm_pmon_+ASM1
grid	45395	1	0	2025 ?	00:10:14	apx_pmon_+APX1
oracle	47086	1	0	2025 ?	00:28:35	ora_pmon_cdb1des1
oracle	48306	1	0	2025 ?	00:07:11	ora_pmon_cdb2des1
oracle	48523	1	0	2025 ?	00:06:21	ora_pmon_cdb2pru1
oracle	287189	1	0	Jan19 ?	00:05:21	ora_pmon_cdb1pru1

Estado del Servidor exaccqcnmdn01-db04

Información del Servidor

Static hostname: exaccqcnmdn01-db04
Icon name: computer-vm
Chassis: vm
Machine ID: 6fe9f5eb03de4f1a9d9cff794e662a73
Boot ID: 64afb07daf9f461091d0b65cfb7c33bc
Virtualization: kvm
Operating System: Oracle Linux Server 8.10
CPE OS Name: cpe:/o:oracle:linux:8:10:server
Kernel: Linux 5.15.0-308.179.6.16.el8uek.x86_64
Architecture: x86-64

Información del Procesamiento del Servidor

top - 19:33:08 up 48 days, 17:20, 2 users, load average: 1.36, 1.07, 1.07
Tasks: 1670 total, 1 running, 1669 sleeping, 0 stopped, 0 zombie
%Cpu(s): 3.8 us, 4.3 sy, 0.0 ni, 91.9 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st
MiB Mem : 186165.8 total, 40151.8 free, 118756.2 used, 27257.7 buff/cache
MiB Swap: 16384.0 total, 16384.0 free, 0.0 used. 57264.5 avail Mem

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
327981	grid	20	0	51596	6064	3592	R	25.0	0.0	0:00.08	top
48734	oracle	20	0	12.8g	104916	95536	S	15.0	0.1	683:44.36	ora_dbrm+
52542	oracle	20	0	9184816	136136	118676	S	5.0	0.1	112:06.70	ora_cjq0+
271923	oracle	20	0	13.0g	110640	101244	S	5.0	0.1	1:29.33	ora_w00f+
312864	oracle	20	0	9518660	328512	273744	S	5.0	0.2	4:30.89	ora_scmn+
1	root	20	0	242296	13084	8088	S	0.0	0.0	236:37.19	systemd
2	root	20	0	0	0	0	S	0.0	0.0	1:48.21	kthreadd

Información del Espacio del Servidor

Filesystem	Size	Used	Avail	Use%
Mounted on				
devtmpfs	91G	0	91G	0%
/dev				
tmpfs	182G	2.3G	180G	2%
/dev/shm				
tmpfs	91G	12M	91G	1%
/run				
tmpfs	91G	0	91G	0%
/sys/fs/cgroup				
/dev/mapper/VGExaDb-LVDbSys1	15G	7.2G	7.8G	48%
/				
/dev/mapper/VGExaDbDisk.u01.20.img-LVDBDisk	20G	12G	8.0G	61%
/u01				
/dev/sda1	412M	133M	280M	33%
/boot				
/dev/mapper/VGExaDb-LVDbKdump	20G	175M	20G	1%
/crashfiles				
/dev/mapper/VGExaDbDisk.u02_extra.img-LVDBDisk	194G	110G	75G	60%
/u02				
/dev/mapper/VGExaDb-LVDbTmp	3.0G	57M	2.9G	2%
/tmp				
/dev/mapper/VGExaDb-LVDbVar1	5.0G	2.3G	2.7G	46%
/var				
/dev/mapper/VGExaDbDisk.grid19.0.0.0.231017.img-LVDBDisk	50G	12G	39G	24%
/u01/app/19.0.0.0/grid				
/dev/mapper/VGExaDb-LVDbVarLog	18G	2.3G	16G	13%
/var/log				
/dev/mapper/VGExaDb-LVDbVarLogAudit	3.0G	175M	2.8G	6%
/var/log/audit				
/dev/mapper/VGExaDb-LVDbHome	4.0G	77M	4.0G	2%
/home				
oracle_clusterware	128M	4.9M	124M	4%
/u01/app/grid/crsdata/exaccqcnmdn01-db04/shm				
/dev/asm/acfsvol01-264	6.0T	2.7T	3.4T	44%
/acfs01				
tmpfs	19G	0	19G	0%
/run/user/1001				
tmpfs	19G	0	19G	0%
/run/user/1000				
tmpfs	19G	0	19G	0%
/run/user/2000				

Información de la Memoria RAM del Servidor

	total	used	free	shared	buff/cache	available
Mem:	181	115	39	2	26	55
Swap:	15	0	15			

Servicios de las Bases de Datos del Servidor

grid	40048	1	0	2025 ?	00:14:47	asm_pmon_+ASM2
grid	44152	1	0	2025 ?	00:09:41	apx_pmon_+APX2
oracle	47181	1	0	2025 ?	00:26:35	ora_pmon_cdb1des2
oracle	48257	1	0	2025 ?	00:05:56	ora_pmon_cdb2pru2
oracle	48330	1	0	2025 ?	00:06:23	ora_pmon_cdb2des2
oracle	311270	1	0	Jan27 ?	00:02:02	ora_pmon_cdb6pru2
grid	327985	327972	0	19:33 pts/1	00:00:00	/bin/sh -c ps -fea grep
pmon						
grid	327987	327985	0	19:33 pts/1	00:00:00	grep pmon

2.8 Se realiza revisión de los aler.log, listener y servicios de RAC de cada uno de los servidores de base de datos, los cuales operan con normalidad.

Estado del Servidor exaccqcnmdn01-db01

Información del Servidor

Static hostname: exaccqcnmdn01-db01
Icon name: computer-vm
Chassis: vm
Machine ID: 4cf2799ae2bd498eb15ad9dalaabcd05
Boot ID: 19066a6fel2346449de7d649a118a49b
Virtualization: kvm
Operating System: Oracle Linux Server 8.10
CPE OS Name: cpe:/o:oracle:linux:8:10:server
Kernel: Linux 5.15.0-308.179.6.16.el8uek.x86_64
Architecture: x86-64

Servicio de Listener de los Nodos de BD

Listener LISTENER is enabled
Listener LISTENER is running on node(s): exaccqcnmdn01-db02, exaccqcnmdn01-db01

Estado General del Listener de las BD

Copyright (c) 1991, 2025, Oracle. All rights reserved.

Connecting to (DESCRIPTION=(ADDRESS=(PROTOCOL=IPC)(KEY=LISTENER)))
STATUS of the LISTENER

Alias LISTENER
Version TNSLSNR for Linux: Version 23.26.0.0.0 - for Oracle
Cloud and Engineered Systems
Start Date 12-DEC-2025 20:21:00
Uptime 48 days 18 hr. 9 min. 31 sec
Trace Level off
Security ON: Local OS Authentication
SNMP OFF

Listener	Parameter	File
/u02/app/23.0.0.0/gridhome_1/network/admin/listener.ora		
Listener Log File	/u01/app/grid/diag/tnslsnr/exaccqcnmdn01-	
db01/listener/alert/log.xml		

Listening Endpoints Summary...
(DESCRIPTION=(ADDRESS=(PROTOCOL=ipc)(KEY=LISTENER)))
(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=172.29.22.12)(PORT=1530)))
(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=exaccqcnmdn01-
db01.mindefensa.col)(PORT=8080))(Presentation=HTTP)(Session=RAW))
(DESCRIPTION=(ADDRESS=(PROTOCOL=tcps)(HOST=172.29.22.12)(PORT=2484)))
(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=172.29.22.11)(PORT=1530)))

Services Summary...
Service "+APX" has 1 instance(s).
Instance "+APX1", status READY, has 1 handler(s) for this service...
Service "+ASM" has 1 instance(s).
Instance "+ASM1", status READY, has 1 handler(s) for this service...
Service "+ASM_DATA1" has 1 instance(s).
Instance "+ASM1", status READY, has 1 handler(s) for this service...
Service "+ASM_RECOC1" has 1 instance(s).
Instance "+ASM1", status READY, has 1 handler(s) for this service...
Service "0f39de50b35a3b53e0638a5346646d89.mindefensa.col" has 2 instance(s).
Instance "cdbladml", status READY, has 1 handler(s) for this service...
Instance "cdbloper1", status READY, has 1 handler(s) for this service...
Service "155bacaa082ab0b2e0630b161daca576.mindefensa.col" has 1 instance(s).
Instance "cdbloper1", status READY, has 1 handler(s) for this service...
Service "155c7df48d73d504e0630b161dace6ca.mindefensa.col" has 1 instance(s).
Instance "cdbloper1", status READY, has 1 handler(s) for this service...
Service "1575da2b54ed901ae0630b161dacfabf.mindefensa.col" has 1 instance(s).
Instance "cdbladml", status READY, has 1 handler(s) for this service...
Service "2d8b2d673caf1f7fe0638d0bf40a847e.mindefensa.col" has 1 instance(s).
Instance "cdb3oper1", status READY, has 1 handler(s) for this service...
Service "35950cd5b511adcde0630b161dac4548.mindefensa.col" has 1 instance(s).
Instance "cdb3oper1", status READY, has 1 handler(s) for this service...
Service "3684610c8dd5b474e0630b161dac65fa.mindefensa.col" has 1 instance(s).
Instance "cdb3oper1", status READY, has 1 handler(s) for this service...
Service "3a05faa305fb90ebe063015346649f19.mindefensa.col" has 2 instance(s).
Instance "cdb2adml", status READY, has 1 handler(s) for this service...
Instance "cdb2oper1", status READY, has 1 handler(s) for this service...
Service "3d3457ebf1511ad2e0630b161dac0686.mindefensa.col" has 1 instance(s).
Instance "cdb2oper1", status READY, has 1 handler(s) for this service...
Service "3d34afde2d49ba85e0630b161dacabcc.mindefensa.col" has 1 instance(s).

Instance "cdb2oper1", status READY, has 1 handler(s) for this service...
 Service "3d95587e7a50b675e0630b161dac986f.mindefensa.col" has 1 instance(s).
 Instance "cdb2adml", status READY, has 1 handler(s) for this service...
 Service "40b664cf931a20c0e0635907f40a6505.mindefensa.col" has 1 instance(s).
 Instance "cdb9oper1", status READY, has 1 handler(s) for this service...
 Service "45a00f3969db0498e0630b161dac3abe.mindefensa.col" has 1 instance(s).
 Instance "cdb9oper1", status READY, has 1 handler(s) for this service...
 Service "SYS\$SYS.SCHEDULER\$_EVENT_QUEUE.SIATH" has 1 instance(s).
 Instance "cdbladml", status READY, has 1 handler(s) for this service...
 Service "cdbladmXDB.mindefensa.col" has 1 instance(s).
 Instance "cdbladml", status READY, has 1 handler(s) for this service...
 Service "cdbladm_CFG.mindefensa.col" has 1 instance(s).
 Instance "cdbladml", status READY, has 1 handler(s) for this service...
 Service "cdbladm_SIATHPRO.paas.oracle.com" has 1 instance(s).
 Instance "cdbladml", status READY, has 1 handler(s) for this service...
 Service "cdbladm_pro.mindefensa.col" has 1 instance(s).
 Instance "cdbladml", status READY, has 1 handler(s) for this service...
 Service "cdbloperXDB.mindefensa.col" has 1 instance(s).
 Instance "cdbloper1", status READY, has 1 handler(s) for this service...
 Service "cdbloper_CFG.mindefensa.col" has 1 instance(s).
 Instance "cdbloper1", status READY, has 1 handler(s) for this service...
 Service "cdbloper_SICAD.paas.oracle.com" has 1 instance(s).
 Instance "cdbloper1", status READY, has 1 handler(s) for this service...
 Service "cdbloper_SUITEV.paas.oracle.com" has 1 instance(s).
 Instance "cdbloper1", status READY, has 1 handler(s) for this service...
 Service "cdbloper_pro.mindefensa.col" has 1 instance(s).
 Instance "cdbloper1", status READY, has 1 handler(s) for this service...
 Service "cdb2admXDB.mindefensa.col" has 1 instance(s).
 Instance "cdb2adml", status READY, has 1 handler(s) for this service...
 Service "cdb2adm_CFG.mindefensa.col" has 1 instance(s).
 Instance "cdb2adml", status READY, has 1 handler(s) for this service...
 Service "cdb2adm_NOMIPROAI.paas.oracle.com" has 1 instance(s).
 Instance "cdb2adml", status READY, has 1 handler(s) for this service...
 Service "cdb2adm_pro.mindefensa.col" has 1 instance(s).
 Instance "cdb2adml", status READY, has 1 handler(s) for this service...
 Service "cdb2operXDB.mindefensa.col" has 1 instance(s).
 Instance "cdb2oper1", status READY, has 1 handler(s) for this service...
 Service "cdb2oper_CFG.mindefensa.col" has 1 instance(s).
 Instance "cdb2oper1", status READY, has 1 handler(s) for this service...
 Service "cdb2oper_SOAPROAI.paas.oracle.com" has 1 instance(s).
 Instance "cdb2oper1", status READY, has 1 handler(s) for this service...
 Service "cdb2oper_WLSPROAI.paas.oracle.com" has 1 instance(s).
 Instance "cdb2oper1", status READY, has 1 handler(s) for this service...
 Service "cdb2oper_pro.mindefensa.col" has 1 instance(s).
 Instance "cdb2oper1", status READY, has 1 handler(s) for this service...
 Service "cdb3operXDB.mindefensa.col" has 1 instance(s).
 Instance "cdb3oper1", status READY, has 1 handler(s) for this service...
 Service "cdb3oper_CFG.mindefensa.col" has 1 instance(s).
 Instance "cdb3oper1", status READY, has 1 handler(s) for this service...
 Service "cdb3oper_CGRDB.paas.oracle.com" has 1 instance(s).
 Instance "cdb3oper1", status READY, has 1 handler(s) for this service...
 Service "cdb3oper_GCPDB.paas.oracle.com" has 1 instance(s).
 Instance "cdb3oper1", status READY, has 1 handler(s) for this service...
 Service "cdb3oper_pro.mindefensa.col" has 1 instance(s).
 Instance "cdb3oper1", status READY, has 1 handler(s) for this service...
 Service "cdb9operXDB.mindefensa.col" has 1 instance(s).
 Instance "cdb9oper1", status READY, has 1 handler(s) for this service...

Service "cdb9oper_4vv_iad.mindefensa.col" has 1 instance(s).
Instance "cdb9oper1", status READY, has 1 handler(s) for this service...
Service "cdb9oper_SUITEVPROAI.paas.oracle.com" has 1 instance(s).
Instance "cdb9oper1", status READY, has 1 handler(s) for this service...
Service "cgrdb.mindefensa.col" has 1 instance(s).
Instance "cdb3oper1", status READY, has 1 handler(s) for this service...
Service "gcpdb.mindefensa.col" has 1 instance(s).
Instance "cdb3oper1", status READY, has 1 handler(s) for this service...
Service "nomiproai.mindefensa.col" has 1 instance(s).
Instance "cdb2adm1", status READY, has 1 handler(s) for this service...
Service "siathpro.mindefensa.col" has 1 instance(s).
Instance "cdb1adm1", status READY, has 1 handler(s) for this service...
Service "sicad.mindefensa.col" has 1 instance(s).
Instance "cdbloper1", status READY, has 1 handler(s) for this service...
Service "soaproai.mindefensa.col" has 1 instance(s).
Instance "cdb2oper1", status READY, has 1 handler(s) for this service...
Service "suitev.mindefensa.col" has 1 instance(s).
Instance "cdbloper1", status READY, has 1 handler(s) for this service...
Service "suitevproai.mindefensa.col" has 1 instance(s).
Instance "cdb9oper1", status READY, has 1 handler(s) for this service...
Service "wlsproai.mindefensa.col" has 1 instance(s).
Instance "cdb2oper1", status READY, has 1 handler(s) for this service...
The command completed successfully

Estado General del Cluster de las BD

Name	Target	State	Server	State details
Local Resources				
ora.DATA1.ACFSVOL01.advm				
	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.LISTENER.lsnr				
	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.chad				
	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.data1.acfsvol01.acfs				
	ONLINE	ONLINE	exaccqcnmdn01-db01	mounted on /acfs01,S
TABLE				
	ONLINE	ONLINE	exaccqcnmdn01-db02	mounted on /acfs01,S
TABLE				
ora.helper				
	OFFLINE	OFFLINE	exaccqcnmdn01-db01	STABLE
	OFFLINE	OFFLINE	exaccqcnmdn01-db02	IDLE, STABLE
ora.net1.network				
	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE

ora.ons	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.proxy_advm	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE

Cluster Resources				

ora.ASMNET1LSNR_ASM.lsnr(ora.asmgroup)				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.DATAC1.dg(ora.asmgroup)				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.LISTENER_SCAN1.lsnr				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
ora.LISTENER_SCAN2.lsnr				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
ora.LISTENER_SCAN3.lsnr				
1	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.RECO1.dg(ora.asmgroup)				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.asm(ora.asmgroup)				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	Started, STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	Started, STABLE
ora.asmnet1.asmnetwork(ora.asmgroup)				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.cdbladm_pro.cdbladm_siathpro.paas.oracle.com.svc				
2	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
3	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.cdbladm_pro.cdbladm_siathpru_bkc.paas.oracle.com.svc				
1	ONLINE	OFFLINE		STABLE
2	ONLINE	OFFLINE		STABLE
ora.cdbladm_pro.cdbladm_siathpru_bkc_ro.paas.oracle.com.svc				
1	OFFLINE	OFFLINE		STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdbladm_pro.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	Open, HOME=/u02/app/o
racle/product/19.0.0				
.0/dbhome_2, STABLE				
2	ONLINE	ONLINE	exaccqcnmdn01-db02	Open, HOME=/u02/app/o
racle/product/19.0.0				
.0/dbhome_2, STABLE				
ora.cdbloper_pro.cdbloper_sicad.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.cdbloper_pro.cdbloper_soadb.paas.oracle.com.svc				
1	ONLINE	OFFLINE		STABLE

2	ONLINE	OFFLINE		STABLE
ora.cdbloper_pro.cdbloper_suitev.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.cdbloper_pro.cdbloper_wlsrepo.paas.oracle.com.svc				
1	ONLINE	OFFLINE		STABLE
2	ONLINE	OFFLINE		STABLE
ora.cdbloper_pro.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	Open, HOME=/u02/app/o
racle/product/19.0.0				
.0/dbhome_2, STABLE				
2	ONLINE	ONLINE	exaccqcnmdn01-db02	Open, HOME=/u02/app/o
racle/product/19.0.0				
.0/dbhome_2, STABLE				
ora.cdb2adm_pro.cdb2adm_nomiproai.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.cdb2adm_pro.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	Open, HOME=/u02/app/o
racle/product/23.0.0				
.0/dbhome_1, STABLE				
2	ONLINE	ONLINE	exaccqcnmdn01-db02	Open, HOME=/u02/app/o
racle/product/23.0.0				
.0/dbhome_1, STABLE				
ora.cdb2adm_pro.nomiproai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	READ WRITE, STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	READ WRITE, STABLE
ora.cdb2oper_pro.cdb2oper_soaproai.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.cdb2oper_pro.cdb2oper_wlsproai.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.cdb2oper_pro.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	Open, HOME=/u02/app/o
racle/product/23.0.0				
.0/dbhome_1, STABLE				
2	ONLINE	ONLINE	exaccqcnmdn01-db02	Open, HOME=/u02/app/o
racle/product/23.0.0				
.0/dbhome_1, STABLE				
ora.cdb2oper_pro.soaproai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	READ WRITE, STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	READ WRITE, STABLE
ora.cdb2oper_pro.wlsproai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	READ WRITE, STABLE

2	ONLINE	ONLINE	exaccqcnmdn01-db02	READ WRITE, STABLE
ora.cdb3oper_pro.cdb3oper_cgrdb.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.cdb3oper_pro.cdb3oper_gcpdb.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.cdb3oper_pro.cgrdb.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	READ WRITE, STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	READ WRITE, STABLE
ora.cdb3oper_pro.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	Open, HOME=/u02/app/o
racle/product/23.0.0				
.0/dbhome_1, STABLE				
2	ONLINE	ONLINE	exaccqcnmdn01-db02	Open, HOME=/u02/app/o
racle/product/23.0.0				
.0/dbhome_1, STABLE				
ora.cdb3oper_pro.gcpdb.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	READ WRITE, STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	READ WRITE, STABLE
ora.cdb9oper_4vv_iad.cdb9oper_suitevproai.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.cdb9oper_4vv_iad.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	Open, HOME=/u02/app/o
racle/product/23.0.0				
.0/dbhome_2, STABLE				
2	ONLINE	ONLINE	exaccqcnmdn01-db02	Open, HOME=/u02/app/o
racle/product/23.0.0				
.0/dbhome_2, STABLE				
ora.cdb9oper_4vv_iad.suitevproai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	READ WRITE, STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	READ WRITE, STABLE
ora.cdp1.cdp				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
ora.cdp2.cdp				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
ora.cdp3.cdp				
1	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.cvu				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
ora.exaccqcnmdn01-db01.vip				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
ora.exaccqcnmdn01-db02.vip				
1	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.rhpserver				
1	OFFLINE	OFFLINE		STABLE
ora.scan1.vip				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE

ora.scan2.vip				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
ora.scan3.vip				
1	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE

Estado de los Agentes del Listener de las BD

CRS-4638: Oracle High Availability Services is online
CRS-4537: Cluster Ready Services is online
CRS-4529: Cluster Synchronization Services is online
CRS-4533: Event Manager is online

Estado del Servidor exaccqcnmdn01-db02

Información del Servidor

Static hostname: exaccqcnmdn01-db02
Icon name: computer-vm
Chassis: vm
Machine ID: 550a82df83af445192375dcfed85ca6a
Boot ID: c5650df8cc634cc4ba5f73ad8efdde30
Virtualization: kvm
Operating System: Oracle Linux Server 8.10
CPE OS Name: cpe:/o:oracle:linux:8:10:server
Kernel: Linux 5.15.0-308.179.6.16.el8uek.x86_64
Architecture: x86-64

Servicio de Listener de los Nodos de BD

Listener LISTENER is enabled
Listener LISTENER is running on node(s): exaccqcnmdn01-db02,exaccqcnmdn01-db01

Estado General del Listener de las BD

LSNRCTL for Linux: Version 23.26.0.0.0 - for Oracle Cloud and Engineered Systems
on 30-JAN-2026 14:32:26

Copyright (c) 1991, 2025, Oracle. All rights reserved.

Connecting to (DESCRIPTION=(ADDRESS=(PROTOCOL=IPC)(KEY=LISTENER)))
STATUS of the LISTENER

Alias LISTENER
Version TNSLSNR for Linux: Version 23.26.0.0.0 - for Oracle
Cloud and Engineered Systems
Start Date 12-DEC-2025 21:13:43

```

Uptime                48 days 17 hr. 18 min. 42 sec
Trace Level           off
Security              ON: Local OS Authentication
SNMP                  OFF

Listener              Parameter                               File
/u02/app/23.0.0.0/gridhome_1/network/admin/listener.ora
Listener Log File     /u01/app/grid/diag/tnslsnr/exaccqcnmdn01-
db02/listener/alert/log.xml
Listening Endpoints Summary...
  (DESCRIPTION=(ADDRESS=(PROTOCOL=ipc) (KEY=LISTENER)))
  (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp) (HOST=172.29.22.14) (PORT=1530)))
  (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp) (HOST=exaccqcnmdn01-
db02.mindefensa.col) (PORT=8080)) (Presentation=HTTP) (Session=RAW))
  (DESCRIPTION=(ADDRESS=(PROTOCOL=tcps) (HOST=172.29.22.14) (PORT=2484)))
  (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp) (HOST=172.29.22.13) (PORT=1530)))
Services Summary...
Service "+APX" has 1 instance(s).
  Instance "+APX2", status READY, has 1 handler(s) for this service...
Service "+ASM" has 1 instance(s).
  Instance "+ASM2", status READY, has 1 handler(s) for this service...
Service "+ASM_DATA1" has 1 instance(s).
  Instance "+ASM2", status READY, has 1 handler(s) for this service...
Service "+ASM_RECOC1" has 1 instance(s).
  Instance "+ASM2", status READY, has 1 handler(s) for this service...
Service "0f39de50b35a3b53e0638a5346646d89.mindefensa.col" has 2 instance(s).
  Instance "cdbladm2", status READY, has 1 handler(s) for this service...
  Instance "cdbloper2", status READY, has 1 handler(s) for this service...
Service "155bacaa082ab0b2e0630b161daca576.mindefensa.col" has 1 instance(s).
  Instance "cdbloper2", status READY, has 1 handler(s) for this service...
Service "155c7df48d73d504e0630b161dace6ca.mindefensa.col" has 1 instance(s).
  Instance "cdbloper2", status READY, has 1 handler(s) for this service...
Service "1575da2b54ed901ae0630b161dacfabf.mindefensa.col" has 1 instance(s).
  Instance "cdbladm2", status READY, has 1 handler(s) for this service...
Service "2d8b2d673caflf7fe0638d0bf40a847e.mindefensa.col" has 1 instance(s).
  Instance "cdb3oper2", status READY, has 1 handler(s) for this service...
Service "35950cd5b511adcde0630b161dac4548.mindefensa.col" has 1 instance(s).
  Instance "cdb3oper2", status READY, has 1 handler(s) for this service...
Service "3684610c8dd5b474e0630b161dac65fa.mindefensa.col" has 1 instance(s).
  Instance "cdb3oper2", status READY, has 1 handler(s) for this service...
Service "3a05faa305fb90ebe063015346649f19.mindefensa.col" has 2 instance(s).
  Instance "cdb2adm2", status READY, has 1 handler(s) for this service...
  Instance "cdb2oper2", status READY, has 1 handler(s) for this service...
Service "3d3457ebf1511ad2e0630b161dac0686.mindefensa.col" has 1 instance(s).
  Instance "cdb2oper2", status READY, has 1 handler(s) for this service...
Service "3d34afde2d49ba85e0630b161dacabcc.mindefensa.col" has 1 instance(s).
  Instance "cdb2oper2", status READY, has 1 handler(s) for this service...
Service "3d95587e7a50b675e0630b161dac986f.mindefensa.col" has 1 instance(s).
  Instance "cdb2adm2", status READY, has 1 handler(s) for this service...
Service "40b664cf931a20c0e0635907f40a6505.mindefensa.col" has 1 instance(s).
  Instance "cdb9oper2", status READY, has 1 handler(s) for this service...
Service "45a00f3969db0498e0630b161dac3abe.mindefensa.col" has 1 instance(s).
  Instance "cdb9oper2", status READY, has 1 handler(s) for this service...
Service "SYS$SYS.SCHEDULER$_EVENT_QUEUE.SIATH" has 1 instance(s).
  Instance "cdbladm2", status READY, has 1 handler(s) for this service...
Service "cdbladmXDB.mindefensa.col" has 1 instance(s).
  Instance "cdbladm2", status READY, has 1 handler(s) for this service...
Service "cdbladm_CFG.mindefensa.col" has 1 instance(s).

```

Instance "cdbladm2", status READY, has 1 handler(s) for this service...
 Service "cdbladm_SIATHPRO.paas.oracle.com" has 1 instance(s).
 Instance "cdbladm2", status READY, has 1 handler(s) for this service...
 Service "cdbladm_pro.mindefensa.col" has 1 instance(s).
 Instance "cdbladm2", status READY, has 1 handler(s) for this service...
 Service "cdbloperXDB.mindefensa.col" has 1 instance(s).
 Instance "cdbloper2", status READY, has 1 handler(s) for this service...
 Service "cdbloper_CFG.mindefensa.col" has 1 instance(s).
 Instance "cdbloper2", status READY, has 1 handler(s) for this service...
 Service "cdbloper_SICAD.paas.oracle.com" has 1 instance(s).
 Instance "cdbloper2", status READY, has 1 handler(s) for this service...
 Service "cdbloper_SUITEV.paas.oracle.com" has 1 instance(s).
 Instance "cdbloper2", status READY, has 1 handler(s) for this service...
 Service "cdbloper_pro.mindefensa.col" has 1 instance(s).
 Instance "cdbloper2", status READY, has 1 handler(s) for this service...
 Service "cdb2admXDB.mindefensa.col" has 1 instance(s).
 Instance "cdb2adm2", status READY, has 1 handler(s) for this service...
 Service "cdb2adm_CFG.mindefensa.col" has 1 instance(s).
 Instance "cdb2adm2", status READY, has 1 handler(s) for this service...
 Service "cdb2adm_NOMIPROAI.paas.oracle.com" has 1 instance(s).
 Instance "cdb2adm2", status READY, has 1 handler(s) for this service...
 Service "cdb2adm_pro.mindefensa.col" has 1 instance(s).
 Instance "cdb2adm2", status READY, has 1 handler(s) for this service...
 Service "cdb2operXDB.mindefensa.col" has 1 instance(s).
 Instance "cdb2oper2", status READY, has 1 handler(s) for this service...
 Service "cdb2oper_CFG.mindefensa.col" has 1 instance(s).
 Instance "cdb2oper2", status READY, has 1 handler(s) for this service...
 Service "cdb2oper_SOAPROAI.paas.oracle.com" has 1 instance(s).
 Instance "cdb2oper2", status READY, has 1 handler(s) for this service...
 Service "cdb2oper_WLSPROAI.paas.oracle.com" has 1 instance(s).
 Instance "cdb2oper2", status READY, has 1 handler(s) for this service...
 Service "cdb2oper_pro.mindefensa.col" has 1 instance(s).
 Instance "cdb2oper2", status READY, has 1 handler(s) for this service...
 Service "cdb3operXDB.mindefensa.col" has 1 instance(s).
 Instance "cdb3oper2", status READY, has 1 handler(s) for this service...
 Service "cdb3oper_CFG.mindefensa.col" has 1 instance(s).
 Instance "cdb3oper2", status READY, has 1 handler(s) for this service...
 Service "cdb3oper_CGRDB.paas.oracle.com" has 1 instance(s).
 Instance "cdb3oper2", status READY, has 1 handler(s) for this service...
 Service "cdb3oper_GCPDB.paas.oracle.com" has 1 instance(s).
 Instance "cdb3oper2", status READY, has 1 handler(s) for this service...
 Service "cdb3oper_pro.mindefensa.col" has 1 instance(s).
 Instance "cdb3oper2", status READY, has 1 handler(s) for this service...
 Service "cdb9operXDB.mindefensa.col" has 1 instance(s).
 Instance "cdb9oper2", status READY, has 1 handler(s) for this service...
 Service "cdb9oper_4vv_iad.mindefensa.col" has 1 instance(s).
 Instance "cdb9oper2", status READY, has 1 handler(s) for this service...
 Service "cdb9oper_SUITEVPROAI.paas.oracle.com" has 1 instance(s).
 Instance "cdb9oper2", status READY, has 1 handler(s) for this service...
 Service "cgrdb.mindefensa.col" has 1 instance(s).
 Instance "cdb3oper2", status READY, has 1 handler(s) for this service...
 Service "gcpdb.mindefensa.col" has 1 instance(s).
 Instance "cdb3oper2", status READY, has 1 handler(s) for this service...
 Service "nomiproai.mindefensa.col" has 1 instance(s).
 Instance "cdb2adm2", status READY, has 1 handler(s) for this service...
 Service "siathpro.mindefensa.col" has 1 instance(s).
 Instance "cdbladm2", status READY, has 1 handler(s) for this service...

Service "sicad.mindefensa.col" has 1 instance(s).
Instance "cdbloper2", status READY, has 1 handler(s) for this service...
Service "soaproai.mindefensa.col" has 1 instance(s).
Instance "cdb2oper2", status READY, has 1 handler(s) for this service...
Service "suitev.mindefensa.col" has 1 instance(s).
Instance "cdbloper2", status READY, has 1 handler(s) for this service...
Service "suitevproai.mindefensa.col" has 1 instance(s).
Instance "cdb9oper2", status READY, has 1 handler(s) for this service...
Service "wlsproai.mindefensa.col" has 1 instance(s).
Instance "cdb2oper2", status READY, has 1 handler(s) for this service...
The command completed successfully

Estado General del Cluster de las BD

Name	Target	State	Server	State details
Local Resources				
ora.DATAC1.ACFSVOL01.advm	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.LISTENER.lsnr	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.chad	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.datacl.acfsvol01.acfs	ONLINE	ONLINE	exaccqcnmdn01-db01	mounted on /acfs01,S
	ONLINE	ONLINE	exaccqcnmdn01-db02	mounted on /acfs01,S
ora.helper	OFFLINE	OFFLINE	exaccqcnmdn01-db01	STABLE
	OFFLINE	OFFLINE	exaccqcnmdn01-db02	IDLE, STABLE
ora.net1.network	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.ons	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.proxy_advm	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
Cluster Resources				
ora.ASMNET1LSNR_ASM.lsnr(ora.asmgrou				

1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.DATA1.dg(ora.asmgroup)				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.LISTENER_SCAN1.lsnr				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
ora.LISTENER_SCAN2.lsnr				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
ora.LISTENER_SCAN3.lsnr				
1	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.RECO1.dg(ora.asmgroup)				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.asm(ora.asmgroup)				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	Started,STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	Started,STABLE
ora.asmnet1.asmnetwork(ora.asmgroup)				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.cdbladm_pro.cdbladm_siathpro.paas.oracle.com.svc				
2	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
3	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.cdbladm_pro.cdbladm_siathpru_bkc.paas.oracle.com.svc				
1	ONLINE	OFFLINE		STABLE
2	ONLINE	OFFLINE		STABLE
ora.cdbladm_pro.cdbladm_siathpru_bkc_ro.paas.oracle.com.svc				
1	OFFLINE	OFFLINE		STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdbladm_pro.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	Open,HOME=/u02/app/o
racle/product/19.0.0				
.0/dbhome_2,STABLE				
2	ONLINE	ONLINE	exaccqcnmdn01-db02	Open,HOME=/u02/app/o
racle/product/19.0.0				
.0/dbhome_2,STABLE				
ora.cdbloper_pro.cdbloper_sicad.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.cdbloper_pro.cdbloper_soadb.paas.oracle.com.svc				
1	ONLINE	OFFLINE		STABLE
2	ONLINE	OFFLINE		STABLE
ora.cdbloper_pro.cdbloper_suitev.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db02	STABLE
ora.cdbloper_pro.cdbloper_wlsrepo.paas.oracle.com.svc				
1	ONLINE	OFFLINE		STABLE
2	ONLINE	OFFLINE		STABLE
ora.cdbloper_pro.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db01	Open,HOME=/u02/app/o
racle/product/19.0.0				

```

.0/dbhome_2,STABLE
      2      ONLINE  ONLINE      exaccqcnmdn01-db02      Open,HOME=/u02/app/o
racle/product/19.0.0

.0/dbhome_2,STABLE
ora.cdb2adm_pro.cdb2adm_nomiproai.paas.oracle.com.svc
      1      ONLINE  ONLINE      exaccqcnmdn01-db01      STABLE
      2      ONLINE  ONLINE      exaccqcnmdn01-db02      STABLE
ora.cdb2adm_pro.db
      1      ONLINE  ONLINE      exaccqcnmdn01-db01      Open,HOME=/u02/app/o
racle/product/23.0.0

.0/dbhome_1,STABLE
      2      ONLINE  ONLINE      exaccqcnmdn01-db02      Open,HOME=/u02/app/o
racle/product/23.0.0

.0/dbhome_1,STABLE
ora.cdb2adm_pro.nomiproai.pdb
      1      ONLINE  ONLINE      exaccqcnmdn01-db01      READ WRITE,STABLE
      2      ONLINE  ONLINE      exaccqcnmdn01-db02      READ WRITE,STABLE
ora.cdb2oper_pro.cdb2oper_soaproai.paas.oracle.com.svc
      1      ONLINE  ONLINE      exaccqcnmdn01-db01      STABLE
      2      ONLINE  ONLINE      exaccqcnmdn01-db02      STABLE
ora.cdb2oper_pro.cdb2oper_wlsproai.paas.oracle.com.svc
      1      ONLINE  ONLINE      exaccqcnmdn01-db01      STABLE
      2      ONLINE  ONLINE      exaccqcnmdn01-db02      STABLE
ora.cdb2oper_pro.db
      1      ONLINE  ONLINE      exaccqcnmdn01-db01      Open,HOME=/u02/app/o
racle/product/23.0.0

.0/dbhome_1,STABLE
      2      ONLINE  ONLINE      exaccqcnmdn01-db02      Open,HOME=/u02/app/o
racle/product/23.0.0

.0/dbhome_1,STABLE
ora.cdb2oper_pro.soaproai.pdb
      1      ONLINE  ONLINE      exaccqcnmdn01-db01      READ WRITE,STABLE
      2      ONLINE  ONLINE      exaccqcnmdn01-db02      READ WRITE,STABLE
ora.cdb2oper_pro.wlsproai.pdb
      1      ONLINE  ONLINE      exaccqcnmdn01-db01      READ WRITE,STABLE
      2      ONLINE  ONLINE      exaccqcnmdn01-db02      READ WRITE,STABLE
ora.cdb3oper_pro.cdb3oper_cgrdb.paas.oracle.com.svc
      1      ONLINE  ONLINE      exaccqcnmdn01-db01      STABLE
      2      ONLINE  ONLINE      exaccqcnmdn01-db02      STABLE
ora.cdb3oper_pro.cdb3oper_gcpdb.paas.oracle.com.svc
      1      ONLINE  ONLINE      exaccqcnmdn01-db01      STABLE
      2      ONLINE  ONLINE      exaccqcnmdn01-db02      STABLE
ora.cdb3oper_pro.cgrdb.pdb
      1      ONLINE  ONLINE      exaccqcnmdn01-db01      READ WRITE,STABLE
      2      ONLINE  ONLINE      exaccqcnmdn01-db02      READ WRITE,STABLE
ora.cdb3oper_pro.db

```

```

1          ONLINE  ONLINE          exaccqcnmdn01-db01          Open,HOME=/u02/app/o
racle/product/23.0.0

.0/dbhome_1,STABLE
2          ONLINE  ONLINE          exaccqcnmdn01-db02          Open,HOME=/u02/app/o
racle/product/23.0.0

.0/dbhome_1,STABLE
ora.cdb3oper_pro.gcpdb.pdb
1          ONLINE  ONLINE          exaccqcnmdn01-db01          READ WRITE,STABLE
2          ONLINE  ONLINE          exaccqcnmdn01-db02          READ WRITE,STABLE
ora.cdb9oper_4vv_iad.cdb9oper_suitevproai.paas.oracle.com.svc
1          ONLINE  ONLINE          exaccqcnmdn01-db01          STABLE
2          ONLINE  ONLINE          exaccqcnmdn01-db02          STABLE
ora.cdb9oper_4vv_iad.db
1          ONLINE  ONLINE          exaccqcnmdn01-db01          Open,HOME=/u02/app/o
racle/product/23.0.0

.0/dbhome_2,STABLE
2          ONLINE  ONLINE          exaccqcnmdn01-db02          Open,HOME=/u02/app/o
racle/product/23.0.0

.0/dbhome_2,STABLE
ora.cdb9oper_4vv_iad.suitevproai.pdb
1          ONLINE  ONLINE          exaccqcnmdn01-db01          READ WRITE,STABLE
2          ONLINE  ONLINE          exaccqcnmdn01-db02          READ WRITE,STABLE
ora.cdp1.cdp
1          ONLINE  ONLINE          exaccqcnmdn01-db01          STABLE
ora.cdp2.cdp
1          ONLINE  ONLINE          exaccqcnmdn01-db01          STABLE
ora.cdp3.cdp
1          ONLINE  ONLINE          exaccqcnmdn01-db02          STABLE
ora.cvu
1          ONLINE  ONLINE          exaccqcnmdn01-db01          STABLE
ora.exaccqcnmdn01-db01.vip
1          ONLINE  ONLINE          exaccqcnmdn01-db01          STABLE
ora.exaccqcnmdn01-db02.vip
1          ONLINE  ONLINE          exaccqcnmdn01-db02          STABLE
ora.rhpserver
1          OFFLINE OFFLINE          STABLE
ora.scan1.vip
1          ONLINE  ONLINE          exaccqcnmdn01-db01          STABLE
ora.scan2.vip
1          ONLINE  ONLINE          exaccqcnmdn01-db01          STABLE
ora.scan3.vip
1          ONLINE  ONLINE          exaccqcnmdn01-db02          STABLE
-----
---
```

Estado de los Agentes del Listener de las BD

CRS-4537: Cluster Ready Services is online
CRS-4529: Cluster Synchronization Services is online
CRS-4533: Event Manager is online

Estado del Servidor exaccqcnmdn01-db03

Información del Servidor

Static hostname: exaccqcnmdn01-db03
Icon name: computer-vm
Chassis: vm
Machine ID: 1271415791524a90afb58e5dfb41519c
Boot ID: f98689b4baa746b3aa6095bac3f77737
Virtualization: kvm
Operating System: Oracle Linux Server 8.10
CPE OS Name: cpe:/o:oracle:linux:8:10:server
Kernel: Linux 5.15.0-308.179.6.16.el8uek.x86_64
Architecture: x86-64

Servicio de Listener de los Nodos de BD

Listener LISTENER is enabled
Listener LISTENER is running on node(s): exaccqcnmdn01-db04,exaccqcnmdn01-db03

Estado General del Listener de las BD

LSNRCTL for Linux: Version 23.26.0.0.0 - for Oracle Cloud and Engineered Systems
on 30-JAN-2026 19:32:44

Copyright (c) 1991, 2025, Oracle. All rights reserved.

Connecting to (DESCRIPTION=(ADDRESS=(PROTOCOL=IPC) (KEY=LISTENER)))
STATUS of the LISTENER

Alias LISTENER
Version TNSLSNR for Linux: Version 23.26.0.0.0 - for Oracle
Cloud and Engineered Systems
Start Date 13-DEC-2025 01:21:16
Uptime 48 days 18 hr. 11 min. 28 sec
Trace Level off
Security ON: Local OS Authentication
SNMP OFF
Listener Parameter File
/u02/app/23.0.0.0/gridhome_1/network/admin/listener.ora
Listener Log File /u01/app/grid/diag/tnslsnr/exaccqcnmdn01-
db03/listener/alert/log.xml
Listening Endpoints Summary...
(DESCRIPTION=(ADDRESS=(PROTOCOL=ipc) (KEY=LISTENER)))
(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp) (HOST=172.29.24.12) (PORT=1531)))

```

(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=exaccqcnmdn01-
db03.mindefensa.col)(PORT=8080))(Presentation=HTTP)(Session=RAW))
(DESCRIPTION=(ADDRESS=(PROTOCOL=tcps)(HOST=172.29.24.12)(PORT=2484)))
(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=172.29.24.11)(PORT=1531)))
Services Summary...
Service "+APX" has 1 instance(s).
  Instance "+APX1", status READY, has 1 handler(s) for this service...
Service "+ASM" has 1 instance(s).
  Instance "+ASM1", status READY, has 1 handler(s) for this service...
Service "+ASM_DATA2" has 1 instance(s).
  Instance "+ASM1", status READY, has 1 handler(s) for this service...
Service "+ASM_RECOC2" has 1 instance(s).
  Instance "+ASM1", status READY, has 1 handler(s) for this service...
Service "0f39de50b35a3b53e0638a5346646d89.mindefensa.col" has 2 instance(s).
  Instance "cdb2des1", status READY, has 1 handler(s) for this service...
  Instance "cdb2pru1", status READY, has 1 handler(s) for this service...
Service "158702da36a02acce0630d181dac02d8.mindefensa.col" has 1 instance(s).
  Instance "cdb2pru1", status READY, has 1 handler(s) for this service...
Service "2c33e3783c421df2e063915446643d98.mindefensa.col" has 1 instance(s).
  Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "2d8b2d673caflf7fe0638d0bf40a847e.mindefensa.col" has 1 instance(s).
  Instance "cdb1des1", status READY, has 1 handler(s) for this service...
Service "2f14d88b6847e125e0630d181dacac76.mindefensa.col" has 1 instance(s).
  Instance "cdb2pru1", status READY, has 1 handler(s) for this service...
Service "30397793a55fcf60e0630b161dacf843.mindefensa.col" has 1 instance(s).
  Instance "cdb2des1", status READY, has 1 handler(s) for this service...
Service "3a3479b521250929e0630d181dac9568.mindefensa.col" has 1 instance(s).
  Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "3a37455f81b73090e0630d181dacdbb7.mindefensa.col" has 1 instance(s).
  Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "3a37a89af6eb8061e0630d181daca96a.mindefensa.col" has 1 instance(s).
  Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "3a3818451249605ee0630d181dac3216.mindefensa.col" has 1 instance(s).
  Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "3b9638693dffb612e0630d181daclass0e.mindefensa.col" has 1 instance(s).
  Instance "cdb1des1", status READY, has 1 handler(s) for this service...
Service "4142c932dbecb6f0e0634e514664b1aa.mindefensa.col" has 1 instance(s).
  Instance "cdb6pru1", status READY, has 1 handler(s) for this service...
Service "43492ae5da4c0cffe0630d181dac2cfe.mindefensa.col" has 1 instance(s).
  Instance "cdb6pru1", status READY, has 1 handler(s) for this service...
Service "43a56e94da7bd339e0630d181dac0186.mindefensa.col" has 1 instance(s).
  Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "45af9fb361732f2ee0630d181dac7cc2.mindefensa.col" has 1 instance(s).
  Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "49781bbbe9665f4ce0630d181dac4d04.mindefensa.col" has 1 instance(s).
  Instance "cdb2pru1", status READY, has 1 handler(s) for this service...
Service "SYS$SYS.SCHEDULER$_EVENT_QUEUE.1.SIATHPRU_BKC.MINDEFENSA.COL" has 1
instance(s).
  Instance "cdb2des1", status READY, has 1 handler(s) for this service...
Service "SYS$SYS.SCHEDULER$_EVENT_QUEUE.SIATH" has 2 instance(s).
  Instance "cdb2pru1", status READY, has 1 handler(s) for this service...
  Instance "cdb6pru1", status READY, has 1 handler(s) for this service...
Service "cdb1desXDB.mindefensa.col" has 1 instance(s).
  Instance "cdb1des1", status READY, has 1 handler(s) for this service...
Service "cdb1des_NOMIDESAI.paas.oracle.com" has 1 instance(s).
  Instance "cdb1des1", status READY, has 1 handler(s) for this service...
Service "cdb1des_des.mindefensa.col" has 1 instance(s).

```

Instance "cdbldes1", status READY, has 1 handler(s) for this service...
Service "cdb1pruXDB.mindefensa.col" has 1 instance(s).
Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "cdb1pru_INETUMPRU.paas.oracle.com" has 1 instance(s).
Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "cdb1pru_NOMIPRUAI.paas.oracle.com" has 1 instance(s).
Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "cdb1pru_SICADPRUAI.paas.oracle.com" has 1 instance(s).
Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "cdb1pru_SOADESAI.paas.oracle.com" has 1 instance(s).
Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "cdb1pru_SUITVPRUAI.paas.oracle.com" has 1 instance(s).
Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "cdb1pru_WLSRPRUAI.paas.oracle.com" has 1 instance(s).
Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "cdb1pru_pru.mindefensa.col" has 1 instance(s).
Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "cdb2desXDB.mindefensa.col" has 1 instance(s).
Instance "cdb2des1", status READY, has 1 handler(s) for this service...
Service "cdb2des_des.mindefensa.col" has 1 instance(s).
Instance "cdb2des1", status READY, has 1 handler(s) for this service...
Service "cdb2pruXDB.mindefensa.col" has 1 instance(s).
Instance "cdb2pru1", status READY, has 1 handler(s) for this service...
Service "cdb2pru_SIATHPRU.paas.oracle.com" has 1 instance(s).
Instance "cdb2pru1", status READY, has 1 handler(s) for this service...
Service "cdb2pru_SICADPRU.paas.oracle.com" has 1 instance(s).
Instance "cdb2pru1", status READY, has 1 handler(s) for this service...
Service "cdb2pru_SUITVPRU.paas.oracle.com" has 1 instance(s).
Instance "cdb2pru1", status READY, has 1 handler(s) for this service...
Service "cdb2pru_pru.mindefensa.col" has 1 instance(s).
Instance "cdb2pru1", status READY, has 1 handler(s) for this service...
Service "cdb6pruXDB.mindefensa.col" has 1 instance(s).
Instance "cdb6pru1", status READY, has 1 handler(s) for this service...
Service "cdb6pru_SIATH23AI.paas.oracle.com" has 1 instance(s).
Instance "cdb6pru1", status READY, has 1 handler(s) for this service...
Service "cdb6pru_kvb_iad.mindefensa.col" has 1 instance(s).
Instance "cdb6pru1", status READY, has 1 handler(s) for this service...
Service "inetumpru.mindefensa.col" has 1 instance(s).
Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "nomidesai.mindefensa.col" has 1 instance(s).
Instance "cdbldes1", status READY, has 1 handler(s) for this service...
Service "nomipruai.mindefensa.col" has 1 instance(s).
Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "siath23ai.mindefensa.col" has 1 instance(s).
Instance "cdb6pru1", status READY, has 1 handler(s) for this service...
Service "siathdes.mindefensa.col" has 1 instance(s).
Instance "cdb2des1", status READY, has 1 handler(s) for this service...
Service "siathpru.mindefensa.col" has 1 instance(s).
Instance "cdb2pru1", status READY, has 1 handler(s) for this service...
Service "sicadpru.mindefensa.col" has 1 instance(s).
Instance "cdb2pru1", status READY, has 1 handler(s) for this service...
Service "sicadpruai.mindefensa.col" has 1 instance(s).
Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "soadesai.mindefensa.col" has 1 instance(s).
Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "suitvpru.mindefensa.col" has 1 instance(s).
Instance "cdb2pru1", status READY, has 1 handler(s) for this service...

Service "suitvpruai.mindefensa.col" has 1 instance(s).
Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
Service "wlsrpruai.mindefensa.col" has 1 instance(s).
Instance "cdb1pru1", status READY, has 1 handler(s) for this service...
The command completed successfully

Estado General del Cluster de las BD

Name	Target	State	Server	State details

Local Resources				

ora.DATAAC2.ACFSVOL01.advm				
	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.LISTENER.lsnr				
	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.chad				
	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.dataac2.acfsvol01.acfs				
	ONLINE	ONLINE	exaccqcnmdn01-db03	mounted on /acfs01,S
TABLE				
	ONLINE	ONLINE	exaccqcnmdn01-db04	mounted on /acfs01,S
TABLE				
ora.helper				
	OFFLINE	OFFLINE	exaccqcnmdn01-db03	STABLE
	OFFLINE	OFFLINE	exaccqcnmdn01-db04	IDLE, STABLE
ora.net1.network				
	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.ons				
	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.proxy_advm				
	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE

Cluster Resources				

ora.ASMNET1LSNR_ASM.lsnr(ora.asmgroup)				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.DATAAC2.dg(ora.asmgroup)				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.LISTENER_SCAN1.lsnr				

1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
ora.LISTENER_SCAN2.lsnr				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
ora.LISTENER_SCAN3.lsnr				
1	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.RECOC2.dg(ora.asmgrou)				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.asm(ora.asmgrou)				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	Started,STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	Started,STABLE
ora.asmnet1.asmnetwork(ora.asmgrou)				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.cdblaud_m46_iad.cdblaud_siathau.paas.oracle.com.svc				
1	OFFLINE	OFFLINE		STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdblaud_m46_iad.db				
1	OFFLINE	OFFLINE		STABLE
2	OFFLINE	OFFLINE		Instance Shutdown,STABLE
ora.cdbldes_des.cdbldes_nomidesai.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.cdbldes_des.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	Open,HOME=/u02/app/o
racle/product/23.0.0				
.0/dbhome_1,STABLE				
2	ONLINE	ONLINE	exaccqcnmdn01-db04	Open,HOME=/u02/app/o
racle/product/23.0.0				
.0/dbhome_1,STABLE				
ora.cdbldes_des.nomidesai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	READ WRITE,STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	READ WRITE,STABLE
ora.cdblpru_pru.cdblpru_inetumpru.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdblpru_pru.cdblpru_nomipruai.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdblpru_pru.cdblpru_sicadpruai.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdblpru_pru.cdblpru_soadesai.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdblpru_pru.cdblpru_suitvpruai.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdblpru_pru.cdblpru_wlsrpruai.paas.oracle.com.svc				
1	OFFLINE	OFFLINE		STABLE
3	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
ora.cdblpru_pru.db				

1	ONLINE	ONLINE	exaccqcnmdn01-db03	Open, HOME=/u02/app/o
racle/product/23.0.0				
.0/dbhome_1, STABLE				
2	OFFLINE	OFFLINE		Instance Shutdown, STABLE
ora.cdb1pru_pru.inetumpru.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	READ WRITE, STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdb1pru_pru.nomipruai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	READ WRITE, STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdb1pru_pru.sicadpruai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	READ WRITE, STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdb1pru_pru.soadesai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	READ WRITE, STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdb1pru_pru.suitvpruai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	READ WRITE, STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdb1pru_pru.wlsrpruai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	READ WRITE, STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdb2des_des.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	Open, HOME=/u02/app/o
racle/product/19.0.0				
.0/dbhome_1, STABLE				
2	ONLINE	ONLINE	exaccqcnmdn01-db04	Open, HOME=/u02/app/o
racle/product/19.0.0				
.0/dbhome_1, STABLE				
ora.cdb2pru_pru.cdb2pru_nomides.paas.oracle.com.svc				
1	ONLINE	OFFLINE		STABLE
2	ONLINE	OFFLINE		STABLE
ora.cdb2pru_pru.cdb2pru_siathpru.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
ora.cdb2pru_pru.cdb2pru_sicadpru.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.cdb2pru_pru.cdb2pru_suitvpru.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.cdb2pru_pru.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	Open, HOME=/u02/app/o
racle/product/19.0.0				
.0/dbhome_1, STABLE				
2	ONLINE	ONLINE	exaccqcnmdn01-db04	Open, HOME=/u02/app/o
racle/product/19.0.0				

```

.0/dbhome_1,STABLE
ora.cdb6pru_kvb_iad.cdb6pru_siath23ai.paas.oracle.com.svc
  1      ONLINE  ONLINE      exaccqcnmdn01-db04      STABLE
  2      ONLINE  ONLINE      exaccqcnmdn01-db03      STABLE
ora.cdb6pru_kvb_iad.db
  1      ONLINE  ONLINE      exaccqcnmdn01-db04      Open,HOME=/u02/app/o
racle/product/23.0.0

.0/dbhome_1,STABLE
  2      ONLINE  ONLINE      exaccqcnmdn01-db03      Open,HOME=/u02/app/o
racle/product/23.0.0

.0/dbhome_1,STABLE
ora.cdb6pru_kvb_iad.siath23ai.pdb
  1      OFFLINE ONLINE      exaccqcnmdn01-db04      READ WRITE,RESTRICTE
                                D, STABLE
  2      ONLINE  ONLINE      exaccqcnmdn01-db03      READ WRITE,RESTRICTE
                                D, STABLE
ora.cdp1.cdp
  1      ONLINE  ONLINE      exaccqcnmdn01-db03      STABLE
ora.cdp2.cdp
  1      ONLINE  ONLINE      exaccqcnmdn01-db03      STABLE
ora.cdp3.cdp
  1      ONLINE  ONLINE      exaccqcnmdn01-db04      STABLE
ora.cvu
  1      ONLINE  ONLINE      exaccqcnmdn01-db03      STABLE
ora.exaccqcnmdn01-db03.vip
  1      ONLINE  ONLINE      exaccqcnmdn01-db03      STABLE
ora.exaccqcnmdn01-db04.vip
  1      ONLINE  ONLINE      exaccqcnmdn01-db04      STABLE
ora.rhpserver
  1      OFFLINE OFFLINE      STABLE
ora.scan1.vip
  1      ONLINE  ONLINE      exaccqcnmdn01-db03      STABLE
ora.scan2.vip
  1      ONLINE  ONLINE      exaccqcnmdn01-db03      STABLE
ora.scan3.vip
  1      ONLINE  ONLINE      exaccqcnmdn01-db04      STABLE
-----
---
```

Estado de los Agentes del Listener de las BD

CRS-4638: Oracle High Availability Services is online
 CRS-4537: Cluster Ready Services is online
 CRS-4529: Cluster Synchronization Services is online
 CRS-4533: Event Manager is online

Estado del Servidor exaccqcnmdn01-db04



Información del Servidor

Static hostname: exaccqcnmdn01-db04
Icon name: computer-vm
Chassis: vm
Machine ID: 6fe9f5eb03de4fla9d9cff794e662a73
Boot ID: 64afb07daf9f461091d0b65cfb7c33bc
Virtualization: kvm
Operating System: Oracle Linux Server 8.10
CPE OS Name: cpe:/o:oracle:linux:8:10:server
Kernel: Linux 5.15.0-308.179.6.16.el8uek.x86_64
Architecture: x86-64

Servicio de Listener de los Nodos de BD

Listener LISTENER is enabled
Listener LISTENER is running on node(s): exaccqcnmdn01-db04,exaccqcnmdn01-db03

Estado General del Listener de las BD

LSNRCTL for Linux: Version 23.26.0.0.0 - for Oracle Cloud and Engineered Systems
on 30-JAN-2026 19:33:09

Copyright (c) 1991, 2025, Oracle. All rights reserved.

Connecting to (DESCRIPTION=(ADDRESS=(PROTOCOL=IPC)(KEY=LISTENER)))
STATUS of the LISTENER

Alias LISTENER
Version TNSLSNR for Linux: Version 23.26.0.0.0 - for Oracle
Cloud and Engineered Systems
Start Date 13-DEC-2025 02:14:08
Uptime 48 days 17 hr. 19 min. 0 sec
Trace Level off
Security ON: Local OS Authentication
SNMP OFF
Listener Parameter File
/u02/app/23.0.0.0/gridhome_1/network/admin/listener.ora
Listener Log File /u01/app/grid/diag/tnslsnr/exaccqcnmdn01-
db04/listener/alert/log.xml
Listening Endpoints Summary...
(DESCRIPTION=(ADDRESS=(PROTOCOL=ipc)(KEY=LISTENER)))
(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=172.29.24.14)(PORT=1531)))
(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=exaccqcnmdn01-
db04.mindefensa.col)(PORT=8080))(Presentation=HTTP)(Session=RAW))
(DESCRIPTION=(ADDRESS=(PROTOCOL=tcps)(HOST=172.29.24.14)(PORT=2484)))
(DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=172.29.24.13)(PORT=1531)))
Services Summary...
Service "+APX" has 1 instance(s).
Instance "+APX2", status READY, has 1 handler(s) for this service...
Service "+ASM" has 1 instance(s).
Instance "+ASM2", status READY, has 1 handler(s) for this service...

Service "+ASM_DATAAC2" has 1 instance(s).
 Instance "+ASM2", status READY, has 1 handler(s) for this service...
 Service "+ASM_RECOC2" has 1 instance(s).
 Instance "+ASM2", status READY, has 1 handler(s) for this service...
 Service "0f39de50b35a3b53e0638a5346646d89.mindefensa.col" has 2 instance(s).
 Instance "cdb2des2", status READY, has 1 handler(s) for this service...
 Instance "cdb2pru2", status READY, has 1 handler(s) for this service...
 Service "158702da36a02acce0630d181dac02d8.mindefensa.col" has 1 instance(s).
 Instance "cdb2pru2", status READY, has 1 handler(s) for this service...
 Service "2d8b2d673caflf7fe0638d0bf40a847e.mindefensa.col" has 1 instance(s).
 Instance "cdb1des2", status READY, has 1 handler(s) for this service...
 Service "2f14d88b6847e125e0630d181dacac76.mindefensa.col" has 1 instance(s).
 Instance "cdb2pru2", status READY, has 1 handler(s) for this service...
 Service "30397793a55fcf60e0630b161dacf843.mindefensa.col" has 1 instance(s).
 Instance "cdb2des2", status READY, has 1 handler(s) for this service...
 Service "3b9638693dffb612e0630d181daca1a0e.mindefensa.col" has 1 instance(s).
 Instance "cdb1des2", status READY, has 1 handler(s) for this service...
 Service "4142c932dbecb6f0e0634e514664b1aa.mindefensa.col" has 1 instance(s).
 Instance "cdb6pru2", status READY, has 1 handler(s) for this service...
 Service "43492ae5da4c0cffe0630d181dac2cfe.mindefensa.col" has 1 instance(s).
 Instance "cdb6pru2", status READY, has 1 handler(s) for this service...
 Service "49781bbbe9665f4ce0630d181dac4d04.mindefensa.col" has 1 instance(s).
 Instance "cdb2pru2", status READY, has 1 handler(s) for this service...
 Service "SYS\$SYS.SCHEDULER\$_EVENT_QUEUE.1.SIATHPRU_BKC.MINDEFENSA.COL" has 1 instance(s).
 Instance "cdb2des2", status READY, has 1 handler(s) for this service...
 Service "SYS\$SYS.SCHEDULER\$_EVENT_QUEUE.SIATH" has 2 instance(s).
 Instance "cdb2pru2", status READY, has 1 handler(s) for this service...
 Instance "cdb6pru2", status READY, has 1 handler(s) for this service...
 Service "cdb1desXDB.mindefensa.col" has 1 instance(s).
 Instance "cdb1des2", status READY, has 1 handler(s) for this service...
 Service "cdb1des_NOMIDESAI.paas.oracle.com" has 1 instance(s).
 Instance "cdb1des2", status READY, has 1 handler(s) for this service...
 Service "cdb1des_des.mindefensa.col" has 1 instance(s).
 Instance "cdb1des2", status READY, has 1 handler(s) for this service...
 Service "cdb2desXDB.mindefensa.col" has 1 instance(s).
 Instance "cdb2des2", status READY, has 1 handler(s) for this service...
 Service "cdb2des_des.mindefensa.col" has 1 instance(s).
 Instance "cdb2des2", status READY, has 1 handler(s) for this service...
 Service "cdb2pruXDB.mindefensa.col" has 1 instance(s).
 Instance "cdb2pru2", status READY, has 1 handler(s) for this service...
 Service "cdb2pru_SIATHPRU.paas.oracle.com" has 1 instance(s).
 Instance "cdb2pru2", status READY, has 1 handler(s) for this service...
 Service "cdb2pru_SICADPRU.paas.oracle.com" has 1 instance(s).
 Instance "cdb2pru2", status READY, has 1 handler(s) for this service...
 Service "cdb2pru_SUITVPRU.paas.oracle.com" has 1 instance(s).
 Instance "cdb2pru2", status READY, has 1 handler(s) for this service...
 Service "cdb2pru_pru.mindefensa.col" has 1 instance(s).
 Instance "cdb2pru2", status READY, has 1 handler(s) for this service...
 Service "cdb6pruXDB.mindefensa.col" has 1 instance(s).
 Instance "cdb6pru2", status READY, has 1 handler(s) for this service...
 Service "cdb6pru_SIATH23AI.paas.oracle.com" has 1 instance(s).
 Instance "cdb6pru2", status READY, has 1 handler(s) for this service...
 Service "cdb6pru_kvb_iad.mindefensa.col" has 1 instance(s).
 Instance "cdb6pru2", status READY, has 1 handler(s) for this service...
 Service "nomidesai.mindefensa.col" has 1 instance(s).
 Instance "cdb1des2", status READY, has 1 handler(s) for this service...

Service "siath23ai.mindefensa.col" has 1 instance(s).
Instance "cdb6pru2", status READY, has 1 handler(s) for this service...
Service "siathdes.mindefensa.col" has 1 instance(s).
Instance "cdb2des2", status READY, has 1 handler(s) for this service...
Service "siathpru.mindefensa.col" has 1 instance(s).
Instance "cdb2pru2", status READY, has 1 handler(s) for this service...
Service "sicadpru.mindefensa.col" has 1 instance(s).
Instance "cdb2pru2", status READY, has 1 handler(s) for this service...
Service "suitvpru.mindefensa.col" has 1 instance(s).
Instance "cdb2pru2", status READY, has 1 handler(s) for this service...
The command completed successfully

Estado General del Cluster de las BD

Name	Target	State	Server	State details
Local Resources				
ora.DATAAC2.ACFSVOL01.advm				
	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.LISTENER.lsnr				
	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.chad				
	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.dataac2.acfsvol01.acfs				
	ONLINE	ONLINE	exaccqcnmdn01-db03	mounted on /acfs01,S
TABLE				
	ONLINE	ONLINE	exaccqcnmdn01-db04	mounted on /acfs01,S
TABLE				
ora.helper				
	OFFLINE	OFFLINE	exaccqcnmdn01-db03	STABLE
	OFFLINE	OFFLINE	exaccqcnmdn01-db04	IDLE, STABLE
ora.net1.network				
	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.ons				
	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.proxy_advm				
	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
Cluster Resources				
ora.ASMNET1LSNR_ASM.lsnr (ora.asmgroun)				

1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.DATAC2.dg(ora.asmgrou)				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.LISTENER_SCAN1.lsnr				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
ora.LISTENER_SCAN2.lsnr				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
ora.LISTENER_SCAN3.lsnr				
1	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.RECOC2.dg(ora.asmgrou)				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.asm(ora.asmgrou)				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	Started,STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	Started,STABLE
ora.asmnet1.asmnetwork(ora.asmgrou)				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.cdblaud_m46_iad.cdblaud_siathau.paas.oracle.com.svc				
1	OFFLINE	OFFLINE		STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdblaud_m46_iad.db				
1	OFFLINE	OFFLINE		STABLE
2	OFFLINE	OFFLINE		Instance Shutdown,STABLE
ora.cdbldes_des.cdbldes_nomidesai.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.cdbldes_des.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	Open,HOME=/u02/app/o
racle/product/23.0.0				
.0/dbhome_1,STABLE				
2	ONLINE	ONLINE	exaccqcnmdn01-db04	Open,HOME=/u02/app/o
racle/product/23.0.0				
.0/dbhome_1,STABLE				
ora.cdbldes_des.nomidesai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	READ WRITE,STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	READ WRITE,STABLE
ora.cdblpru_pru.cdblpru_inetumpru.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdblpru_pru.cdblpru_nomipruai.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdblpru_pru.cdblpru_sicadpruai.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdblpru_pru.cdblpru_soadesai.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdblpru_pru.cdblpru_suitvpruai.paas.oracle.com.svc				

1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdb1pru_pru.cdb1pru_wlsrpruai.paas.oracle.com.svc				
1	OFFLINE	OFFLINE		STABLE
3	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
ora.cdb1pru_pru.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	Open, HOME=/u02/app/o
racle/product/23.0.0				
.0/dbhome_1, STABLE				
2	OFFLINE	OFFLINE		Instance Shutdown, STABLE
ora.cdb1pru_pru.inetumpru.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	READ WRITE, STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdb1pru_pru.nomipruai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	READ WRITE, STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdb1pru_pru.sicadpruai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	READ WRITE, STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdb1pru_pru.soadesai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	READ WRITE, STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdb1pru_pru.suitvpruai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	READ WRITE, STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdb1pru_pru.wlsrpruai.pdb				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	READ WRITE, STABLE
2	OFFLINE	OFFLINE		STABLE
ora.cdb2des_des.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	Open, HOME=/u02/app/o
racle/product/19.0.0				
.0/dbhome_1, STABLE				
2	ONLINE	ONLINE	exaccqcnmdn01-db04	Open, HOME=/u02/app/o
racle/product/19.0.0				
.0/dbhome_1, STABLE				
ora.cdb2pru_pru.cdb2pru_nomides.paas.oracle.com.svc				
1	ONLINE	OFFLINE		STABLE
2	ONLINE	OFFLINE		STABLE
ora.cdb2pru_pru.cdb2pru_siathpru.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
ora.cdb2pru_pru.cdb2pru_sicadpru.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.cdb2pru_pru.cdb2pru_suitvpru.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.cdb2pru_pru.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	Open, HOME=/u02/app/o

racle/product/19.0.0

.0/dbhome_1,STABLE				
2	ONLINE	ONLINE	exaccqcnmdn01-db04	Open,HOME=/u02/app/o

racle/product/19.0.0

.0/dbhome_1,STABLE				
ora.cdb6pru_kvb_iad.cdb6pru_siath23ai.paas.oracle.com.svc				
1	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
ora.cdb6pru_kvb_iad.db				
1	ONLINE	ONLINE	exaccqcnmdn01-db04	Open,HOME=/u02/app/o

racle/product/23.0.0

.0/dbhome_1,STABLE				
2	ONLINE	ONLINE	exaccqcnmdn01-db03	Open,HOME=/u02/app/o

racle/product/23.0.0

.0/dbhome_1,STABLE				
ora.cdb6pru_kvb_iad.siath23ai.pdb				
1	OFFLINE	ONLINE	exaccqcnmdn01-db04	READ WRITE,RESTRICTE D,STABLE
2	ONLINE	ONLINE	exaccqcnmdn01-db03	READ WRITE,RESTRICTE D,STABLE
ora.cdp1.cdp				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
ora.cdp2.cdp				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
ora.cdp3.cdp				
1	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.cvu				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
ora.exaccqcnmdn01-db03.vip				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
ora.exaccqcnmdn01-db04.vip				
1	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE
ora.rhpserver				
1	OFFLINE	OFFLINE		STABLE
ora.scan1.vip				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
ora.scan2.vip				
1	ONLINE	ONLINE	exaccqcnmdn01-db03	STABLE
ora.scan3.vip				
1	ONLINE	ONLINE	exaccqcnmdn01-db04	STABLE

Estado de los Agentes del Listener de las BD

CRS-4638: Oracle High Availability Services is online
CRS-4537: Cluster Ready Services is online
CRS-4529: Cluster Synchronization Services is online

CRS-4533: Event Manager is online

2.9 Se revisa cada una de lun's presentadas a nivel de S.O las cuales hacen parte de cada uno de los diskgroup de las bases de datos.

Estado del Servidor exaccqcnmdn01-db01

Información del Servidor

Static hostname: exaccqcnmdn01-db01
Icon name: computer-vm
Chassis: vm
Machine ID: 4cf2799ae2bd498eb15ad9dalaabcd05
Boot ID: 19066a6fe12346449de7d649a118a49b
Virtualization: kvm
Operating System: Oracle Linux Server 8.10
CPE OS Name: cpe:/o:oracle:linux:8:10:server
Kernel: Linux 5.15.0-308.179.6.16.el8uek.x86_64
Architecture: x86-64

Estado Base de Datos

Informe de fecha 300126 de la Base de Datos cdbladml

PDBs que se encuentran en el contenedor

CON_ID	CON_NAME	OPEN MODE	RESTRICTED
2	PDB\$SEED	READ ONLY	NO
4	SIATHPRO	READ WRITE	NO

Almacenamiento ASM del contenedor

Group Number	NAME	TYPE	STATE	Total (MB)	Free (MB)	Used (%)
1	DATA1	HIGH	CONNECTED	88,080,384	23,810,692	73
2	RECOC1	HIGH	CONNECTED	22,020,096	12,711,996	42

Espacio usado del área de recuperación FRA del contenedor

AREA DE DESTINO	TOTAL_GB	USADO_GB	USADO %
+RECOC1	12184	1175	10

Session altered.

Espacio usado del área de recuperación FRA del contenedor

CON_NAME

SIATHPRO

Estado del uso de los Tablespace

NOMBRE	TIPO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%
EXTENSIBLE(GB)	USADO %	NOTO	OTO			
REHU_JRNL	PERMANENT	1,700.000	1,045.238	654.762		61.48
31,068.000	3.19 0 1					
TEMP	TEMPORARY	896.000	.000	896.000	.00	
.000 .00	0 28					
SYSAUX	PERMANENT	274.385	227.208	47.177	82.81	
109.457 59.19	7 5					
REHU_INDEX	PERMANENT	245.646	233.018	12.629	94.86	
74.152 72.86	5 5					
NOPR_INDEX	PERMANENT	234.313	222.626	11.688	95.01	
85.484 69.61	6 4					
AUDITORIA	PERMANENT	224.723	213.508	11.215	95.01	
30.930 83.52	6 2					
REHU_DATA	PERMANENT	219.487	208.586	10.901	95.03	
68.312 72.48	4 5					
TS_TEMP	TEMPORARY	127.000	.345	126.655	.27	
.000 .27	0 4					
EVALUACIONES_TAB	PERMANENT	120.625	114.880	5.745	95.24	
39.375 71.80	0 5					
LAS						
TS_DAT_PART_BIG	PERMANENT	91.000	86.503	4.497	95.06	
32,677.000 .26	0 1					
NOPR_DATA	PERMANENT	84.374	51.749	32.625	61.33	
43.623 40.43	0 4					
UNDOTBS1	UNDO	83.615	.702	82.913	.84	
12.383 .73	0 3					
NOMINADESCUENTOS	PERMANENT	42.738	39.424	3.314	92.24	
117.195 24.65	1 4					
_DATA						
SYSTEM	PERMANENT	37.598	7.010	30.588	18.64	
58.399 7.30	0 3					
NOMINADEVENGADOS	PERMANENT	37.211	32.477	4.734	87.28	
58.723 33.85	1 2					
_DATA						
USERS	PERMANENT	34.734	.056	34.678	.16	
29.199 .09	1 1					
PENS_DATA	PERMANENT	19.954	18.759	1.195	94.01	
44.045 29.31	0 2					
ANTEXPEPRESTA_DA	PERMANENT	19.789	8.090	11.699	40.88	
21.999 19.36	1 1					
TA						
INCORPORACION_DA	PERMANENT	17.875	16.549	1.326	92.58	
142.125 10.34	0 5					
TA						
NOMINAPERSONAL_D	PERMANENT	16.711	12.323	4.388	73.74	
47.288 19.26	0 2					

ATA

UNDOTBS2		UNDO		14.302	.608	13.694	4.25
81.696	.63	0	3				
STATSPACK		PERMANENT		9.000	.008	8.992	.09
54.998	.01	0	2				
SIPP		PERMANENT		7.836	3.595	4.241	45.88
56.164	5.62	0	2				
SEGMENT_LOB		PERMANENT		6.374	3.781	2.593	59.33
59.603	5.73	1	2				
JURIDICO_DAT_B		PERMANENT		4.000	1.730	2.270	43.26
59.998	2.70	0	2				
USR_JURI_DATA		PERMANENT		4.000	2.790	1.210	69.74
59.999	4.36	0	2				
SH		PERMANENT		3.000	.002	2.998	.07
61.000	.00	0	2				
APEX		PERMANENT		1.953	.001	1.952	.05
30.047	.00	0	1				
INCORPORACION_JR		PERMANENT		1.000	.075	.925	7.53
31.000	.24	0	1				
LN							
INCORPORACION_IN		PERMANENT		1.000	.176	.824	17.60
31.000	.55	0	1				
DEX							
TBS_IMAGES		PERMANENT		1.000	.501	.499	50.12
31.000	1.57	0	1				

31 rows selected.

*** FIN DEL REPORTE DE LA BD cdb1adm1 ***
Informe de fecha 300126 de la Base de Datos cdb2adm1

PDBs que se encuentran en el contenedor			
CON_ID	CON_NAME	OPEN MODE	RESTRICTED
2	PDB\$SEED	READ ONLY	NO
3	NOMIPROAI	READ WRITE	NO

Almacenamiento ASM del contenedor						
Group				Total	Free	Used
Number	NAME	TYPE	STATE	(MB)	(MB)	(%)
1	DATA1	HIGH	CONNECTED	88,080,384	23,810,692	73
2	RECOC1	HIGH	CONNECTED	22,020,096	12,711,996	42

Espacio usado del área de recuperación FRA del contenedor			
AREA DE DESTINO	TOTAL_GB	USADO_GB	USADO %
+RECOC1	5291	660	13

Session altered.

Espacio usado del área de recuperación FRA del contenedor
CON_NAME

NOMIPROAI

Estado del uso de los Tablespace

NOMBRE	TIPO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%
EXTENSIBLE(GB)	USADO %	NOTO	OTO			
TS_DAT_PART_BIG	PERMANENT	1,546.605	1,281.980	264.625	82.89	
340.093 67.95	31 28					
SYSAUX	PERMANENT	340.588	225.637	114.951	66.25	
43.290 58.78	4 8					
CS_INDICES	PERMANENT	307.486	292.469	15.018	95.12	
32,460.514	.89 0 1					
CS_DATOS	PERMANENT	279.046	92.215	186.831	33.05	
32,488.954	.28 0 1					
TEMP	TEMPORARY	224.000	.020	223.980	.01	
.000 .01	0 7					
TS_IDX_PART_BIG	PERMANENT	216.695	206.305	10.390	95.21	
39.105 80.65	3 5					
TS_DAT_PART_PEQ	PERMANENT	186.920	177.992	8.928	95.22	
36.947 79.51	1 6					
TCS_CON_CONT_LIQ	PERMANENT	110.843	105.086	5.757	94.81	
81.155 54.73	2 4					
_DEF						
TS_IDX_PART_PEQ	PERMANENT	89.031	84.158	4.873	94.53	
38.969 65.75	0 4					
UNDOTBS2	UNDO	80.136	3.638	76.497	4.54	
15.864 3.79	0 3					
TCS_API_CARGUE_D	PERMANENT	75.789	72.140	3.649	95.18	
52.209 56.36	0 4					
EF						
UNDOTBS1	UNDO	56.418	.454	55.964	.81	
7.582 .71	0 2					
TS_DAT_PART_MED	PERMANENT	42.410	40.206	2.204	94.80	
53.590 41.88	0 3					
UNDOTBS	UNDO	31.938	18.776	13.162	58.79	
31.995 29.37	1 1					
TCS_LIQUIDACION_	PERMANENT	30.020	28.563	1.457	95.15	
65.979 29.75	0 3					
EJECUCION_DEF						
USERS	PERMANENT	29.886	7.176	22.709	24.01	
41.950 9.99	1 2					
TS_IDX_PART_MED	PERMANENT	19.010	18.070	.940	95.05	
44.990 28.23	0 2					
SYSTEM	PERMANENT	10.000	3.663	6.337	36.63	
22.000 11.45	0 1					
AUDITORIA	PERMANENT	6.000	.476	5.524	7.93	
26.000 1.49	0 1					

PENS_DATA	PERMANENT	5.000	.012	4.988	.24
27.000 .04	0 1				
CS_DATOS_TG	PERMANENT	5.000	.001	4.999	.02
.000 .02	1 0				
CS_INDICES_TG	PERMANENT	5.000	.451	4.549	9.02
.000 9.02	1 0				
TS_BIG_AUDITO	PERMANENT	1.000	.067	.933	6.70
32,767.000 .00	0 1				
STATSPACK_DATA	PERMANENT	1.000	.216	.784	21.58
4.000 4.32	0 1				

PDBs que se encuentran en el contenedor

CON_ID	CON_NAME	OPEN MODE	RESTRICTED
2	PDB\$SEED	READ ONLY	NO
3	SUITEV	READ WRITE	NO
5	SICAD	READ WRITE	NO

Almacenamiento ASM del contenedor

Group				Total	Free	Used
Number	NAME	TYPE	STATE	(MB)	(MB)	(%)
1	DATA1	HIGH	CONNECTED	88,080,384	23,810,692	73
2	RECOC1	HIGH	CONNECTED	22,020,096	12,711,996	42

Espacio usado del área de recuperación FRA del contenedor

AREA DE DESTINO	TOTAL_GB	USADO_GB	USADO %
+RECOC1	12164	719	6

Session altered.

Espacio usado del área de recuperación FRA del contenedor

CON_NAME

SUITEV

Estado del uso de los Tablespace

NOMBRE	TIPO	TOTAL (GB)	USADO (GB)	LIBRE (GB)	LIBRE	%
EXTENSIBLE (GB)	USADO %	NOTO	OTO			
TEMP	TEMPORARY	209.000	.000	209.000	.00	
32,559.000	.00 0 1					
VISION	PERMANENT	80.000	67.745	12.255	84.68	
32,688.000	.21 0 1					
SYSAUX	PERMANENT	30.434	26.333	4.101	86.53	
32,737.566	.08 0 1					
SYSTEM	PERMANENT	8.586	5.379	3.207	62.65	
32,759.414	.02 0 1					
UNDOTBS1	UNDO	4.586	1.342	3.244	29.26	
507.414	.26 0 1					

UNDO_2	UNDO	4.586	.182	4.404	3.96
507.414	.04 0 1				
USERS	PERMANENT	1.000	.066	.934	6.63
32,767.000	.00 0 1				

Estado del uso de los Tablespace
CON_NAME

SICAD

Estado del uso de los Tablespace							
NOMBRE	TIPO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%	
EXTENSIBLE(GB)	USADO %	NOTO	OTO				
SICAD_DATA	PERMANENT	56.299	51.107	5.191	90.78		
32,711.701	.16 0 1						
TEMP	TEMPORARY	17.000	.000	17.000	.00		
32,751.000	.00 0 1						
SICAD_XLOB	PERMANENT	15.596	14.712	.884	94.33		
32,752.404	.04 0 1						
SICAD_INDX	PERMANENT	13.604	4.400	9.203	32.35		
32,754.396	.01 0 1						
UNDOTBS1	UNDO	12.586	.347	12.239	2.76		
499.414	.07 0 1						
UNDO_2	UNDO	12.586	.369	12.217	2.93		
499.414	.07 0 1						
SYSTEM	PERMANENT	4.586	1.924	2.662	41.95		
32,763.414	.01 0 1						
SYSAUX	PERMANENT	4.586	1.063	3.523	23.18		
32,763.414	.00 0 1						
USERS	PERMANENT	1.000	.066	.934	6.65		
32,767.000	.00 0 1						

9 rows selected.

*** FIN DEL REPORTE DE LA BD cdbloper1 ***

PDBs que se encuentran en el contenedor			
CON_ID	CON_NAME	OPEN	MODE RESTRICTED
2	PDB\$SEED	READ ONLY	NO
4	SOAPROAI	READ WRITE	NO
5	WLSPROAI	READ WRITE	NO

Almacenamiento ASM del contenedor						
Group				Total	Free	Used
Number	NAME	TYPE	STATE	(MB)	(MB)	(%)
1	DATA1	HIGH	CONNECTED	88,080,384	23,810,692	73
2	RECOC1	HIGH	CONNECTED	22,020,096	12,711,996	42

Espacio usado del área de recuperación FRA del contenedor

AREA DE DESTINO	TOTAL_GB	USADO_GB	USADO %
+RECOC1	5269	89	2

Session altered.

Espacio usado del área de recuperación FRA del contenedor

CON_NAME
SOAPROAI

Estado del uso de los Tablespace

NOMBRE	TIPO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%
EXTENSIBLE(GB)	USADO %	NOTO	OTO			
SOAPRO_SOAINFRA	PERMANENT	1,855.895	1,767.500	88.396		95.24
30,912.105	5.39	0	1			
TEMP	TEMPORARY	17.000	.000	17.000		.00
32,751.000	.00	0	1			
SYSAUX	PERMANENT	8.679	4.814	3.865		55.46
32,759.321	.01	0	1			
SOAPRO_STB	PERMANENT	6.598	5.878	.719		89.10
32,761.402	.02	0	1			
SYSTEM	PERMANENT	4.586	2.031	2.555		44.29
32,763.414	.01	0	1			
UNDO_2	UNDO	4.586	.029	4.557	.63	
507.414	.01	0	1			
UNDOTBS1	UNDO	4.586	.047	4.539	1.03	
507.414	.01	0	1			
USERS	PERMANENT	1.000	.066	.934		6.63
32,767.000	.00	0	1			
SOAPRO_WLS	PERMANENT	.098	.006	.092		6.19
32,767.902	.00	0	1			
SOAPRO_MDS	PERMANENT	.098	.074	.023		76.06
32,767.902	.00	0	1			
SOAPRO_IAU	PERMANENT	.098	.006	.092		6.19
32,767.902	.00	0	1			
SOAPRO_IAS_TEMP	TEMPORARY	.098	.000	.098		.00
32,767.902	.00	0	1			
SOAPRO_IAS_UMS	PERMANENT	.098	.014	.084		14.13
32,767.902	.00	0	1			
SOAPRO_IAS_OPSS	PERMANENT	.098	.057	.041		58.19
32,767.902	.00	0	1			

Estado del uso de los Tablespace

CON_NAME
WLSPROAI

Estado del uso de los Tablespace

NOMBRE EXTENSIBLE(GB)	TIPO USADO %	NOTO	TOTAL (GB) OTO	USADO(GB)	LIBRE(GB)	LIBRE	%

SYSTEM	PERMANENT		4.586	2.133	2.453		46.51
32,763.414	.01 0	1					
SYSAUX	PERMANENT		4.586	1.109	3.477		24.18
32,763.414	.00 0	1					
FRM01_IAS_OPSS	PERMANENT		1.113	.122	.992		10.94
32,766.887	.00 0	1					
FRM12_IAS_OPSS	PERMANENT		1.113	.121	.992		10.85
32,766.887	.00 0	1					
FRM11_IAS_OPSS	PERMANENT		1.113	.122	.991		10.94
32,766.887	.00 0	1					
FRM15_IAS_OPSS	PERMANENT		1.016	.115	.901		11.32
32,766.984	.00 0	1					
FRM_IAS_OPSS	PERMANENT		1.016	.115	.901		11.33
32,766.984	.00 0	1					
MDN_OAM	PERMANENT		1.016	.071	.945		6.95
32,766.984	.00 0	1					
USERS	PERMANENT		1.000	.120	.880		11.98
32,767.000	.00 0	1					
TEMP	TEMPORARY		1.000	.000	1.000		.00
32,767.000	.00 0	1					
UNDO_2	UNDO		.586	.013	.573	2.23	
511.414	.00 0	1					
UNDOTBS1	UNDO		.586	.021	.565	3.55	
511.414	.00 0	1					
FRM02_IAS_OPSS	PERMANENT		.117	.062	.055		53.28
32,767.883	.00 0	1					
FRM11_IAS_UMS	PERMANENT		.098	.013	.084		13.63
32,767.902	.00 0	1					
FRM11_MDS	PERMANENT		.098	.006	.092		6.06
32,767.902	.00 0	1					
FRM12_IAS_UMS	PERMANENT		.098	.013	.084		13.63
32,767.902	.00 0	1					
FRM12_MDS	PERMANENT		.098	.006	.092		6.06
32,767.902	.00 0	1					
FRM01_IAS_UMS	PERMANENT		.098	.013	.084		13.63
32,767.902	.00 0	1					
FRM01_MDS	PERMANENT		.098	.006	.092		6.06
32,767.902	.00 0	1					
FRM02_IAS_UMS	PERMANENT		.098	.013	.084		13.63
32,767.902	.00 0	1					
FRM02_MDS	PERMANENT		.098	.006	.092		6.06
32,767.902	.00 0	1					
FRM02_IAS_TEMP	TEMPORARY		.098	.000	.098		.00
32,767.902	.00 0	1					
FRM12_IAS_TEMP	TEMPORARY		.098	.000	.098		.00
32,767.902	.00 0	1					
FRM11_IAS_TEMP	TEMPORARY		.098	.000	.098		.00
32,767.902	.00 0	1					
FRM01_IAS_TEMP	TEMPORARY		.098	.000	.098		.00
32,767.902	.00 0	1					
FRM01_WLS	PERMANENT		.059	.006	.053		10.31
32,767.941	.00 0	1					

FRM11_I AU	PERMANENT		.059	.006	.053	10.31
32,767.941	.00 0	1				
FRM01_I AU	PERMANENT		.059	.006	.053	10.31
32,767.941	.00 0	1				
FRM12_WLS	PERMANENT		.059	.006	.053	10.31
32,767.941	.00 0	1				
FRM02_I AU	PERMANENT		.059	.006	.053	10.31
32,767.941	.00 0	1				
FRM12_I AU	PERMANENT		.059	.006	.053	10.31
32,767.941	.00 0	1				
FRM02_WLS	PERMANENT		.059	.006	.053	10.31
32,767.941	.00 0	1				
FRM11_WLS	PERMANENT		.059	.006	.053	10.31
32,767.941	.00 0	1				
MDN_PORTAL	PERMANENT		.011	.010	.001	89.77
32,767.989	.00 0	1				
OLTS_SVRMGSTORE	PERMANENT		.010	.006	.004	60.63
32,767.990	.00 0	1				
FRM_I AU	PERMANENT		.010	.006	.003	65.63
32,767.990	.00 0	1				
MDN_BRSAINDX	PERMANENT		.010	.007	.002	75.00
32,767.990	.00 0	1				
MDN_DISCO_PTM5_M	PERMANENT		.010	.006	.003	65.00
32,767.990	.00 0	1				
ETA						
FRM_STB	PERMANENT		.010	.007	.003	69.38
32,767.990	.00 0	1				
FRM_WLS	PERMANENT		.010	.006	.004	61.88
32,767.990	.00 0	1				
MDN_APM	PERMANENT		.010	.007	.003	71.88
32,767.990	.00 0	1				
MDN_BRSA DATA	PERMANENT		.010	.008	.002	78.75
32,767.990	.00 0	1				
OLTS_ATTRSTORE	PERMANENT		.010	.006	.004	60.63
32,767.990	.00 0	1				
MDN_PORTAL_DOC	PERMANENT		.010	.006	.004	60.63
32,767.990	.00 0	1				
MDN_PORTAL_LOG	PERMANENT		.010	.006	.004	60.63
32,767.990	.00 0	1				
MDN_IAS_OIF	PERMANENT		.010	.006	.004	60.63
32,767.990	.00 0	1				
OLTS_CT_STORE	PERMANENT		.010	.006	.004	60.63
32,767.990	.00 0	1				
MDN_IAS_I AU	PERMANENT		.010	.006	.003	65.63
32,767.990	.00 0	1				
FRM15_WLS	PERMANENT		.010	.006	.004	61.88
32,767.990	.00 0	1				
FRM11_STB	PERMANENT		.010	.007	.003	69.38
32,767.990	.00 0	1				
FRM12_STB	PERMANENT		.010	.007	.003	69.38
32,767.990	.00 0	1				
FRM01_STB	PERMANENT		.010	.007	.003	69.38
32,767.990	.00 0	1				
FRM02_STB	PERMANENT		.010	.007	.003	69.38
32,767.990	.00 0	1				

FRM15_IAS_TEMP	TEMPORARY		.010	.000	.010	.00
32,767.990	.00 0	1				
MDN_BRSATEMP	TEMPORARY		.010	.000	.010	.00
32,767.990	.00 0	1				
MDN_IAS_TEMP	TEMPORARY		.010	.000	.010	.00
32,767.990	.00 0	1				
FRM_IAS_TEMP	TEMPORARY		.010	.000	.010	.00
32,767.990	.00 0	1				
MDN_APM_TEMP	TEMPORARY		.010	.000	.010	.00
32,767.990	.00 0	1				
IAS_TEMP	TEMPORARY		.010	.000	.010	.00
32,767.990	.00 0	1				
MDN_DISCO_PSTORE	PERMANENT		.010	.007	.002	75.63
32,767.990	.00 0	1				
MDN_DISCO_PTM5_C	PERMANENT		.010	.006	.004	60.63
32,767.990	.00 0	1				
ACHE						
FRM15_STB	PERMANENT		.010	.007	.003	69.38
32,767.990	.00 0	1				
MDN_MDS	PERMANENT		.010	.006	.004	60.63
32,767.990	.00 0	1				
FRM15_IAU	PERMANENT		.010	.006	.003	65.63
32,767.990	.00 0	1				
MDN_IAS_PORTLET	PERMANENT		.010	.006	.004	61.88
32,767.990	.00 0	1				
AUDITORIA	PERMANENT		.010	.006	.004	60.63
32,767.990	.00 0	1				
MDN_OAM_TEMP	TEMPORARY		.010	.000	.010	.00
32,767.990	.00 0	1				
MDN_PORTAL_IDX	PERMANENT		.010	.006	.004	61.88
32,767.990	.00 0	1				
MDN_IAS_ORASDPM	PERMANENT		.010	.006	.004	60.63
32,767.990	.00 0	1				

*** FIN DEL REPORTE DE LA BD cdb2oper1 ***

PDBs que se encuentran en el contenedor

CON_ID	CON_NAME	OPEN MODE	RESTRICTED
2	PDB\$SEED	READ ONLY	NO
4	CGRDB	READ WRITE	NO
5	GCPDB	READ WRITE	NO

Almacenamiento ASM del contenedor

Group	Number	NAME	TYPE	STATE	Total (MB)	Free (MB)	Used (%)
	1	DATA1	HIGH	CONNECTED	88,080,384	23,810,692	73
	2	RECOC1	HIGH	CONNECTED	22,020,096	12,711,996	42

Espacio usado del área de recuperación FRA del contenedor

AREA DE DESTINO	TOTAL_GB	USADO_GB	USADO %
+RECOC1	5564	239	5

Session altered.

Espacio usado del área de recuperación FRA del contenedor
CON_NAME

CGRDB

Estado del uso de los Tablespace						
NOMBRE	TIPO	TOTAL (GB)		USADO (GB)	LIBRE (GB)	LIBRE %
EXTENSIBLE (GB)	USADO %	NOTO	OTO			

CGR_DATA	PERMANENT		111.250	105.937	5.313	95.22
32,656.750	.32	0	1			
SYSAUX	PERMANENT		20.586	1.950	18.636	9.47
32,747.414	.01	0	1			
UNDO_4	UNDO		4.093	.014	4.079	.34
507.907	.00	0	1			
TEMP	TEMPORARY		1.000	.000	1.000	.00
32,767.000	.00	0	1			
USERS	PERMANENT		1.000	.066	.934	6.63
32,767.000	.00	0	1			
CGR_IDX	PERMANENT		1.000	.066	.934	6.63
32,767.000	.00	0	1			
SYSTEM	PERMANENT		.586	.522	.064	89.02
32,767.414	.00	0	1			
UNDOTBS1	UNDO		.586	.013	.573	2.21
511.414	.00	0	1			

8 rows selected.

Session altered.

Estado del uso de los Tablespace
CON_NAME

GCPDB

Estado del uso de los Tablespace						
NOMBRE	TIPO	TOTAL (GB)		USADO (GB)	LIBRE (GB)	LIBRE %
EXTENSIBLE (GB)	USADO %	NOTO	OTO			

SYSAUX	PERMANENT		16.586	2.122	14.463	12.80
32,751.414	.01	0	1			
UNDOTBS1	UNDO		4.586	.016	4.570	.35
507.414	.00	0	1			
UNDO_4	UNDO		4.093	.009	4.084	.22
507.907	.00	0	1			

TEMP	TEMPORARY	1.000	.000	1.000	.00
32,767.000	.00 0 1				
USERS	PERMANENT	1.000	.066	.934	6.63
32,767.000	.00 0 1				
GCP_DATA	PERMANENT	1.000	.671	.329	67.08
32,767.000	.00 0 1				
SYSTEM	PERMANENT	.586	.515	.071	87.85
32,767.414	.00 0 1				

Estado del Servidor exaccqcnmdn01-db02

Información del Servidor

Static hostname: exaccqcnmdn01-db02
Icon name: computer-vm
Chassis: vm
Machine ID: 550a82df83af445192375dcfed85ca6a
Boot ID: c5650df8cc634cc4ba5f73ad8efdde30
Virtualization: kvm
Operating System: Oracle Linux Server 8.10
CPE OS Name: cpe:/o:oracle:linux:8:10:server
Kernel: Linux 5.15.0-308.179.6.16.el8uek.x86_64
Architecture: x86-64

Estado Base de Datos

PDBs que se encuentran en el contenedor

CON_ID	CON_NAME	OPEN	MODE	RESTRICTED
2	PDB\$SEED	READ ONLY	NO	
4	SIATHPRO	READ WRITE	NO	

Almacenamiento ASM del contenedor

Group				Total	Free	Used
Number	NAME	TYPE	STATE	(MB)	(MB)	(%)
1	DATA1	HIGH	CONNECTED	88,080,384	23,810,692	73
2	RECOC1	HIGH	CONNECTED	22,020,096	12,711,996	42

Espacio usado del área de recuperación FRA del contenedor

AREA DE DESTINO	TOTAL_GB	USADO_GB	USADO %
+RECOC1	12184	1175	10

Espacio usado del área de recuperación FRA del contenedor

CON_NAME

SIATHPRO

Estado del uso de los Tablespace

NOMBRE	TIPO	TOTAL (GB)	USADO (GB)	LIBRE (GB)	LIBRE	%
EXTENSIBLE (GB)	USADO %	NOTO	OTO			
REHU_JRNL	PERMANENT	1,700.000	1,045.238	654.762		61.48
31,068.000	3.19 0 1					
TEMP	TEMPORARY	896.000	.000	896.000	.00	
.000	0 28					
SYSAUX	PERMANENT	274.385	227.208	47.177	82.81	
109.457	59.19 7 5					
REHU_INDEX	PERMANENT	245.646	233.018	12.629	94.86	
74.152	72.86 5 5					
NOPR_INDEX	PERMANENT	234.313	222.626	11.688	95.01	
85.484	69.61 6 4					
AUDITORIA	PERMANENT	224.723	213.508	11.215	95.01	
30.930	83.52 6 2					
REHU_DATA	PERMANENT	219.487	208.586	10.901	95.03	
68.312	72.48 4 5					
TS_TEMP	TEMPORARY	127.000	.000	127.000	.00	
.000	.00 0 4					
EVALUACIONES_TAB	PERMANENT	120.625	114.880	5.745	95.24	
39.375	71.80 0 5					
LAS						
TS_DAT_PART_BIG	PERMANENT	91.000	86.503	4.497		95.06
32,677.000	.26 0 1					
NOPR_DATA	PERMANENT	84.374	51.749	32.625	61.33	
43.623	40.43 0 4					
UNDOTBS1	UNDO	83.615	.699	82.916	.84	
12.383	.73 0 3					
NOMINADESCUENTOS	PERMANENT	42.738	39.424	3.314	92.24	
117.195	24.65 1 4					
_DATA						
SYSTEM	PERMANENT	37.598	7.010	30.588	18.64	
58.399	7.30 0 3					
NOMINADEVENGADOS	PERMANENT	37.211	32.477	4.734	87.28	
58.723	33.85 1 2					
_DATA						
USERS	PERMANENT	34.734	.056	34.678	.16	
29.199	.09 1 1					
PENS_DATA	PERMANENT	19.954	18.759	1.195	94.01	
44.045	29.31 0 2					
ANTEXPEPRESTA_DA	PERMANENT	19.789	8.090	11.699	40.88	
21.999	19.36 1 1					
TA						
INCORPORACION_DA	PERMANENT	17.875	16.549	1.326	92.58	
142.125	10.34 0 5					
TA						

NOMINAPERSONAL_D	PERMANENT	16.711	12.323	4.388	73.74
47.288	19.26 0 2				
ATA					
UNDOTBS2	UNDO	14.302	.607	13.695	4.24
81.696	.63 0 3				
STATSPACK	PERMANENT	9.000	.008	8.992	.09
54.998	.01 0 2				
SIPP	PERMANENT	7.836	3.595	4.241	45.88
56.164	5.62 0 2				
SEGMENT_LOB	PERMANENT	6.374	3.781	2.593	59.33
59.603	5.73 1 2				
JURIDICO_DAT_B	PERMANENT	4.000	1.730	2.270	43.26
59.998	2.70 0 2				
USR_JURI_DATA	PERMANENT	4.000	2.790	1.210	69.74
59.999	4.36 0 2				
SH	PERMANENT	3.000	.002	2.998	.07
61.000	.00 0 2				
APEX	PERMANENT	1.953	.001	1.952	.05
30.047	.00 0 1				
INCORPORACION_JR	PERMANENT	1.000	.075	.925	7.53
31.000	.24 0 1				
LN					
INCORPORACION_IN	PERMANENT	1.000	.176	.824	17.60
31.000	.55 0 1				
DEX					
TBS_IMAGES	PERMANENT	1.000	.501	.499	50.12
31.000	1.57 0 1				

31 rows selected.

ERROR:

ORA-65011: Pluggable database NOMIPRO does not exist.

Estado del uso de los Tablespace
CON_NAME

SIATHPRO

Estado del uso de los Tablespace

NOMBRE	TIPO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%
EXTENSIBLE(GB)	USADO %	NOTO	OTO			
-----	-----	-----	-----	-----	-----	-----
REHU_JRNL	PERMANENT	1,700.000	1,045.238	654.762		61.48
31,068.000	3.19 0 1					
TEMP	TEMPORARY	896.000	.000	896.000	.00	
.000	.00 0 28					
SYSAUX	PERMANENT	274.385	227.208	47.177	82.81	
109.457	59.19 7 5					
REHU_INDEX	PERMANENT	245.646	233.018	12.629	94.86	
74.152	72.86 5 5					

NOPR_INDEX	PERMANENT	234.313	222.626	11.688	95.01
85.484 69.61	6 4				
AUDITORIA	PERMANENT	224.723	213.508	11.215	95.01
30.930 83.52	6 2				
REHU_DATA	PERMANENT	219.487	208.586	10.901	95.03
68.312 72.48	4 5				
TS_TEMP	TEMPORARY	127.000	.000	127.000	.00
.000 .00	0 4				
EVALUACIONES_TAB	PERMANENT	120.625	114.880	5.745	95.24
39.375 71.80	0 5				
LAS					
TS_DAT_PART_BIG	PERMANENT	91.000	86.503	4.497	95.06
32,677.000 .26	0 1				
NOPR_DATA	PERMANENT	84.374	51.749	32.625	61.33
43.623 40.43	0 4				
UNDOTBS1	UNDO	83.615	.699	82.916	.84
12.383 .73	0 3				
NOMINADESCUENTOS	PERMANENT	42.738	39.424	3.314	92.24
117.195 24.65	1 4				
_DATA					
SYSTEM	PERMANENT	37.598	7.010	30.588	18.64
58.399 7.30	0 3				
NOMINADEVENGADOS	PERMANENT	37.211	32.477	4.734	87.28
58.723 33.85	1 2				
_DATA					
USERS	PERMANENT	34.734	.056	34.678	.16
29.199 .09	1 1				
PENS_DATA	PERMANENT	19.954	18.759	1.195	94.01
44.045 29.31	0 2				
ANTEXPEPRESTA_DA	PERMANENT	19.789	8.090	11.699	40.88
21.999 19.36	1 1				
TA					
INCORPORACION_DA	PERMANENT	17.875	16.549	1.326	92.58
142.125 10.34	0 5				
TA					
NOMINAPERSONAL_D	PERMANENT	16.711	12.323	4.388	73.74
47.288 19.26	0 2				
ATA					
UNDOTBS2	UNDO	14.302	.607	13.695	4.24
81.696 .63	0 3				
STATSPACK	PERMANENT	9.000	.008	8.992	.09
54.998 .01	0 2				
SIPP	PERMANENT	7.836	3.595	4.241	45.88
56.164 5.62	0 2				
SEGMENT_LOB	PERMANENT	6.374	3.781	2.593	59.33
59.603 5.73	1 2				
JURIDICO_DAT_B	PERMANENT	4.000	1.730	2.270	43.26
59.998 2.70	0 2				
USR_JURI_DATA	PERMANENT	4.000	2.790	1.210	69.74
59.999 4.36	0 2				

SH		PERMANENT	3.000	.002	2.998	.07
61.000	.00	0 2				
APEX		PERMANENT	1.953	.001	1.952	.05
30.047	.00	0 1				
INCORPORACION_JR		PERMANENT	1.000	.075	.925	7.53
31.000	.24	0 1				
LN						
INCORPORACION_IN		PERMANENT	1.000	.176	.824	17.60
31.000	.55	0 1				
DEX						
TBS_IMAGES		PERMANENT	1.000	.501	.499	50.12
31.000	1.57	0 1				

31 rows selected.

*** FIN DEL REPORTE DE LA BD cdbladm2 ***
Informe de fecha 300126 de la Base de Datos cdbloper2

PDBs que se encuentran en el contenedor

CON_ID	CON_NAME	OPEN MODE	RESTRICTED
2	PDB\$SEED	READ ONLY	NO
3	SUITEV	READ WRITE	NO
5	SICAD	READ WRITE	NO

Almacenamiento ASM del contenedor

Group				Total	Free	Used
Number	NAME	TYPE	STATE	(MB)	(MB)	(%)
1	DATA1	HIGH	CONNECTED	88,080,384	23,810,692	73
2	RECO1	HIGH	CONNECTED	22,020,096	12,711,996	42

Espacio usado del área de recuperación FRA del contenedor

AREA DE DESTINO	TOTAL_GB	USADO_GB	USADO %
+RECO1	12164	719	6

ERROR:
ORA-65011: Pluggable database SOADB does not exist.

Espacio usado del área de recuperación FRA del contenedor

CON_NAME

CDB\$ROOT

Estado del uso de los Tablespace

NOMBRE	TIPO	TOTAL (GB)	USADO (GB)	LIBRE (GB)	LIBRE	%
EXTENSIBLE (GB)	USADO %	NOTO	OTO			

SYSAUX	PERMANENT		9.953	6.440	3.513	64.70
32,758.047	.02 0 1					
SYSTEM	PERMANENT		5.953	2.274	3.679	38.20
32,762.047	.01 0 1					
UNDOTBS1	UNDO		1.953	.023	1.930	1.16
510.047	.00 0 1					
UNDOTBS2	UNDO		1.953	.017	1.936	.87
510.047	.00 0 1					
USERS	PERMANENT		1.000	.068	.932	6.80
32,767.000	.00 0 1					
TEMP	TEMPORARY		1.000	.000	1.000	.00
511.000	.00 0 1					

6 rows selected.

Session altered.

Estado del uso de los Tablespace
CON_NAME

SUITEV

Estado del uso de los Tablespace						
NOMBRE	TIPO	TOTAL (GB)	USADO (GB)	LIBRE (GB)	LIBRE	%
EXTENSIBLE (GB)	USADO %	NOTO	OTO			
TEMP	TEMPORARY	209.000	.000	209.000		.00
32,559.000	.00 0 1					
VISION	PERMANENT	80.000	67.745	12.255		84.68
32,688.000	.21 0 1					
SYSAUX	PERMANENT	30.434	26.333	4.101		86.53
32,737.566	.08 0 1					
SYSTEM	PERMANENT	8.586	5.379	3.207		62.65
32,759.414	.02 0 1					
UNDOTBS1	UNDO	4.586	1.342	3.244	29.26	
507.414	.26 0 1					
UNDO_2	UNDO	4.586	.182	4.404	3.96	
507.414	.04 0 1					
USERS	PERMANENT	1.000	.066	.934		6.63
32,767.000	.00 0 1					

7 rows selected.

ERROR:
ORA-65011: Pluggable database WLSREPO does not exist.

Estado del uso de los Tablespace
CON_NAME

SUITEV

Estado del uso de los Tablespace

NOMBRE EXTENSIBLE(GB)	TIPO USADO %	NOTO	OTO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%
TEMP	TEMPORARY			209.000	.000	209.000		.00
32,559.000	.00 0	1						
VISION	PERMANENT			80.000	.67.745	12.255		84.68
32,688.000	.21 0	1						
SYSAUX	PERMANENT			30.434	26.333	4.101		86.53
32,737.566	.08 0	1						
SYSTEM	PERMANENT			8.586	5.379	3.207		62.65
32,759.414	.02 0	1						
UNDOTBS1	UNDO			4.586	1.342	3.244	29.26	
507.414	.26 0	1						
UNDO_2	UNDO			4.586	.182	4.404	3.96	
507.414	.04 0	1						
USERS	PERMANENT			1.000	.066	.934		6.63
32,767.000	.00 0	1						

7 rows selected.

Session altered.

Estado del uso de los Tablespace
CON_NAME

SICAD

Estado del uso de los Tablespace

NOMBRE EXTENSIBLE(GB)	TIPO USADO %	NOTO	OTO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%
SICAD_DATA	PERMANENT			56.299	51.107	5.191		90.78
32,711.701	.16 0	1						
TEMP	TEMPORARY			17.000	.000	17.000		.00
32,751.000	.00 0	1						
SICAD_XLOB	PERMANENT			15.596	14.712	.884		94.33
32,752.404	.04 0	1						
SICAD_INDX	PERMANENT			13.604	4.400	9.203		32.35
32,754.396	.01 0	1						
UNDOTBS1	UNDO			12.586	.347	12.239	2.76	
499.414	.07 0	1						
UNDO_2	UNDO			12.586	.369	12.217	2.93	
499.414	.07 0	1						
SYSTEM	PERMANENT			4.586	1.924	2.662		41.95
32,763.414	.01 0	1						
SYSAUX	PERMANENT			4.586	1.063	3.523		23.18
32,763.414	.00 0	1						
USERS	PERMANENT			1.000	.066	.934		6.65
32,767.000	.00 0	1						

9 rows selected.

*** FIN DEL REPORTE DE LA BD cdbloper2 ***
Informe de fecha 300126 de la Base de Datos cdb2oper2

PDBs que se encuentran en el contenedor

CON_ID	CON_NAME	OPEN MODE	RESTRICTED
2	PDB\$SEED	READ ONLY	NO
4	SOAPROAI	READ WRITE	NO
5	WLSPROAI	READ WRITE	NO

Almacenamiento ASM del contenedor

Group				Total	Free	Used
Number	NAME	TYPE	STATE	(MB)	(MB)	(%)
1	DATA1	HIGH	CONNECTED	88,080,384	23,810,692	73
2	RECOC1	HIGH	CONNECTED	22,020,096	12,711,996	42

Espacio usado del área de recuperación FRA del contenedor

AREA DE DESTINO	TOTAL_GB	USADO_GB	USADO %
+RECOC1	5269	89	2

ERROR:
ORA-65011: Pluggable database CGRDB does not exist.
Help: <https://docs.oracle.com/error-help/db/ora-65011/>

Espacio usado del área de recuperación FRA del contenedor

CON_NAME
CDB\$ROOT

Estado del uso de los Tablespace

NOMBRE	TIPO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%
EXTENSIBLE(GB)	USADO %	NOTO	OTO			
SYSTEM	PERMANENT	5.953	2.435	3.518		40.91
32,762.047	.01 0 1					
SYSAUX	PERMANENT	5.953	3.859	2.094		64.82
32,762.047	.01 0 1					
UNDOTBS1	UNDO	1.953	.019	1.934	.97	
510.047	.00 0 1					
UNDOTBS2	UNDO	1.953	.018	1.935	.92	
510.047	.00 0 1					
USERS	PERMANENT	1.000	.066	.934		6.63
32,767.000	.00 0 1					
TEMP	TEMPORARY	1.000	.000	1.000	.00	
511.000	.00 0 1					

Estado del Servidor exaccqcnmdn01-db03

Información del Servidor

Static hostname: exaccqcnmdn01-db03
Icon name: computer-vm
Chassis: vm
Machine ID: 1271415791524a90afb58e5dfb41519c
Boot ID: f98689b4baa746b3aa6095bac3f77737
Virtualization: kvm
Operating System: Oracle Linux Server 8.10
CPE OS Name: cpe:/o:oracle:linux:8:10:server
Kernel: Linux 5.15.0-308.179.6.16.el8uek.x86_64
Architecture: x86-64

Estado Base de Datos

Informe de fecha 300126 de la Base de Datos cdb2des1

PDBs que se encuentran en el contenedor

CON_ID	CON_NAME	OPEN MODE	RESTRICTED
2	PDB\$SEED	READ ONLY	NO
3	SIATHDES	READ WRITE	NO

Almacenamiento ASM del contenedor

Group				Total	Free	Used
Number	NAME	TYPE	STATE	(MB)	(MB)	(%)
1	DATA2	HIGH	CONNECTED	221,458,176	112,984,444	49
2	RECOC2	HIGH	CONNECTED	55,364,352	29,248,920	47

Espacio usado del área de recuperación FRA del contenedor

AREA DE DESTINO	TOTAL_GB	USADO_GB	USADO %
+RECOC2	8175	1432	18

ERROR:

ORA-65011: Pluggable database NOMIDES does not exist.

Espacio usado del área de recuperación FRA del contenedor

CON_NAME
CDB\$ROOT

Estado del uso de los Tablespace

NOMBRE	TIPO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%
EXTENSIBLE(GB)	USADO %	NOTO	OTO			
SYSTEM	PERMANENT	5.953	2.276	3.677	38.23	
32,762.047	.01	0	1			

SYSAUX	PERMANENT	5.953	4.553	1.400	76.48
32,762.047	.01 0 1				
UNDOTBS1	UNDO	1.953	.022	1.931	1.12
510.047	.00 0 1				
UNDOTBS2	UNDO	1.953	.047	1.906	2.41
510.047	.01 0 1				
USERS	PERMANENT	1.000	.068	.932	6.80
32,767.000	.00 0 1				
TEMP	TEMPORARY	1.000	.000	1.000	.00
511.000	.00 0 1				

6 rows selected.

Session altered.

Estado del uso de los Tablespace
CON_NAME

SIATHDES

Estado del uso de los Tablespace							
NOMBRE	TIPO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%	
EXTENSIBLE(GB)	USADO %	NOTO	OTO				

REHU_JRNL	PERMANENT	1,700.000	1,022.467	677.533	60.15		
31,068.000	3.12 0 1						
TEMP	TEMPORARY	896.000	.000	896.000	.00		
.000	.00 0 28						
SYSAUX	PERMANENT	274.385	226.974	47.411	82.72		
109.457	59.13 7 5						
REHU_INDEX	PERMANENT	234.740	222.916	11.824	94.96		
85.059	69.71 5 5						
NOPR_INDEX	PERMANENT	224.313	209.251	15.063	93.29		
95.484	65.43 6 4						
REHU_DATA	PERMANENT	207.823	196.542	11.281	94.57		
79.976	68.29 4 5						
AUDITORIA	PERMANENT	200.477	180.256	20.220	89.91		
55.176	70.51 6 2						
TS_TEMP	TEMPORARY	127.000	.000	127.000	.00		
.000	.00 0 4						
NOPR_DATA	PERMANENT	84.374	49.206	35.168	58.32		
43.623	38.44 0 4						
UNDOTBS1	UNDO	83.615	.520	83.095	.62		
12.383	.54 0 3						
TS_DAT_PART_BIG	PERMANENT	71.000	67.356	3.644	94.87		
32,697.000	.21 0 1						
NOMINADESCUENTOS	PERMANENT	42.738	37.986	4.752	88.88		
117.195	23.75 1 4						
_DATA							
SYSTEM	PERMANENT	37.598	7.000	30.597	18.62		
58.399	7.29 0 3						
NOMINADEVENGADOS	PERMANENT	37.211	31.141	6.070	83.69		
58.723	32.46 1 2						

_DATA

INCORPORACION_DA PERMANENT	35.867	13.488	22.379	37.61
60.133 14.05 0 3				
TA				
USERS PERMANENT	34.734	.074	34.660	.21
29.199 .12 1 1				
EVALUACIONES_TAB PERMANENT	26.891	25.605	1.286	95.22
37.109 40.01 0 2				
LAS				
PENS_DATA PERMANENT	19.954	17.880	2.074	89.61
44.045 27.94 0 2				
ANTEXPEPRESTA_DA PERMANENT	19.789	8.152	11.637	41.20
21.999 19.51 1 1				
TA				
NOMINAPERSONAL_D PERMANENT	16.711	11.901	4.810	71.22
47.288 18.60 0 2				
ATA				
UNDOTBS2 UNDO	14.302	7.426	6.876	51.92
81.696 7.74 0 3				
STATSPACK PERMANENT	9.000	.008	8.992	.09
54.998 .01 0 2				
SIPP PERMANENT	7.836	3.595	4.241	45.88
56.164 5.62 0 2				
SEGMENT_LOB PERMANENT	6.374	3.653	2.721	57.32
59.603 5.54 1 2				
INCORPORACION_IN PERMANENT	4.664	.136	4.528	2.92
59.336 .21 0 2				
DEX				
JURIDICO_DAT_B PERMANENT	4.000	1.664	2.336	41.60
59.998 2.60 0 2				
USR_JURI_DATA PERMANENT	4.000	2.757	1.243	68.93
59.999 4.31 0 2				
SH PERMANENT	3.000	.002	2.998	.07
61.000 .00 0 2				
APEX PERMANENT	1.953	.001	1.952	.05
30.047 .00 0 1				
INCORPORACION_JR PERMANENT	1.000	.066	.934	6.58
31.000 .21 0 1				
LN				
TBS_IMAGES PERMANENT	1.000	.501	.499	50.12
31.000 1.57 0 1				

31 rows selected.

ERROR:

ORA-65011: Pluggable database GESTHDES does not exist.

Estado del uso de los Tablespace

CON_NAME

SIATHDES

Estado del uso de los Tablespace

NOMBRE	TIPO	TOTAL (GB)	USADO (GB)	LIBRE (GB)	LIBRE	%
EXTENSIBLE (GB)	USADO %	NOTO	OTO			
REHU_JRNL	PERMANENT	1,700.000	1,022.467	677.533		60.15
31,068.000	3.12 0 1					
TEMP	TEMPORARY	896.000	.000	896.000	.00	
.000	0 28					
SYSAUX	PERMANENT	274.385	226.974	47.411	82.72	
109.457 59.13	7 5					
REHU_INDEX	PERMANENT	234.740	222.916	11.824	94.96	
85.059 69.71	5 5					
NOPR_INDEX	PERMANENT	224.313	209.251	15.063	93.29	
95.484 65.43	6 4					
REHU_DATA	PERMANENT	207.823	196.542	11.281	94.57	
79.976 68.29	4 5					
AUDITORIA	PERMANENT	200.477	180.256	20.220	89.91	
55.176 70.51	6 2					
TS_TEMP	TEMPORARY	127.000	.000	127.000	.00	
.000	0 4					
NOPR_DATA	PERMANENT	84.374	49.206	35.168	58.32	
43.623 38.44	0 4					
UNDOTBS1	UNDO	83.615	.520	83.095	.62	
12.383 .54	0 3					
TS_DAT_PART_BIG	PERMANENT	71.000	67.356	3.644	94.87	
32,697.000	.21 0 1					
NOMINADESCUENTOS	PERMANENT	42.738	37.986	4.752	88.88	
117.195 23.75	1 4					
_DATA						
SYSTEM	PERMANENT	37.598	7.000	30.597	18.62	
58.399 7.29	0 3					
NOMINADEVENGADOS	PERMANENT	37.211	31.141	6.070	83.69	
58.723 32.46	1 2					
_DATA						
INCORPORACION_DA	PERMANENT	35.867	13.488	22.379	37.61	
60.133 14.05	0 3					
TA						
USERS	PERMANENT	34.734	.074	34.660	.21	
29.199 .12	1 1					
EVALUACIONES_TAB	PERMANENT	26.891	25.605	1.286	95.22	
37.109 40.01	0 2					
LAS						
PENS_DATA	PERMANENT	19.954	17.880	2.074	89.61	
44.045 27.94	0 2					
ANTEXPEPRESTA_DA	PERMANENT	19.789	8.152	11.637	41.20	
21.999 19.51	1 1					
TA						

NOMINAPERSONAL_D PERMANENT	16.711	11.901	4.810	71.22
47.288 18.60 0 2				
ATA				
UNDOTBS2 UNDO	14.302	7.426	6.876	51.92
81.696 7.74 0 3				
STATSPACK PERMANENT	9.000	.008	8.992	.09
54.998 .01 0 2				
SIPP PERMANENT	7.836	3.595	4.241	45.88
56.164 5.62 0 2				
SEGMENT_LOB PERMANENT	6.374	3.653	2.721	57.32
59.603 5.54 1 2				
INCORPORACION_IN PERMANENT	4.664	.136	4.528	2.92
59.336 .21 0 2				
DEX				
JURIDICO_DAT_B PERMANENT	4.000	1.664	2.336	41.60
59.998 2.60 0 2				
USR_JURI_DATA PERMANENT	4.000	2.757	1.243	68.93
59.999 4.31 0 2				
SH PERMANENT	3.000	.002	2.998	.07
61.000 .00 0 2				
APEX PERMANENT	1.953	.001	1.952	.05
30.047 .00 0 1				
INCORPORACION_JR PERMANENT	1.000	.066	.934	6.58
31.000 .21 0 1				
LN				
TBS_IMAGES PERMANENT	1.000	.501	.499	50.12
31.000 1.57 0 1				

31 rows selected.

*** FIN DEL REPORTE DE LA BD cdb2des1 ***
Informe de fecha 300126 de la Base de Datos cdb2pru1

PDBs que se encuentran en el contenedor

CON_ID	CON_NAME	OPEN MODE	RESTRICTED
2	PDB\$SEED	READ ONLY	NO
3	SICADPRU	READ WRITE	NO
4	SUITVPRU	READ WRITE	NO
6	SIATHPRU	READ WRITE	NO

Almacenamiento ASM del contenedor

Group	Number	NAME	TYPE	STATE	Total (MB)	Free (MB)	Used (%)
	1	DATA2	HIGH	CONNECTED	221,458,176	112,984,444	49
	2	RECOC2	HIGH	CONNECTED	55,364,352	29,248,920	47

Espacio usado del área de recuperación FRA del contenedor

AREA DE DESTINO	TOTAL_GB	USADO_GB	USADO %

+RECOC2 8159 1194 15

ERROR:
ORA-65011: Pluggable database WLSRPRU does not exist.

Espacio usado del área de recuperación FRA del contenedor
CON_NAME

CDB\$ROOT

Estado del uso de los Tablespace

NOMBRE	TIPO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%
EXTENSIBLE(GB)	USADO %	NOTO	OTO			
SYSTEM	PERMANENT	5.953	2.292	3.661	38.50	
32,762.047	.01 0 1					
SYSAUX	PERMANENT	5.953	4.515	1.438	75.84	
32,762.047	.01 0 1					
UNDOTBS1	UNDO	1.953	.217	1.736	11.11	
510.047	.04 0 1					
UNDOTBS2	UNDO	1.953	.142	1.811	7.26	
510.047	.03 0 1					
USERS	PERMANENT	1.000	.068	.932	6.80	
32,767.000	.00 0 1					
TEMP	TEMPORARY	1.000	.000	1.000	.00	
511.000	.00 0 1					

6 rows selected.

Session altered.

Estado del uso de los Tablespace
CON_NAME

SUITVPRU

Estado del uso de los Tablespace

NOMBRE	TIPO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%
EXTENSIBLE(GB)	USADO %	NOTO	OTO			
VISION	PERMANENT	80.000	59.371	20.629	74.21	
32,688.000	.18 0 1					
TEMP	TEMPORARY	17.000	.000	17.000	.00	
32,751.000	.00 0 1					
SYSAUX	PERMANENT	10.434	7.768	2.665	74.45	
32,757.566	.02 0 1					
UNDOTBS1	UNDO	4.586	.632	3.954	13.78	
507.414	.12 0 1					
SYSTEM	PERMANENT	4.586	2.589	1.997	56.45	
32,763.414	.01 0 1					

UNDO_2	UNDO	4.586	.043	4.543	.94
507.414	.01 0 1				
USERS	PERMANENT	1.000	.066	.934	6.63
32,767.000	.00 0 1				

7 rows selected.

ERROR:
ORA-65011: Pluggable database NOMIPRU does not exist.

Estado del uso de los Tablespace
CON_NAME

SUITVPRU

Estado del uso de los Tablespace							
NOMBRE	TIPO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%	
EXTENSIBLE(GB)	USADO %	NOTO	OTO				
VISION	PERMANENT	80.000	59.371	20.629		74.21	
32,688.000	.18 0 1						
TEMP	TEMPORARY	17.000	.000	17.000		.00	
32,751.000	.00 0 1						
SYSAUX	PERMANENT	10.434	7.768	2.665		74.45	
32,757.566	.02 0 1						
UNDOTBS1	UNDO	4.586	.632	3.954	13.78		
507.414	.12 0 1						
SYSTEM	PERMANENT	4.586	2.589	1.997		56.45	
32,763.414	.01 0 1						
UNDO_2	UNDO	4.586	.043	4.543	.94		
507.414	.01 0 1						
USERS	PERMANENT	1.000	.066	.934		6.63	
32,767.000	.00 0 1						

7 rows selected.

Session altered.

Estado del uso de los Tablespace
CON_NAME

SIATHPRU

Estado del uso de los Tablespace							
NOMBRE	TIPO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%	
EXTENSIBLE(GB)	USADO %	NOTO	OTO				
REHU_JRNL	PERMANENT	1,700.000	985.312	714.688		57.96	
31,068.000	3.01 0 1						
TEMP	TEMPORARY	896.000	.000	896.000	.00		
.000	.00 0 28						

SYSAUX	PERMANENT	274.385	226.940	47.445	82.71
109.457 59.12 7 5					
REHU_INDEX	PERMANENT	234.740	222.932	11.809	94.97
85.059 69.71 5 5					
NOPR_INDEX	PERMANENT	224.313	211.325	12.988	94.21
95.484 66.08 6 4					
REHU_DATA	PERMANENT	207.823	196.897	10.926	94.74
79.976 68.41 4 5					
AUDITORIA	PERMANENT	200.477	180.122	20.354	89.85
55.176 70.46 6 2					
TS_TEMP	TEMPORARY	127.000	.000	127.000	.00
.000 .00 0 4					
NOPR_DATA	PERMANENT	84.374	49.206	35.168	58.32
43.623 38.44 0 4					
UNDOTBS1	UNDO	83.615	.360	83.255	.43
12.383 .37 0 3					
TS_DAT_PART_BIG	PERMANENT	68.500	65.108	3.392	95.05
32,699.500 .20 0 1					
NOMINADESCUENTOS	PERMANENT	42.738	37.994	4.744	88.90
117.195 23.76 1 4					
_DATA					
SYSTEM	PERMANENT	37.598	6.999	30.598	18.62
58.399 7.29 0 3					
NOMINADEVENGADOS	PERMANENT	37.211	31.148	6.063	83.71
58.723 32.47 1 2					
_DATA					
INCORPORACION DA	PERMANENT	35.867	13.492	22.375	37.62
60.133 14.05 0 3					
TA					
USERS	PERMANENT	34.734	.064	34.671	.18
29.199 .10 1 1					
EVALUACIONES TAB	PERMANENT	26.793	25.465	1.328	95.04
37.207 39.79 0 2					
LAS					
UNDOTBS2	UNDO	25.921	3.586	22.335	13.84
70.077 3.74 0 3					
PENS_DATA	PERMANENT	19.954	17.860	2.094	89.51
44.045 27.91 0 2					
ANTEXPEPRESTA DA	PERMANENT	19.789	7.726	12.063	39.04
21.999 18.49 1 1					
TA					
NOMINAPERSONAL_D	PERMANENT	16.711	11.909	4.802	71.27
47.288 18.61 0 2					
ATA					
STATSPACK	PERMANENT	9.000	.008	8.992	.09
54.998 .01 0 2					
SIPP	PERMANENT	7.836	3.595	4.241	45.88
56.164 5.62 0 2					
SEGMENT_LOB	PERMANENT	6.374	3.652	2.722	57.30
59.603 5.54 1 2					

INCORPORACION_IN	PERMANENT	4.664	.136	4.528	2.92
59.336	.21 0 2				
DEX					
JURIDICO_DAT_B	PERMANENT	4.000	1.660	2.340	41.50
59.998	2.59 0 2				
USR_JURI_DATA	PERMANENT	4.000	2.674	1.326	66.85
59.999	4.18 0 2				
SH	PERMANENT	3.000	.002	2.998	.07
61.000	.00 0 2				
APEX	PERMANENT	1.953	.001	1.952	.05
30.047	.00 0 1				
TBS_IMAGES	PERMANENT	1.000	.501	.499	50.12
31.000	1.57 0 1				
INCORPORACION_JR	PERMANENT	1.000	.066	.934	6.58
31.000	.21 0 1				
LN					

31 rows selected.

ERROR:

ORA-65011: Pluggable database SOADES does not exist.

Estado del uso de los Tablespace
CON_NAME

SIATHPRU

Estado del uso de los Tablespace

NOMBRE	TIPO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%
EXTENSIBLE(GB)	USADO %	NOTO	OTO			
REHU_JRNL	PERMANENT	1,700.000	985.312	714.688		57.96
31,068.000	3.01 0 1					
TEMP	TEMPORARY	896.000	.000	896.000	.00	
.000	.00 0 28					
SYSAUX	PERMANENT	274.385	226.940	47.445	82.71	
109.457	59.12 7 5					
REHU_INDEX	PERMANENT	234.740	222.932	11.809	94.97	
85.059	69.71 5 5					
NOPR_INDEX	PERMANENT	224.313	211.325	12.988	94.21	
95.484	66.08 6 4					
REHU_DATA	PERMANENT	207.823	196.897	10.926	94.74	
79.976	68.41 4 5					
AUDITORIA	PERMANENT	200.477	180.122	20.354	89.85	
55.176	70.46 6 2					
TS_TEMP	TEMPORARY	127.000	.000	127.000	.00	
.000	.00 0 4					
NOPR_DATA	PERMANENT	84.374	49.206	35.168	58.32	
43.623	38.44 0 4					
UNDOTBS1	UNDO	83.615	.360	83.255	.43	
12.383	.37 0 3					

TS_DAT_PART_BIG PERMANENT	68.500	65.108	3.392	95.05
32,699.500 .20 0 1				
NOMINADESCUENTOS PERMANENT	42.738	37.994	4.744	88.90
117.195 23.76 1 4				
_DATA				
SYSTEM PERMANENT	37.598	6.999	30.598	18.62
58.399 7.29 0 3				
NOMINADEVENGADOS PERMANENT	37.211	31.148	6.063	83.71
58.723 32.47 1 2				
_DATA				
INCORPORACION_DA PERMANENT	35.867	13.492	22.375	37.62
60.133 14.05 0 3				
TA				
USERS PERMANENT	34.734	.064	34.671	.18
29.199 .10 1 1				
EVALUACIONES_TAB PERMANENT	26.793	25.465	1.328	95.04
37.207 39.79 0 2				
LAS				
UNDOTBS2 UNDO	25.921	3.586	22.335	13.84
70.077 3.74 0 3				
PENS_DATA PERMANENT	19.954	17.860	2.094	89.51
44.045 27.91 0 2				
ANTEXPEPRESTA_DA PERMANENT	19.789	7.726	12.063	39.04
21.999 18.49 1 1				
TA				
NOMINAPERSONAL_D PERMANENT	16.711	11.909	4.802	71.27
47.288 18.61 0 2				
ATA				
STATSPACK PERMANENT	9.000	.008	8.992	.09
54.998 .01 0 2				
SIPP PERMANENT	7.836	3.595	4.241	45.88
56.164 5.62 0 2				
SEGMENT_LOB PERMANENT	6.374	3.652	2.722	57.30
59.603 5.54 1 2				
INCORPORACION_IN PERMANENT	4.664	.136	4.528	2.92
59.336 .21 0 2				
DEX				
JURIDICO_DAT_B PERMANENT	4.000	1.660	2.340	41.50
59.998 2.59 0 2				
USR_JURI_DATA PERMANENT	4.000	2.674	1.326	66.85
59.999 4.18 0 2				
SH PERMANENT	3.000	.002	2.998	.07
61.000 .00 0 2				
APEX PERMANENT	1.953	.001	1.952	.05
30.047 .00 0 1				
TBS_IMAGES PERMANENT	1.000	.501	.499	50.12
31.000 1.57 0 1				
INCORPORACION_JR PERMANENT	1.000	.066	.934	6.58
31.000 .21 0 1				
LN				

Estado del Servidor exaccqcnmdn01-db04

Información del Servidor

Static hostname: exaccqcnmdn01-db04
Icon name: computer-vm
Chassis: vm
Machine ID: 6fe9f5eb03de4f1a9d9cff794e662a73
Boot ID: 64afb07daf9f461091d0b65cfb7c33bc
Virtualization: kvm
Operating System: Oracle Linux Server 8.10
CPE OS Name: cpe:/o:oracle:linux:8:10:server
Kernel: Linux 5.15.0-308.179.6.16.el8uek.x86_64
Architecture: x86-64

Estado Base de Datos

Informe de fecha 300126 de la Base de Datos cdb2des2

PDBs que se encuentran en el contenedor

CON_ID	CON_NAME	OPEN MODE	RESTRICTED
2	PDB\$SEED	READ ONLY	NO
3	SIATHDES	READ WRITE	NO

Almacenamiento ASM del contenedor

Group				Total	Free	Used
Number	NAME	TYPE	STATE	(MB)	(MB)	(%)
1	DATA2	HIGH	CONNECTED	221,458,176	112,984,444	49
2	RECOC2	HIGH	CONNECTED	55,364,352	29,248,920	47

Espacio usado del área de recuperación FRA del contenedor

AREA DE DESTINO	TOTAL_GB	USADO_GB	USADO %
+RECOC2	8175	1432	18

ERROR:

ORA-65011: Pluggable database NOMIDES does not exist.

Espacio usado del área de recuperación FRA del contenedor

CON_NAME
CDB\$ROOT

Estado del uso de los Tablespace

NOMBRE EXTENSIBLE(GB)	TIPO USADO %	NOTO	OTO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%
SYSTEM	PERMANENT			5.953	2.276	3.677		38.23
32,762.047	.01	0	1					
SYSAUX	PERMANENT			5.953	4.553	1.400		76.48
32,762.047	.01	0	1					
UNDOTBS1	UNDO			1.953	.022	1.931	1.12	
510.047	.00	0	1					
UNDOTBS2	UNDO			1.953	.047	1.906	2.41	
510.047	.01	0	1					
USERS	PERMANENT			1.000	.068	.932		6.80
32,767.000	.00	0	1					
TEMP	TEMPORARY			1.000	.000	1.000	.00	
511.000	.00	0	1					

6 rows selected.

Session altered.

Estado del uso de los Tablespace
CON_NAME

SIATHDES

NOMBRE EXTENSIBLE(GB)	TIPO USADO %	NOTO	OTO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%
REHU_JRNL	PERMANENT			1,700.000	1,022.467	677.533		60.15
31,068.000	3.12	0	1					
TEMP	TEMPORARY			896.000	.000	896.000	.00	
.000	.00	0	28					
SYSAUX	PERMANENT			274.385	226.974	47.411	82.72	
109.457	59.13	7	5					
REHU_INDEX	PERMANENT			234.740	222.916	11.824	94.96	
85.059	69.71	5	5					
NOPR_INDEX	PERMANENT			224.313	209.251	15.063	93.29	
95.484	65.43	6	4					
REHU_DATA	PERMANENT			207.823	196.542	11.281	94.57	
79.976	68.29	4	5					
AUDITORIA	PERMANENT			200.477	180.256	20.220	89.91	
55.176	70.51	6	2					
TS_TEMP	TEMPORARY			127.000	.000	127.000	.00	
.000	.00	0	4					
NOPR_DATA	PERMANENT			84.374	49.206	35.168	58.32	
43.623	38.44	0	4					
UNDOTBS1	UNDO			83.615	.520	83.095	.62	
12.383	.54	0	3					
TS_DAT_PART_BIG	PERMANENT			71.000	67.356	3.644		94.87
32,697.000	.21	0	1					
NOMINADESCUENTOS	PERMANENT			42.738	37.986	4.752	88.88	
117.195	23.75	1	4					

_DATA							
SYSTEM		PERMANENT		37.598	7.000	30.597	18.62
58.399	7.29	0	3				
NOMINADEVENGADOS		PERMANENT		37.211	31.141	6.070	83.69
58.723	32.46	1	2				
_DATA							
INCORPORACION DA		PERMANENT		35.867	13.488	22.379	37.61
60.133	14.05	0	3				
TA							
USERS		PERMANENT		34.734	.074	34.660	.21
29.199	.12	1	1				
EVALUACIONES TAB		PERMANENT		26.891	25.605	1.286	95.22
37.109	40.01	0	2				
LAS							
PENS_DATA		PERMANENT		19.954	17.880	2.074	89.61
44.045	27.94	0	2				
ANTEXPEPRESTA DA		PERMANENT		19.789	8.152	11.637	41.20
21.999	19.51	1	1				
TA							
NOMINAPERSONAL_D		PERMANENT		16.711	11.901	4.810	71.22
47.288	18.60	0	2				
ATA							
UNDOTBS2		UNDO		14.302	7.426	6.876	51.92
81.696	7.74	0	3				
STATSPACK		PERMANENT		9.000	.008	8.992	.09
54.998	.01	0	2				
SIPP		PERMANENT		7.836	3.595	4.241	45.88
56.164	5.62	0	2				
SEGMENT_LOB		PERMANENT		6.374	3.653	2.721	57.32
59.603	5.54	1	2				
INCORPORACION IN		PERMANENT		4.664	.136	4.528	2.92
59.336	.21	0	2				
DEX							
JURIDICO_DAT_B		PERMANENT		4.000	1.664	2.336	41.60
59.998	2.60	0	2				
USR_JURI_DATA		PERMANENT		4.000	2.757	1.243	68.93
59.999	4.31	0	2				
SH		PERMANENT		3.000	.002	2.998	.07
61.000	.00	0	2				
APEX		PERMANENT		1.953	.001	1.952	.05
30.047	.00	0	1				
INCORPORACION_JR		PERMANENT		1.000	.066	.934	6.58
31.000	.21	0	1				
LN							
TBS_IMAGES		PERMANENT		1.000	.501	.499	50.12
31.000	1.57	0	1				

31 rows selected.

ERROR:
ORA-65011: Pluggable database GESTHDES does not exist.

Estado del uso de los Tablespace
CON_NAME

SIATHDES

Estado del uso de los Tablespace				TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%
NOMBRE	TIPO	EXTENSIBLE(GB)	USADO %					
NOTO OTO								
-----				-----				
REHU_JRNL	PERMANENT			1,700.000	1,022.467	677.533		60.15
31,068.000	3.12	0	1					
TEMP	TEMPORARY			896.000	.000	896.000	.00	
.000	0	28						
SYSAUX	PERMANENT			274.385	226.974	47.411	82.72	
109.457	59.13	7	5					
REHU_INDEX	PERMANENT			234.740	222.916	11.824	94.96	
85.059	69.71	5	5					
NOPR_INDEX	PERMANENT			224.313	209.251	15.063	93.29	
95.484	65.43	6	4					
REHU_DATA	PERMANENT			207.823	196.542	11.281	94.57	
79.976	68.29	4	5					
AUDITORIA	PERMANENT			200.477	180.256	20.220	89.91	
55.176	70.51	6	2					
TS_TEMP	TEMPORARY			127.000	.000	127.000	.00	
.000	0	4						
NOPR_DATA	PERMANENT			84.374	49.206	35.168	58.32	
43.623	38.44	0	4					
UNDOTBS1	UNDO			83.615	.520	83.095	.62	
12.383	.54	0	3					
TS_DAT_PART_BIG	PERMANENT			71.000	67.356	3.644		94.87
32,697.000	.21	0	1					
NOMINADESCUENTOS	PERMANENT			42.738	37.986	4.752	88.88	
117.195	23.75	1	4					
_DATA								
SYSTEM	PERMANENT			37.598	7.000	30.597	18.62	
58.399	7.29	0	3					
NOMINADEVENGADOS	PERMANENT			37.211	31.141	6.070	83.69	
58.723	32.46	1	2					
_DATA								
INCORPORACION_DA	PERMANENT			35.867	13.488	22.379	37.61	
60.133	14.05	0	3					
TA								
USERS	PERMANENT			34.734	.074	34.660	.21	
29.199	.12	1	1					
EVALUACIONES_TAB	PERMANENT			26.891	25.605	1.286	95.22	
37.109	40.01	0	2					
LAS								

PENS_DATA	PERMANENT	19.954	17.880	2.074	89.61
44.045 27.94	0 2				
ANTEXPEPRESTA_DA	PERMANENT	19.789	8.152	11.637	41.20
21.999 19.51	1 1				
TA					
NOMINAPERSONAL_D	PERMANENT	16.711	11.901	4.810	71.22
47.288 18.60	0 2				
ATA					
UNDOTBS2	UNDO	14.302	7.426	6.876	51.92
81.696 7.74	0 3				
STATSPACK	PERMANENT	9.000	.008	8.992	.09
54.998 .01	0 2				
SIPP	PERMANENT	7.836	3.595	4.241	45.88
56.164 5.62	0 2				
SEGMENT_LOB	PERMANENT	6.374	3.653	2.721	57.32
59.603 5.54	1 2				
INCORPORACION_IN	PERMANENT	4.664	.136	4.528	2.92
59.336 .21	0 2				
DEX					
JURIDICO_DAT_B	PERMANENT	4.000	1.664	2.336	41.60
59.998 2.60	0 2				
USR_JURI_DATA	PERMANENT	4.000	2.757	1.243	68.93
59.999 4.31	0 2				
SH	PERMANENT	3.000	.002	2.998	.07
61.000 .00	0 2				
APEX	PERMANENT	1.953	.001	1.952	.05
30.047 .00	0 1				
INCORPORACION_JR	PERMANENT	1.000	.066	.934	6.58
31.000 .21	0 1				
LN					
TBS_IMAGES	PERMANENT	1.000	.501	.499	50.12
31.000 1.57	0 1				

31 rows selected.

*** FIN DEL REPORTE DE LA BD cdb2des2 ***
Informe de fecha 300126 de la Base de Datos cdb2pru2

PDBs que se encuentran en el contenedor

CON_ID	CON_NAME	OPEN MODE	RESTRICTED
2	PDB\$SEED	READ ONLY	NO
3	SICADPRU	READ WRITE	NO
4	SUITVPRU	READ WRITE	NO
6	SIATHPRU	READ WRITE	NO

Almacenamiento ASM del contenedor

Group	Number	NAME	TYPE	STATE	Total (MB)	Free (MB)	Used (%)
	1	DATA2	HIGH	CONNECTED	221,458,176	112,984,444	49

2 RECOC2 HIGH CONNECTED 55,364,352 29,248,920 47

Espacio usado del área de recuperación FRA del contenedor
AREA DE DESTINO TOTAL_GB USADO_GB USADO %

+RECOC2 8159 1194 15

ERROR:

ORA-65011: Pluggable database WLSRPRU does not exist.

Espacio usado del área de recuperación FRA del contenedor
CON_NAME

CDB\$ROOT

Estado del uso de los Tablespace

NOMBRE TIPO TOTAL(GB) USADO(GB) LIBRE(GB) LIBRE %
EXTENSIBLE(GB) USADO % NOTO OTO

SYSTEM	PERMANENT	5.953	2.292	3.661	38.50
32,762.047	.01 0 1				
SYSAUX	PERMANENT	5.953	4.515	1.438	75.84
32,762.047	.01 0 1				
UNDOTBS1	UNDO	1.953	.217	1.736	11.11
510.047	.04 0 1				
UNDOTBS2	UNDO	1.953	.142	1.811	7.26
510.047	.03 0 1				
USERS	PERMANENT	1.000	.068	.932	6.80
32,767.000	.00 0 1				
TEMP	TEMPORARY	1.000	.000	1.000	.00
511.000	.00 0 1				

6 rows selected.

Session altered.

Estado del uso de los Tablespace

CON_NAME

SUITVPRU

Estado del uso de los Tablespace

NOMBRE TIPO TOTAL(GB) USADO(GB) LIBRE(GB) LIBRE %
EXTENSIBLE(GB) USADO % NOTO OTO

VISION	PERMANENT	80.000	59.371	20.629	74.21
32,688.000	.18 0 1				
TEMP	TEMPORARY	17.000	.000	17.000	.00
32,751.000	.00 0 1				

SYSAUX	PERMANENT			10.434	7.768	2.665	74.45
32,757.566	.02	0	1				
UNDOTBS1	UNDO			4.586	.632	3.954	13.78
507.414	.12	0	1				
SYSTEM	PERMANENT			4.586	2.589	1.997	56.45
32,763.414	.01	0	1				
UNDO_2	UNDO			4.586	.043	4.543	.94
507.414	.01	0	1				
USERS	PERMANENT			1.000	.066	.934	6.63
32,767.000	.00	0	1				

7 rows selected.

ERROR:

ORA-65011: Pluggable database NOMIPRU does not exist.

Estado del uso de los Tablespace
CON_NAME

SUITVPRU

Estado del uso de los Tablespace							
NOMBRE	TIPO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%	
EXTENSIBLE(GB)	USADO %	NOTO	OTO				
VISION	PERMANENT	80.000	59.371	20.629	74.21		
32,688.000	.18	0	1				
TEMP	TEMPORARY	17.000	.000	17.000	.00		
32,751.000	.00	0	1				
SYSAUX	PERMANENT	10.434	7.768	2.665	74.45		
32,757.566	.02	0	1				
UNDOTBS1	UNDO	4.586	.632	3.954	13.78		
507.414	.12	0	1				
SYSTEM	PERMANENT	4.586	2.589	1.997	56.45		
32,763.414	.01	0	1				
UNDO_2	UNDO	4.586	.043	4.543	.94		
507.414	.01	0	1				
USERS	PERMANENT	1.000	.066	.934	6.63		
32,767.000	.00	0	1				

7 rows selected.

Session altered.

Estado del uso de los Tablespace
CON_NAME

SIATHPRU

Estado del uso de los Tablespace							
NOMBRE	TIPO	TOTAL(GB)	USADO(GB)	LIBRE(GB)	LIBRE	%	
EXTENSIBLE(GB)	USADO %	NOTO	OTO				

REHU_JRNL	PERMANENT	1,700.000	985.312	714.688	57.96
31,068.000	3.01 0 1				
TEMP	TEMPORARY	896.000	.000	896.000	.00
.000 .00	0 28				
SYS_AUX	PERMANENT	274.385	226.940	47.445	82.71
109.457 59.12	7 5				
REHU_INDEX	PERMANENT	234.740	222.932	11.809	94.97
85.059 69.71	5 5				
NOPR_INDEX	PERMANENT	224.313	211.325	12.988	94.21
95.484 66.08	6 4				
REHU_DATA	PERMANENT	207.823	196.897	10.926	94.74
79.976 68.41	4 5				
AUDITORIA	PERMANENT	200.477	180.122	20.354	89.85
55.176 70.46	6 2				
TS_TEMP	TEMPORARY	127.000	.000	127.000	.00
.000 .00	0 4				
NOPR_DATA	PERMANENT	84.374	49.206	35.168	58.32
43.623 38.44	0 4				
UNDOTBS1	UNDO	83.615	.360	83.255	.43
12.383 .37	0 3				
TS_DAT_PART_BIG	PERMANENT	68.500	65.108	3.392	95.05
32,699.500 .20 0 1					
NOMINADESCUENTOS	PERMANENT	42.738	37.994	4.744	88.90
117.195 23.76 1 4					
_DATA					
SYSTEM	PERMANENT	37.598	6.999	30.598	18.62
58.399 7.29	0 3				
NOMINADEVENGADOS	PERMANENT	37.211	31.148	6.063	83.71
58.723 32.47	1 2				
_DATA					
INCORPORACION DA	PERMANENT	35.867	13.492	22.375	37.62
60.133 14.05	0 3				
TA					
USERS	PERMANENT	34.734	.064	34.671	.18
29.199 .10	1 1				
EVALUACIONES TAB	PERMANENT	26.793	25.465	1.328	95.04
37.207 39.79	0 2				
LAS					
UNDOTBS2	UNDO	25.921	3.586	22.335	13.84
70.077 3.74	0 3				
PENS_DATA	PERMANENT	19.954	17.860	2.094	89.51
44.045 27.91	0 2				
ANTEXPEPRESTA DA	PERMANENT	19.789	7.726	12.063	39.04
21.999 18.49	1 1				
TA					
NOMINAPERSONAL_D	PERMANENT	16.711	11.909	4.802	71.27
47.288 18.61	0 2				
ATA					

STATSPACK		PERMANENT	9.000	.008	8.992	.09
54.998	.01	0 2				
SIPP		PERMANENT	7.836	3.595	4.241	45.88
56.164	5.62	0 2				
SEGMENT_LOB		PERMANENT	6.374	3.652	2.722	57.30
59.603	5.54	1 2				
INCORPORACION_IN		PERMANENT	4.664	.136	4.528	2.92
59.336	.21	0 2				
DEX						
JURIDICO_DAT_B		PERMANENT	4.000	1.660	2.340	41.50
59.998	2.59	0 2				
USR_JURI_DATA		PERMANENT	4.000	2.674	1.326	66.85
59.999	4.18	0 2				
SH		PERMANENT	3.000	.002	2.998	.07
61.000	.00	0 2				
APEX		PERMANENT	1.953	.001	1.952	.05
30.047	.00	0 1				
TBS_IMAGES		PERMANENT	1.000	.501	.499	50.12
31.000	1.57	0 1				
INCORPORACION_JR		PERMANENT	1.000	.066	.934	6.58
31.000	.21	0 1				
LN						

31 rows selected.

ERROR:

ORA-65011: Pluggable database SOADES does not exist.

Estado del uso de los Tablespace
CON_NAME

SIATHPRU

Estado del uso de los Tablespace

NOMBRE	TIPO	TOTAL (GB)	USADO (GB)	LIBRE (GB)	LIBRE	%
EXTENSIBLE (GB)	USADO %	NOTO	OTO			
REHU_JRNL	PERMANENT	1,700.000	985.312	714.688	57.96	
31,068.000	3.01 0 1					
TEMP	TEMPORARY	896.000	.000	896.000	.00	
.000 .00	0 28					
SYSAUX	PERMANENT	274.385	226.940	47.445	82.71	
109.457 59.12	7 5					
REHU_INDEX	PERMANENT	234.740	222.932	11.809	94.97	
85.059 69.71	5 5					
NOPR_INDEX	PERMANENT	224.313	211.325	12.988	94.21	
95.484 66.08	6 4					
REHU_DATA	PERMANENT	207.823	196.897	10.926	94.74	
79.976 68.41	4 5					
AUDITORIA	PERMANENT	200.477	180.122	20.354	89.85	
55.176 70.46	6 2					

TS_TEMP	TEMPORARY	127.000	.000	127.000	.00
.000 .00	0 4				
NOPR_DATA	PERMANENT	84.374	49.206	35.168	58.32
43.623 38.44	0 4				
UNDOTBS1	UNDO	83.615	.360	83.255	.43
12.383 .37	0 3				
TS_DAT_PART_BIG	PERMANENT	68.500	65.108	3.392	95.05
32,699.500 .20	0 1				
NOMINADESCUENTOS	PERMANENT	42.738	37.994	4.744	88.90
117.195 23.76	1 4				
_DATA					
SYSTEM	PERMANENT	37.598	6.999	30.598	18.62
58.399 7.29	0 3				
NOMINADEVENGADOS	PERMANENT	37.211	31.148	6.063	83.71
58.723 32.47	1 2				
_DATA					
INCORPORACION DA	PERMANENT	35.867	13.492	22.375	37.62
60.133 14.05	0 3				
TA					
USERS	PERMANENT	34.734	.064	34.671	.18
29.199 .10	1 1				
EVALUACIONES TAB	PERMANENT	26.793	25.465	1.328	95.04
37.207 39.79	0 2				
LAS					
UNDOTBS2	UNDO	25.921	3.586	22.335	13.84
70.077 3.74	0 3				
PENS_DATA	PERMANENT	19.954	17.860	2.094	89.51
44.045 27.91	0 2				
ANTEXPEPRESTA DA	PERMANENT	19.789	7.726	12.063	39.04
21.999 18.49	1 1				
TA					
NOMINAPERSONAL D	PERMANENT	16.711	11.909	4.802	71.27
47.288 18.61	0 2				
ATA					
STATSPACK	PERMANENT	9.000	.008	8.992	.09
54.998 .01	0 2				
SIPP	PERMANENT	7.836	3.595	4.241	45.88
56.164 5.62	0 2				
SEGMENT_LOB	PERMANENT	6.374	3.652	2.722	57.30
59.603 5.54	1 2				
INCORPORACION IN	PERMANENT	4.664	.136	4.528	2.92
59.336 .21	0 2				
DEX					
JURIDICO_DAT_B	PERMANENT	4.000	1.660	2.340	41.50
59.998 2.59	0 2				
USR_JURI_DATA	PERMANENT	4.000	2.674	1.326	66.85
59.999 4.18	0 2				
SH	PERMANENT	3.000	.002	2.998	.07
61.000 .00	0 2				

APEX		PERMANENT	1.953	.001	1.952	.05
30.047	.00	0 1				
TBS_IMAGES		PERMANENT	1.000	.501	.499	50.12
31.000	1.57	0 1				
INCORPORACION_JR		PERMANENT	1.000	.066	.934	6.58
31.000	.21	0 1				
LN						

2.10 Se realiza mantenimiento lógico el cual comprende la depuración de los archivos con extensiones .xml, .trc y .aud de cada uno de los nodos de las bases de datos de pruebas, desarrollo, contingencia y producción.

Estado Replicación Base de Datos RDP

Estado del Data Guard de la Base de Datos adm1stby

DGMGRL for Linux: Release 19.0.0.0.0 - Production on Fri Jan 30 14:38:12 2026
Version 19.29.0.0.0

Copyright (c) 1982, 2019, Oracle and/or its affiliates. All rights reserved.

Welcome to DGMGRL, type "help" for information.

DGMGRL> Connected to "cdbladm_pro"

Connected as SYSDBG.

DGMGRL>

Database - adm1stby

```

Role:                PHYSICAL STANDBY
Intended State:      APPLY-ON
Transport Lag:       0 seconds (computed 0 seconds ago)
Apply Lag:           0 seconds (computed 0 seconds ago)
Average Apply Rate:  472.00 KByte/s
Real Time Query:     ON
Instance(s):
  cdbladm1 (apply instance)
  cdbladm2
  
```

Database Status:
SUCCESS

DGMGRL> DGMGRL>

Estado del Data Guard de la Base de Datos opelstby

DGMGRL for Linux: Release 19.0.0.0.0 - Production on Fri Jan 30 14:38:15 2026
Version 19.29.0.0.0

Copyright (c) 1982, 2019, Oracle and/or its affiliates. All rights reserved.

Welcome to DGMGRL, type "help" for information.

DGMGRL> Connected to "cdbloper_pro"

Connected as SYSDBG.

DGMGRL>
Database - ope1stby

Role: PHYSICAL STANDBY
Intended State: APPLY-ON
Transport Lag: 0 seconds (computed 0 seconds ago)
Apply Lag: 0 seconds (computed 2 seconds ago)
Average Apply Rate: 190.00 KByte/s
Real Time Query: ON
Instance(s):
 cdbloper1 (apply instance)
 cdbloper2

Database Status:
SUCCESS

DGMGRL> DGMGRL>
Estado del Data Guard de la Base de Datos ope2stby

DGMGRL for Linux: Release 23.26.0.0.0 - for Oracle Cloud and Engineered Systems
on Fri Jan 30 14:38:17 2026
Version 23.26.0.0.0

Copyright (c) 1982, 2025, Oracle and/or its affiliates. All rights reserved.

Welcome to DGMGRL, type "help" for information.

DGMGRL> Connected to "cdb2oper_pro"

Connected as SYSDBG.

DGMGRL>

Database - ope2stby

Role: PHYSICAL STANDBY
Intended State: APPLY-ON
Transport Lag: 0 seconds (computed 1 second ago)
Apply Lag: 0 seconds (computed 1 second ago)
Average Apply Rate: 47.00 KByte/s
Real Time Query: OFF
Instance(s):
 cdb2oper1
 cdb2oper2 (apply instance)

Database Status:
SUCCESS

DGMGRL> DGMGRL>
Estado del Data Guard de la Base de Datos ope3stby

DGMGRL for Linux: Release 23.26.0.0.0 - for Oracle Cloud and Engineered Systems
on Fri Jan 30 14:38:19 2026
Version 23.26.0.0.0

Copyright (c) 1982, 2025, Oracle and/or its affiliates. All rights reserved.

Welcome to DGMGRL, type "help" for information.

DGMGRL> Connected to "cdb3oper_pro"

Connected as SYSDBG.

DGMGRL>


Database - ope3stby

Role: PHYSICAL STANDBY
Intended State: APPLY-ON
Transport Lag: 0 seconds (computed 1 second ago)
Apply Lag: 0 seconds (computed 1 second ago)
Average Apply Rate: 27.00 KByte/s
Real Time Query: OFF
Instance(s):
 cdb3oper1 (apply instance)
 cdb3oper2

Observaciones

Se denota el estado de los servidores objetos del monitoreo, en cuanto a recurso del sistema operativo con unos valores dentro de los rangos normales y con espacio en los file system. A su vez se puede observar el estado del cluster de bases de datos y las bases de datos que se encuentran ejecutando sobre los nodos, estas se encuentran con valores de asignación de espacio dentro del rango tolerable.

Se envían en el mes los siguientes informes de monitoreo de base de datos:



Monitoreo base de datos

Resumir este correo

Alex Jiménez

para Nelly, Hugo, mí

Buenas noche, adjunto informe monitoreo base de datos

Un archivo adjunto • Analizados por Gmail

Añadir a Drive

Monitoreo plataforma

Monitoreo base de datos

Resumir este correo

Alex Jiménez

para Nelly, Hugo, mí

Buenas noche, adjunto informe monitoreo base de datos

Un archivo adjunto • Analizados por Gmail

Añadir a Drive

Monitoreo plataforma

Monitoreo base de datos

Resumir este correo

Alex Jiménez

para Nelly, Hugo, mí

Buenas noche, adjunto informe monitoreo base de datos

Un archivo adjunto • Analizados por Gmail

Añadir a Drive

Monitoreo plataforma

Monitoreo base de datos

Resumir este correo

Alex Jiménez

para Nelly, Hugo, mí

Buenas noche, adjunto informe monitoreo base de datos

Un archivo adjunto • Analizados por Gmail

Añadir a Drive

Monitoreo plataforma

Monitoreo base de datos

Resumir este correo

Alex Jiménez





para Nelly, Hugo, mí

Buenas noche, adjunto informe monitoreo base de datos

Un archivo adjunto • Analizados por Gmail

Añadir a Drive

Monitoreo plataforma



2.11 Revisión de Error en SIATH-Web – Entorno de Producción.

Durante la operación normal del sistema SIATH-Web en producción, se detectó un error recurrente en los logs de la aplicación. El mensaje indicaba un fallo al intentar establecer una conexión HTTP hacia el servidor local en el puerto 8003:

```
java.net.ConnectException: Tried all: '1' addresses, but could not connect over HTTP to server:
'127.0.0.1', port: '8003'
```

[illegible]

La causa específica registrada fue:

Connection refused

Este error se presentó durante la ejecución del módulo de generación de certificados, el cual utiliza la librería iTextPDF para obtener recursos vía HTTP.

La traza evidenció que el flujo fallaba al intentar obtener un recurso mediante HTTP desde la propia máquina (127.0.0.1:8003).

El stack trace mostró participación de:

- weblogic.net.http.HttpClient
- com.itextpdf.text.Image.getInstance
- CertificadosService
- CertificadosController

Lo que confirma que la falla se originó por indisponibilidad del servicio HTTP requerido por la aplicación.

Se ejecutó la validación del proceso httpd en el servidor:

```
ps -fea | grep httpd
```

```
[oracle@weblogic:svr11 logs]$ ps -foa |grep httpd
oracle 1601092 1600698 0 17:44 pts/0 00:00:00 grep --color=auto httpd
```

El resultado inicial mostró únicamente el proceso grep, confirmando que **no existía ningún proceso activo de Oracle HTTP Server (OHS)** en ese momento.

Esto explica el error de conexión: **no había listener disponible en el puerto 8003.**

Se recomienda **modificar la configuración de SIATH-Web** para que no utilice 127.0.0.1 como **endpoint**, sino que se conecte a través de la **URL del balanceador de carga**.

Beneficios:

- Evitar fallos de conectividad local como el ocurrido.
- Aprovechar la **alta disponibilidad** del balanceador.
- Garantizar continuidad del servicio incluso si un nodo cae.
- Reducir dependencias directas entre componentes locales.

Esta mejora incrementará la resiliencia y estabilidad del sistema en producción.

2.12 Reconfigurar oci cli en servidor puente entre OC3 y OCI srv-mdn-mig-drp (172.29.13.29).

Se creó el directorio en el home del usuario , incluyendo los siguientes archivos:

Archivo	Descripción
ca.crt	Certificado raíz para conexión segura
config	Archivo principal de configuración del CLI
oci_api_key.pem	Clave privada para autenticación
oci_api_key_public.pem	Clave pública asociada al usuario en OCI
oci_cli_rc	Configuración de comportamiento del CLI

Se validaron los permisos de la clave privada (600) y la correspondencia del fingerprint con el registrado en OCI IAM.

Configuración del Archivo config

Se definieron dos perfiles en el archivo ~/.oci/config:

[DEFAULT]

- **user:** OCID de usuario
- **tenancy:** OCID de tenancy
- **region:** oc3mdn.mindefensa.col
- **key_file:** /home/opc/.oci/oci_api_key.pem

[oci]

- Mismos OCIDs y clave que el perfil DEFAULT
- **region:** sa-bogota-1

Esta configuración permite al servidor operar contra regiones privadas (OC3) y públicas (OCI).

Validación de Resolución DNS

Se ejecutó:

nslookup iaas.oc3mdn.mindefensa.col

- **Servidor DNS:** 172.16.1.21
- **IP resuelta:** 172.29.253.252

```
[root@srv-mdn-mig-drp .oci]# nslookup laas.oc3mdn.mindefensa.col
Server:      172.16.1.21
Address:     172.16.1.21#53

Name:   laas.oc3mdn.mindefensa.col
Address: 172.20.255.252

[root@srv-mdn-mig-drp .oci]#
```

Aunque la resolución DNS fue exitosa, se identificó la necesidad de revisar las reglas de firewall entre el servidor puente y los servicios OC3, para garantizar acceso completo a los endpoints requeridos por el OCI CLI.

Prueba de Acceso a Object Storage

```
oci os object list --namespace grgipr3p3qcm --bucket-name BUCK-MDN --debug
```

[illegible]

- El CLI respondió correctamente.
- No se presentaron errores de autenticación ni de red.
- Se confirmó acceso al bucket BUCK-MDN en la región OC3.

Se ajustó el archivo /etc/resolv.conf:

```
nameserver 169.254.169.254
nameserver 172.16.1.21
nameserver 172.16.1.199
```

El DNS principal (172.16.1.21) corresponde al Ministerio, no a OC3.

Se ajustó la prioridad, dejando como principal el DNS de OC3 (169.254.169.254), para garantizar resoluciones correctas hacia dominios como console.oc3mdn.mindefensa.col

```
[root@srv-mdn-mig-drp ~]# nslookup console.oc3mdn.mindefensa.col
Server:
Address:
console.oc3mdn.mindefensa.col canonical name = services.oc3mdn.mindefensa.col.
Name:
Address:
[root@srv-mdn-mig-drp ~]#
```

Validación con nslookup confirmó resolución correcta vía OC3.

```
[root@srv-mdn-mig-drp ~]# telnet console.oc3mdn.mindefensa.col 443
Trying
Connected to console.oc3mdn.mindefensa.col.
Escape character is '^['.
```

Conclusión General

- El entorno OCI CLI fue reconfigurado exitosamente.
- Se habilitó acceso a múltiples regiones.
- Se ajustó la resolución DNS para priorizar OC3.
- Se validó conectividad y operación con Object Storage.
- Se identificaron y documentaron dependencias de red y seguridad

2.13 Instalación forms 14c en ambiente de pruebas weblogicsvr03.

Se realiza la instalación de forms 14c en pruebas

Instalar jdk 21

This PC > oracle (D:) > instaladores > 202510-1412

GERMANOC

Name	Date modified	Type
fmw	12/11/2025 12:04 PM	File folder
frm	12/11/2025 12:04 PM	File folder
ohs	12/11/2025 12:04 PM	File folder
wls	12/11/2025 12:05 PM	File folder
jdk-21_windows-x64_bin.zip	1/16/2026 10:51 AM	WinRAR ZIP arch
p28186730_1394221_Generic.zip	11/30/2025 12:35 PM	WinRAR ZIP arch

D:\instaladores\202510-1412\jdk-21_windows-x64_bin.zip\

File Edit View Favorites Tools Help

Add Extract Test Copy Move Delete Info

D:\instaladores\202510-1412\jdk-21_windows-x64_bin.zip\

Name	Size	Packed Si...	Modified	Created	Acce
jdk-21.0.9	331 370 ...	195 071 ...	2025-09-26 ...		

6. 172.29.13.13-Impru

ach tabFit to window sizeFullscreenSet connection passwordHide barReconnect

Middleware

HomeShareView

> > > This PC > oracle (D:) > Oracle > Middleware

p38032126_141200_Generic.zip

p38184117_141200_Generic.zip

p38348367_141200_Generic.zip

frm

ohs

wls

jdk-21_windows-x64_bin.zip

p28186730_1394221_Generic.zip

forms_12214

forms_14120

jdk-21.0.8

MobaXterm_Portable_v22.1

WebLogic-Remote-Console-2.4.14-win

wildfly-35.0.1.Final

wildfly-38.0.1.Final

...

Name	Date modified
12214	1/2/2025 9:42 PM
12214.20250102	6/13/2024 4:26 PM
JDK8	1/2/2025 8:56 PM
JDK8.411	6/11/2024 3:49 PM
JDK21	1/20/2026 12:04 PM
jre8x86	6/11/2024 3:52 PM
jre86	8/12/2025 9:54 AM
sqldeveloper	11/20/2025 11:32 AM

D:\instaladores\202510-1412\jdk-21_windows-x64_bin.zip\

File Edit View Favorites Tools Help

Add Extract Test Copy Move Delete Info

D:\instaladores\202510-1412\jdk-21_windows-x64_bin.zip\

Name	Size	Packed Si...	Modified
jdk-21.0.9	331 370 ...	195 071 ...	2025-09-

Instalar weblogic 14c

```
set JAVA_HOME=D:\Oracle\Middleware\JDK21
%JAVA_HOME%\bin\java.exe -jar fmw_14.1.2.0.0_infrastructure.jar
```

Oracle Fusion Middleware 14.1.2 Infrastructure Installation - Step 1 of 8

Welcome

Welcome

Auto Updates

Installation Location

Installation Type

Prerequisite Checks

Installation Summary

Installation Progress

Installation Complete

Welcome to the Oracle Fusion Middleware 14c (14.1.2.0.0) Infrastructure Installer.

Use this installer to create a new Oracle home that contains the Oracle Fusion Middleware Infrastructure software. You can then install additional Fusion Middleware products that require the Infrastructure into the Oracle home, or you can use the Infrastructure to configure a WebLogic Server domain for the deployment of Java and Oracle ADF applications.

For more information, see [Install, Patch, and Upgrade](#) in the Oracle Fusion Middleware documentation library.

Context-sensitive online help is available from the [Help](#) button.

Calle 74 A # 22-31 Oficina 301 Bogotá D.C., Colombia – Teléfono: (+57) 601 345 3384
E-mail: info@euphoria-net.com http://www.euphoria-net.com

Página: 103

Auto Updates

Welcome

Auto Updates

Installation Location

Installation Type

Prerequisite Checks

Installation Summary

Installation Progress

Installation Complete

☒ Skip Auto Updates

☐ Select patches from directory

☐ Search My Oracle Support for Updates

Location

Browse

Username

Password

Proxy Settings

Search

Installation Location

Welcome

Auto Updates

Installation Location

Installation Type

Oracle Home:

Feature Sets Installed At Selected Oracle Home:

Installation Type

Welcome

Auto Updates

Installation Location

Installation Type

Prerequisite Checks

Installation Summary

Installation Progress

Installation Complete

☒ Fusion Middleware Infrastructure

☒ Oracle Fusion Middleware 14.1.2 Infrastructure 14.1.2.0.0

☒ Core Server

Core Application Server 14.1.2.0.0

Coherence Product Files 14.1.2.0.0

Web 2.0 HTTP Pub-Sub Server 14.1.2.0.0

WebLogic SCA 14.1.2.0.0

WebLogic Client Jars 14.1.2.0.0

☒ Administrative Tools

CIE WLS Config 14.1.2.0.0

Enterprise manager 14.1.2.0.0

☒ Database Support

Third party JDBC Drivers 14.1.2.0.0

WebLogic Evaluation Database 14.1.2.0.0

☒ Open Source Components

Fusion Middleware Maven Support 14.1.2.0.0

☒ JRF and Enterprise Manager

WLS for FMW 14.1.2.0.0

☒ Oracle Automatic Diagnostic Repository Feature Set Group

OPatch 13.9.4.2.17

Calle 74 A # 22-31 Oficina 301 Bogotá D.C., Colombia – Teléfono: (+57) 601 345 3384
E-mail: info@euphoria-net.com http://www.euphoria-net.com

Página: 104

Prerequisite Checks

Welcome

Auto Updates

Installation Location

Installation Type

Prerequisite Checks

Installation Summary

Installation Progress

Installation Complete

ORACLE
FUSION MIDDLEWARE

100%

✓	Checking operating system certification
✓	Checking Java version used to launch the installer

Installation Summary

Welcome

Auto Updates

Installation Location

Installation Type

Prerequisite Checks

Installation Summary

Installation Progress

Installation Complete

ORACLE
FUSION MIDDLEWARE

Install Oracle Fusion Middleware 14.1.2 Infrastructure

Installation Location

Oracle Home Location: D:\Oracle\Middleware\14120

Log File Location: C:\User\oracle\AppData\Local\Temp\Oracle\Install2026-01-20_02-12-17PM\install2026-01-20_02-12-17PM.log

Disk Space

Required: 3107 MB

Available: 6314 MB

Feature Sets to Install

CIE WLS Config 14.1.2.0.0

Enterprise manager 14.1.2.0.0

Third party JDBC Drivers 14.1.2.0.0

WebLogic Evaluation Database 14.1.2.0.0

Core Application Server 14.1.2.0.0

Coherence Product Files 14.1.2.0.0

Web 2.0 HTTP Pub-Sub Server 14.1.2.0.0

WebLogic SCA 14.1.2.0.0

WebLogic Client Jars 14.1.2.0.0

WLS for FMW 14.1.2.0.0

Fusion Middleware Maven Support 14.1.2.0.0

OPatch 13.9.4.2.17

Save Response File

Calle 74 A # 22-31 Oficina 301 Bogotá D.C., Colombia – Teléfono: (+57) 601 345 3384
E-mail: info@euphoria-net.com http://www.euphoria-net.com

Página: 105

Oracle Fusion Middleware 14.1.2 Infrastructure Installation - Step 7 of 8

ORACLE
FUSION MIDDLEWARE

Installation Progress

Welcome

Auto Updates

Installation Location

Installation Type

Prerequisite Checks

Installation Summary

Installation Progress

Installation Complete

100%

✓	Prepare
✓	Copy
✓	Generating Libraries
✓	Performing String Substitutions
✓	Linking
✓	Setup
✓	Saving the inventory
✓	Post install scripts

View Messages

☒ View Successful Tasks

View Log



**Hardware and Software
Engineered to Work Together**


Help

< Back


Next >





Finish




Cancel



Instalar forms 14c







Oracle Forms and Reports Installation - Step 7 of 9

ORACLE
FUSION MIDDLEWARE

Installation Summary

Welcome

Auto Updates

Installation Location

Installation Type

JDK Selection

Prerequisite Checks

Installation Summary

Installation Progress

Installation Complete

Install Oracle Forms and Reports

Installation Location

Oracle Home Location: D:\Oracle\Middleware\14120

Log File Location: C:\Users\oracle\AppData\Local\Temp\OraInstall2026-01-22_11-05-43AM\install2026-01-22_11-05-43AM.log

Disk Space

Required: 2680 MB

Available: 3430 MB

Feature Sets to Install

Oracle Reports 14.1.2.0.0

Database Client 14.1.2.0.0

Oracle HTTP Server 14.1.2.0.0

Oracle Forms Builder 14.1.2.0.0

Oracle Forms Deployment 14.1.2.0.0

CIE CAM Shared Config 14.1.2.0.0

Enterprise manager Plugin for Forms 14.1.2.0.0

Oracle Forms and Reports Installation - Step 8 of 9

ORACLE
FUSION MIDDLEWARE

Installation Progress

Welcome

Auto Updates

Installation Location

Installation Type

JDK Selection

Prerequisite Checks


Installation Summary

Installation Progress

Installation Complete

100%

✓	Prepare
✓	Copy
✓	Generating Libraries
✓	Performing String Substitutions
✓	Linking
✓	Setup
✓	Saving the inventory
✓	Post install scripts



Cargar RCU:

```
CREATE USER FMW IDENTIFIED BY "sunm1cr0";
GRANT pdb_dba TO FMW;
GRANT MANAGE_SCHEDULER TO FMW;
GRANT USE ON EDITION ORA$BASE TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON DBMS_LOB TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON DBMS_OUTPUT TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON DBMS_STATS TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON sys.dbms_aq TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON sys.dbms_aqadm TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON sys.dbms_aqin TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON sys.dbms_aqjms TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON utl_file TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON dbms_lock TO FMW WITH GRANT OPTION;
GRANT SELECT ON sys.V_$INSTANCE TO FMW WITH GRANT OPTION;
GRANT SELECT ON sys.GV_$INSTANCE TO FMW WITH GRANT OPTION;
GRANT SELECT ON sys.V_$SESSION TO FMW WITH GRANT OPTION;
GRANT SELECT ON sys.GV_$SESSION TO FMW WITH GRANT OPTION;
GRANT SELECT ON dba_scheduler_jobs TO FMW WITH GRANT OPTION;
GRANT SELECT ON dba_scheduler_job_run_details TO FMW WITH GRANT OPTION;
GRANT SELECT ON dba_scheduler_running_jobs TO FMW WITH GRANT OPTION;
GRANT SELECT ON dba_aq_agents TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON sys.DBMS_SHARED_POOL TO FMW WITH GRANT OPTION;
GRANT SELECT ON dba_2pc_pending TO FMW WITH GRANT OPTION;
GRANT SELECT ON dba_pending_transactions TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON DBMS_FLASHBACK TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON dbms_crypto TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON dbms_job TO FMW WITH GRANT OPTION;
GRANT SELECT ON dba_scheduler_job_classes TO FMW WITH GRANT OPTION;
GRANT SELECT ON SYS.DBA_DATA_FILES TO FMW WITH GRANT OPTION;
GRANT SELECT ON SYS.V_$ASM_DISKGROUP TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON SYS.DBMS_ASSERT TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON DBMS_SCHEDULER TO FMW WITH GRANT OPTION;
GRANT SELECT ON dba_data_files TO FMW WITH GRANT OPTION;
```

```

GRANT EXECUTE ON UTL_RAW TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON DBMS_XMLDOM TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON DBMS_APPLICATION_INFO TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON DBMS_UTILITY TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON DBMS_SESSION TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON DBMS_METADATA TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON DBMS_XMLGEN TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON DBMS_DATAPUMP TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON DBMS_MVIEW TO FMW WITH GRANT OPTION;
GRANT SELECT ON dba_objects TO FMW WITH GRANT OPTION;
GRANT SELECT ON dba_queue_subscribers TO FMW WITH GRANT OPTION;
GRANT SELECT ON dba_subscr_registrations TO FMW WITH GRANT OPTION;
GRANT EXECUTE ON DBMS_RLS TO FMW WITH GRANT OPTION;
GRANT READ ON CTXSYS.CTX_PENDING TO FMW WITH GRANT OPTION;
GRANT SELECT ON SYS.V_$PARAMETER TO FMW WITH GRANT OPTION;
GRANT CREATE PROCEDURE TO FMW;
GRANT SELECT ON dba_users TO FMW WITH GRANT OPTION;
GRANT ALL ON sys.v_$parameter TO FMW WITH GRANT OPTION;

CREATE PROFILE FMW_RCU_PROFILE LIMIT PASSWORD_LIFE_TIME UNLIMITED;
alter profile FMW_RCU_PROFILE limit PASSWORD_REUSE_TIME unlimited;
alter profile FMW_RCU_PROFILE limit PASSWORD_LIFE_TIME unlimited;
alter profile FMW_RCU_PROFILE limit PASSWORD_REUSE_MAX unlimited;
alter profile FMW_RCU_PROFILE limit FAILED_LOGIN_ATTEMPTS unlimited;
alter profile FMW_RCU_PROFILE limit INACTIVE_ACCOUNT_TIME unlimited;

alter profile FMW_RCU_PROFILE limit PASSWORD_VERIFY_FUNCTION null;

alter user FMW profile FMW_RCU_PROFILE;

```

Worksheet Query Builder

```
GRANT EXECUTE ON DBMS_MVIEW TO FMW WITH GRANT OPTION;  
GRANT SELECT ON dba_objects TO FMW WITH GRANT OPTION;  
GRANT SELECT ON dba_queue_subscribers TO FMW WITH GRANT OPTION;  
GRANT SELECT ON dba_subscr_registrations TO FMW WITH GRANT OPTION;  
GRANT EXECUTE ON DBMS_RLS TO FMW WITH GRANT OPTION;  
GRANT READ ON CTXSYS.CTX_PENDING TO FMW WITH GRANT OPTION;  
GRANT SELECT ON SYS.V_$PARAMETER TO FMW WITH GRANT OPTION;  
GRANT CREATE PROCEDURE TO FMW;  
GRANT SELECT ON dba_users TO FMW WITH GRANT OPTION;  
GRANT ALL ON sys.v_$parameter TO FMW WITH GRANT OPTION;  
  
CREATE PROFILE FMW_RCU_PROFILE LIMIT PASSWORD_LIFE_TIME UNLIMITED;  
alter profile FMW_RCU_PROFILE limit PASSWORD_REUSE_TIME unlimited;  
alter profile FMW_RCU_PROFILE limit PASSWORD_LIFE_TIME unlimited;  
alter profile FMW_RCU_PROFILE limit PASSWORD_REUSE_MAX unlimited;  
alter profile FMW_RCU_PROFILE limit FAILED_LOGIN_ATTEMPTS unlimited;  
alter profile FMW_RCU_PROFILE limit INACTIVE_ACCOUNT_TIME unlimited;  
  
alter profile FMW_RCU_PROFILE limit PASSWORD_VERIFY_FUNCTION null;  
  
alter user FMW profile FMW_RCU_PROFILE;
```

Script Output x

Task completed in 0.06 seconds

Profile FMW_RCU_PROFILE altered.

Profile FMW_RCU_PROFILE altered.

Profile FMW_RCU_PROFILE altered.

Profile FMW_RCU_PROFILE altered.

User FMW altered.

User FMW altered.

D:\Oracle\Middleware\14120\oracle_common\bin\rcu.bat

This PC > oracle (D:) > Oracle > Middleware > 14120 > oracle_common > bin

P.NET

p

db

dbolap

atch

nn

cle_common

lr

gpf

n

ommon

bin

Name

chghost.bat

chghost.sh

copyBinary.cmd

copyBinary.sh

libovdadapterconfig.bat

libovdadapterconfig.sh

libovdconfig.bat

libovdconfig.sh

oraopmnperf.dll

pasteBinary.cmd

pasteBinary.sh

rcu

rcu.bat

Date

3/16

1/4/

11/1

11/1

11/1

11/1

11/1

9/13

11/1

11/1

1/20

1/20

Repository Creation Utility - Step 1 of 8

Repository Creation Utility

ORACLE FUSION MIDDLEWARE

Welcome

Create Repository

Database Connection Details

Welcome to Repository Creation Utility 14.1.2.0.0 for Oracle Fusion Middleware.

The Repository Creation Utility enables you to create and drop database schemas that are required for Oracle Fusion Middleware products.

Repository Creation Utility - Step 2 of 8

Repository Creation Utility

ORACLE FUSION MIDDLEWARE

Welcome

Create Repository

Database Connection Details

Select Components

Schema Passwords

Map Tablespaces

Summary

Create Repository

Create and load component schemas into a database.

Create Repository

System Load and Product Load

I have DBA privileges.

Prepare Scripts for System Load

Create scripts for DBA to run later.

Perform Product Load

System Load scripts have been run by DBA.

Drop Repository

Remove component schemas from a database.

Repository Creation Utility

ORACLE
FUSION MIDDLEWARE

Welcome

Create Repository

Database Connection Details

Select Components

Schema Passwords

Map Tablespace

Summary

Completion Summary

Database Type:

Oracle Database enabled for edition-based redefinition

Connection String Format:

☐ Connection Parameters☒ Connection String

Connect String

exaccqcnmdn01-scandep.minddefensa.col:1531/wlspruai.MINDEFENSA.COL

Host Name:

Port:

Service Name:

Username:

sys

Password:

Role:

SYSDBA

ERROR - RCU-6002 Prerequisite validation failed.

CAUSE - RCU-6002 The minimum requirements to load metadata repository were not met for the specified database.

ACTION - RCU-6002 Modify the database configuration to meet the prerequisite requirements.

ERROR - RCU-6080 Global prerequisite check failed for the specified database.

CAUSE - RCU-6080 Global prerequisite check failed. Check requirement for the specified database.

ACTION - RCU-6080 Modify the database configuration to meet the global prerequisite requirements.

The selected Oracle Database instance is not certified with this version of Oracle Fusion Middleware. Oracle Fusion Middleware 14c requires Oracle Database 23ai (23.4) or higher. For the latest list of certified databases, refer to the Supported System Configurations information on the Oracle Technology Network.

Con la base de datos de la EXADATA no fue possible hacer la instalación, por lo que se realiza la instalación temporal de una bd XE21C para poder continuar con el proceso

Database Type:

Oracle Database enabled for edition-based redefinition

Connection String Format:

Connection Parameters

Connection String

Connect String

localhost:1521/XEPDB1

Host Name:

Port:

Service Name:

Repository Creation Utility - Checking Prerequisites

Checking Global Prerequisites

✓ Initializing repository configuration metadata	00:00.824(ms)
✓ Obtain properties of the specified database	00:00.105(ms)
⌚ Check requirement for specified database	00:09.178(sec)

Stop

Repository Creation Utility - Warning

The selected database is an Oracle XE Edition database, which is not certified for use in an Oracle Fusion Middleware production environment. For a list of certified databases, refer to the Supported System Configurations information on the Oracle Technology Network.

Ignore

Stop

Repository Creation Utility - Step 4 of 8

ORACLE
FUSION MIDDLEWARE

Repository Creation Utility

Welcome

Create Repository

Database Connection Details

Select Components

Schema Passwords

Map Tablespaces

Summary

Completion Summary

Specify a unique prefix for all schemas created in this session, so you can easily locate, reference, and manage the schemas later.

Edition Name:

ORASBASE

Select existing prefix:

Create new prefix:

DEV

Alpha numeric only. Cannot start with a number. No special characters.

Component	Schema Owner
☒ Oracle AS Repository Components	
☒ AS Common Schemas	
☒ Common Infrastructure Services *	DEV_SIT
☒ Oracle Platform Security Services	DEV_OPSS
☐ User Messaging Service	UMS
☒ Audit Services	DEV_AU
☒ Audit Services Append	DEV_AU_APPEND
☒ Audit Services Viewer	DEV_AU_VIEWER
☒ Metadata Services	DEV_MDS
☒ Weblogic Services *	DEV_WLS

Checking Component Prerequisites

✓ Common Infrastructure Services	00:00.105(ms)
✓ Oracle Platform Security Services	00:00.115(ms)
✓ Audit Services	00:00.111(ms)
✓ Audit Services Append	00:00.112(ms)
✓ Audit Services Viewer	00:00.102(ms)
✓ Metadata Services	00:00.115(ms)
✓ Weblogic Services	00:00.112(ms)

Operation completed. Click OK to continue to next page.

OK

Repository Creation Utility

ORACLE
FUSION MIDDLEWARE

Welcome

Create Repository

Database Connection Details

Select Components

Schema Passwords

Map Tablespaces

Summary

Completion Summary

Define passwords for main and auxiliary schema users.

☒ Use same passwords for all schemas

Password:

Alpha numeric only. Cannot start with a number.
No special characters except: \$, #, _.

Confirm Password:

☐ Use main schema passwords for auxiliary schemas

☐ Specify different passwords for all schemas

Repository Creation Utility

ORACLE
FUSION MIDDLEWARE

Welcome

Create Repository

Database Connection Details

Select Components

Schema Passwords

Map Tablespaces

Summary

Completion Summary

Default and temporary tablespaces for the selected components appear in the table below.
To create new tablespaces or modify existing tablespaces, use the Manage Tablespaces Button

Manage Tablespaces

Component	Schema Owner	Default Tablespace	Temp Tablespace
Common Infrastructure Services	DEV_STB	*DEV_STB	*DEV_IAS_TEMP
Oracle Platform Security Services	DEV_OPSS	*DEV_IAS_OPSS	*DEV_IAS_TEMP
Audit Services	DEV_IAU	*DEV_IAU	*DEV_IAS_TEMP
Audit Services Append	DEV_IAU_APPEND	*DEV_IAU	*DEV_IAS_TEMP
Audit Services Viewer	DEV_IAU_VIEWER	*DEV_IAU	*DEV_IAS_TEMP
Metadata Services	DEV_MDS	*DEV_MDS	*DEV_IAS_TEMP
Weblogic Services	DEV_WLS	*DEV_WLS	*DEV_IAS_TEMP

Repository Creation Utility - Step 7 of 8

Repository Creation Utility

ORACLE
FUSION MIDDLEWARE

Welcome

Create Repository

Database Connection Details

Select Components

Schema Passwords

Map Tablespaces

Summary

Database details:

Host Namelocalhost

Port1521

Service NameXEPOB1

Connected AsSYS

OperationSystem and Data Load concurrently

Prefix for (prefixable) Schema OwnersDEV

Component	Schema Owner	Tablespace Type	Tablespace Name
Common Infrastructure Services	DEV_STB	Default Temp Additional	DEV_STB DEV_IAS_TEMP [None]
Oracle Platform Security Services	DEV_OPSS	Default Temp Additional	DEV_IAS_OPSS DEV_IAS_TEMP [None]
Audit Services	DEV_IAU	Default Temp Additional	DEV_IAU DEV_IAS_TEMP [None]
Audit Services Append	DEV_IAU_APPEND	Default Temp Additional	DEV_IAU DEV_IAS_TEMP [None]
Audit Services Viewer	DEV_IAU_VIEWER	Default Temp Additional	DEV_IAU DEV_IAS_TEMP [None]
Metadata Services	DEV_MDS	Default Temp Additional	DEV_MDS DEV_IAS_TEMP [None]
Weblogic Services	DEV_WLS	Default Temp Additional	DEV_WLS DEV_IAS_TEMP [None]

Save Response File

Help

< Back

Next >

Create

Cancel

Repository Creation Utility - System Load

Repository System Load in progress.

✓ Executing pre create operations	00:06.456(sec)
✓ Common Infrastructure Services	00:12.081(sec)
✓ Audit Services Append	00:09.397(sec)
✓ Audit Services Viewer	00:09.379(sec)
✓ Metadata Services	00:23.963(sec)
✓ Weblogic Services	00:23.386(sec)
✓ Audit Services	00:25.696(sec)
⌚ Oracle Platform Security Services	00:10.250(sec)
Executing post create operations	0

Repository Creation Utility

ORACLE
FUSION MIDDLEWARE

- Welcome
- Choose Repository
- Database Connection Details
- Select Components
- Schema Passwords
- Flag Pathspaces
- Summary
- Completion Summary**

Database details:

Host Name localhost
Port 1521
Service Name XEPDB1
Connected As sys
Operation System and Data Load concurrently
Execution Time 2 minutes 27 seconds

RCU Logfile C:\Users\orade\AppData\Local\Temp\2\RCU2026-01-23_10-18_904729960\logs\rcu.log
Component Log Directory C:\Users\orade\AppData\Local\Temp\2\RCU2026-01-23_10-18_904729960\logs
View Log rcu.log

Prefix for (prefixable) Schema Owners FRM14PRU

Component	Status	Time	Logfile (Click to view)
Common Infrastructure Services	Success	00:10.190(sec)	sth.log
Oracle Platform Security Services	Success	00:29.467(sec)	opss.log
Audit Services	Success	00:25.671(sec)	asu.log
Audit Services Append	Success	00:09.290(sec)	asu_append.log
Audit Services Viewer	Success	00:09.266(sec)	asu_viewer.log
Metadata Services	Success	00:22.853(sec)	mids.log
Weblogic Services	Success	00:22.257(sec)	ws.log

Extraer y aplicar parches de cpu enero 2026

Extraer

```
PS D:\Oracle\scripts> .\cpu-patches-141-extrac.ps1
Extrayendo: E:\Instaladores\forms_14120\202601\forms\p38146367_141200_Generic.rzip
Extrayendo: E:\Instaladores\forms_14120\202601\forms\p38560990_141200_Generic.rzip
Extrayendo: E:\Instaladores\forms_14120\202601\forms\p38637350_141200_Generic.rzip
Extrayendo: E:\Instaladores\forms_14120\202601\forms\p38679562_141200_Generic.rzip
Extrayendo: E:\Instaladores\forms_14120\202601\windows\forms\p38463900_141200_MSWIN-x86_64.zip
Extrayendo: E:\Instaladores\forms_14120\202601\windows\forms\p38509500_141200_MSWIN-x86_64.zip
Extrayendo: E:\Instaladores\forms_14120\202601\windows\forms\p38609538_141200_MSWIN-x86_64.zip
Extrayendo: E:\Instaladores\forms_14120\202601\windows\forms\p3871679_141200_MSWIN-x86_64.zip
Extrayendo: E:\Instaladores\forms_14120\202601\windows\forms\p38854119_141200_MSWIN-x86_64.zip
Extrayendo: E:\Instaladores\forms_14120\202601\windows\forms\p3892037_141200_MSWIN-x86_64.zip
Extrayendo: E:\Instaladores\forms_14120\202601\wls\p38063775_141200_Generic.rzip
Extrayendo: E:\Instaladores\forms_14120\202601\wls\p38447238_141200_Generic.rzip
Extrayendo: E:\Instaladores\forms_14120\202601\wls\p38566654_141200_Generic.rzip
Extrayendo: E:\Instaladores\forms_14120\202601\wls\p38670286_141200_Generic.rzip
Extrayendo: E:\Instaladores\forms_14120\202601\wls\p38716831_141200_Generic.rzip
Extrayendo: E:\Instaladores\forms_14120\202601\wls\p38792753_141200_Generic.rzip
```

Parches previos

Limpia parches

Lista parches aplicados

Página: 121

Crear dominio:

Fusion Middleware Configuration Wizard - Page 2 of 12

Templates

Create Domain

Templates

Application Location

Administrator Account

Domain Mode and JDK

Database Configuration Type

Component Datasources

JDBC Test

Advanced Configuration

Configuration Summary

Configuration Progress

End Of Configuration

ORACLE
FUSION MIDDLEWARE

Create Domain Using Product Templates:

Filter Templates:

☐ Include all selected templates ☐ Include all previously applied templates

Available Templates

☒ Oracle Forms - 14.1.2.0.0 [forms]

☐ Oracle Forms (upgrade only) - 14.1.2.0.0 [forms]

☐ Oracle Forms Development - 14.1.2.0.0 [forms]

☒ Oracle Reports Application - 14.1.2.0.0 [reports]

☐ Oracle Reports Application (upgrade only) - 14.1.2.0.0 [reports]

☒ Oracle Enterprise Manager - 14.1.2.0.0 [em]

☐ Oracle Enterprise Manager-Restricted JRF - 14.1.2.0.0 [em]

☒ Oracle HTTP Server (Collocated) - 14.1.2.0.0 [ohs]

☐ Oracle HTTP Server (Restricted JRF) - 14.1.2.0.0 [ohs]

☒ Oracle Reports Tools - 14.1.2.0.0 [ReportsToolsComponent]

☒ Oracle Reports Server - 14.1.2.0.0 [ReportsServerComponent]

☒ Oracle Reports Bridge - 14.1.2.0.0 [ReportsBridgeComponent]

D:\Oracle\config\domains\FRM_DM14C\applications

Fusion Middleware Configuration Wizard - Page 3 of 12

Create Domain

Templates

Application Location

Administrator Account

Domain Mode and JDK

Database Configuration Type

Component Datasources

JDBC Test

Advanced Configuration

Configuration Summary

ORACLE
FUSION MIDDLEWARE

Domain name: FRM_DM14C

Domain location: D:\Oracle\config\domains

Application location: D:\Oracle\config\domains\FRM_DM14C\applications

Calle 74 A # 22-31 Oficina 301 Bogotá D.C., Colombia – Teléfono: (+57) 601 345 3384
E-mail: info@euphoria-net.com http://www.euphoria-net.com

Página: 123

Administrator Account

Create Domain

Templates

Application Location

Administrator Account

Domain Mode and JDK

Database Configuration Type

Component Datasources

JDBC Test

Advanced Configuration

Configuration Summary

ORACLE
FUSION MIDDLEWARE

Name

weblogic

Password

.....

Confirm Password

.....

Domain Mode and JDK

Create Domain

Templates

Application Location

Administrator Account

Domain Mode and JDK

Database Configuration Type

Component Datasources

JDBC Test

Advanced Configuration

Configuration Summary

Configuration Progress

End Of Configuration

ORACLE
FUSION MIDDLEWARE

Domain Mode

☐ Development

Utilize boot.properties for username and password, and poll for applications to deploy.

☒ Production

Require entry of a username and password, do not poll for applications to deploy.

☐ Disable Secure Mode

Secure mode sets secure defaults for production mode domains, including enabling SSL ports, the Administration port, and other security-related settings.

Enable or Disable Default Ports for Your Domain

The ports checked below will be enabled by default based on your Domain Mode selections. You may change these defaults below. Enabling SSL ports will require configuring certificates on affected servers.

☐ Enable Listen Ports (non-SSL Ports)

☒ Enable SSL Listen Ports

☒ Enable Administration Port (SSL Port)

JDK

☒ Oracle HotSpot 21.0.10 D:\Oracle\Middleware\JDK21

☐ Other JDK Location:

Browse

Create Domain

Templates

Application Location

Administrator Account

Domain Mode and JDK

Database Configuration Type

Component Datasources

JDBC Test

Advanced Configuration

Configuration Summary

Configuration Progress

End Of Configuration

ORACLE
FUSION MIDDLEWARE

Specify AutoConfiguration Options Using:

☒ RCU Data

☐ Manual Configuration

Enter the database connection details using the schema credentials corresponding to Common Infrastructure Services component in the Repository Creation Utility. The Wizard uses this connection to automatically configure the datasources required for components in this domain.

Vendor: Oracle

Driver: *Oracle's Driver (Thin) for Service connections; Ver...

☐ Connection Parameters

☒ Connection URL String

URL: jdbc:oracle:thin:@//localhost:1521/XEPDB1

Connection Properties

Schema Owner: FRM14PRU_STB

Schema Password:

Get RCU Configuration

Cancel

Connection Result Log

Successfully Done.

Click "Next" button to continue.

Create Domain

Templates

Application Location

Administrator Account

Domain Mode and JDK

Database Configuration Type

Component Datasources

JDBC Test

Advanced Configuration

Configuration Summary

Configuration Progress

End Of Configuration

ORACLE
FUSION MIDDLEWARE

JDBC Component Schema

Vendor:

Driver:

☐ Connection Parameters

☒ Connection URL String

URL:

Connection Properties

Schema Owner:

Schema Password:

Oracle RAC configuration for component schemas:

☐ Convert to GridLink

☐ Convert to RAC multi data source

☐ Don't convert

Edits to the data above will affect all checked rows in the table below.

☐	Component Schema	URL	Schema Owner	Schema Password
☐	LocalSvcTbl Schema	jdbc:oracle:thin:@(description=(address	FRM14PRU_STB	
☐	WLS Runtime Schema	jdbc:oracle:thin:@(description=(address	FRM14PRU_WL	
☐	WLS Schema	jdbc:oracle:thin:@(description=(address	FRM14PRU_WL	
☐	OPSS Audit Schema	jdbc:oracle:thin:@(description=(address	FRM14PRU_IAL	
☐	OPSS Audit Viewer Sche	jdbc:oracle:thin:@(description=(address	FRM14PRU_IAL	
☐	OPSS Schema	jdbc:oracle:thin:@(description=(address	FRM14PRU_OP	

JDBC Component Schema Test

- Create Domain
- Templates
- Application Location
- Administrator Account
- Domain Mode and JDK
- Database Configuration Type
- Component Datasources
- JDBC Test**
- Advanced Configuration
- Configuration Summary
- Configuration Progress
- End Of Configuration

ORACLE

 FUSION MIDDLEWARE

☒	Status	Component Schema	JDBC Connection URL
☒	☒	LocalSvcTbl Schema	jdbc:oracle:thin:@(description=(address=(
☒	☒	WLS Runtime Schema	jdbc:oracle:thin:@(description=(address=(
☒	☒	WLS Schema	jdbc:oracle:thin:@(description=(address=(
☒	☒	OPSS Audit Schema	jdbc:oracle:thin:@(description=(address=(
☒	☒	OPSS Audit Viewer Schema	jdbc:oracle:thin:@(description=(address=(
☒	☒	OPSS Schema	jdbc:oracle:thin:@(description=(address=(

Connection Result Log

Component Schema=LocalSvcTbl Schema
 Driver=oracle.jdbc.OracleDriver
 URL=jdbc:oracle:thin:@(description=(address=(host=localhost)(protocol=tcp)(port=1521))(connect_data=
 User=FRM14PRU_5TB
 Password=*****
 SQL Test=SELECT 1 FROM DUAL
 CFGFWK-64213: Test Successfull

Advanced Configuration

- Create Domain
- Templates
- Application Location
- Administrator Account
- Domain Mode and JDK
- Database Configuration Type
- Component Datasources
- JDBC Test
- Advanced Configuration**
- Administration Server
- Node Manager
- Managed Servers
- Clusters
- Server Templates

ORACLE

 FUSION MIDDLEWARE

- ☒ **Administration Server**
 Modify Settings
- ☒ **Node Manager**
 Configure Node Manager
- ☒ **Topology**
 Add, Delete or Modify Settings for Managed Servers, Clusters and Coherence
- ☒ **System Components**
 Configure and Target System Components
- ☐ **Domain Frontend Host Capture**
 Configure Domain Frontend Host
- ☐ **Deployments and Services**
 Target to Servers or Clusters

Administration Server

ORACLE
FUSION MIDDLEWARE

Create Domain
Templates
Application Location
Administrator Account
Domain Mode and JDK
Database Configuration Type
Component Datasources
JDBC Test
Advanced Configuration
Administration Server
Node Manager

Server Name: AdminServer
Listen Address: weblogicvr03

Configure Administration Server Ports

☐ Enable Listen Port
☒ Enable SSL Listen Port

Listen Port: 7001
SSL Listen Port: 8000
Administration Port: 8100

Node Manager

ORACLE
FUSION MIDDLEWARE

Create Domain
Templates
Application Location
Administrator Account
Domain Mode and JDK
Database Configuration Type
Component Datasources
JDBC Test
Advanced Configuration
Administration Server
Node Manager
Managed Servers
Clusters
Server Templates

Node Manager Topology

☒ Per Domain Default Location
☐ Per Domain Custom Location
☐ Manual Node Manager Setup

Node Manager Home: D:\Oracle\config\domains\FRM_DM14C\nodemanager Browse

Node Manager Credentials

Username: nm_weblogic
Password:
Confirm Password:

Managed Servers

ORACLE
FUSION MIDDLEWARE

Create Domain
Templates
Application Location
Administrator Account
Domain Mode and JDK
Database Configuration Type

+ Add - Clone X Delete Discard Changes

Server Name	Listen Address	Enable	Listen Port	Enable SSL Port	SSL Listen Port	Adminstr Port	Server Groups
WLS_FORMS	weblogicvr03	☐	Disabled	☒	8001	8101	FORMS-MAN...
WLS_REPORTS	weblogicvr03	☐	Disabled	☒	8002	8102	REPORTS-AP...

Clusters

Create Domain

Templates

Application Location

Administrator Account

Domain Mode and JDK

Database Configuration Type

+ Add

X Delete

Discard Changes

Cluster Name	Cluster Address	Frontend Host	Frontend HTTP Port	Frontend HTTPS Port
cluster_forms			0	0
cluster_reports			0	0

Assign Servers to Clusters

Create Domain

Templates

Application Location

Administrator Account

Domain Mode and JDK

Database Configuration Type

Servers

Clusters

Cluster

cluster_forms

Server

WLS_FORMS

cluster_reports

Server

WLS_REPORTS

Coherence Clusters

Create Domain

Templates

Application Location

Administrator Account

Discard Changes

Cluster Name	Cluster Listen Port
defaultCoherenceCluster	8574

Machines

Create Domain

Templates

Application Location

Administrator Account

Domain Mode and JDK

Database Configuration Type

Machine

Unk Machine

+ Add

X Delete

Discard Changes

Name	Node Manager Listen Address	Node Manager Type	Node Manager Listen Port
AdminServerMachine	localhost	plain	8556

System Components

Application Location

Administrator Account

Domain Mode and JDK

Database Configuration Type

Component Datasources

+ Add

X Delete

Discard Changes

System Component	Component Type	Restart Interval Seconds	Restart Delay Seconds
forms1	FORMS	3600	0
ohs1	OHS	3600	0

OHS Server

Application Location

Administrator Account

Domain Mode and JDK

Database Configuration Type

Component Datasources

JDBC Test

Advanced Configuration

Administration Server

Node Manager

Managed Servers

Clusters

System Component

Admin Host

Admin Port

Listen Address

Listen Port

SSL Listen Port

Server Name

ohs1

127.0.0.1

8779

weblogicsvr03

8777

8443

http://weblogicsvr03:8777

Assign System Components to Machines

Application Location

Administrator Account

Domain Mode and JDK

Database Configuration Type

Component Datasources

Machines

Machine

AdminServerMachine

SystemComponent

forms1

ohs1

Configuration Summary

Database Configuration Type

Component Datasources

JDBC Test

Advanced Configuration

Administration Server

Node Manager

Managed Servers

Clusters

Server Templates

Dynamic Servers

Assign Servers to Clusters

Coherence Clusters

Machines

Assign Servers to Machines

System Components

OHS Server

Assign System Components

Configuration Summary

Configuration Progress

End Of Configuration

View: Deployment

FRM_DM14C (D:\Oracle\config\domains\FRM_DM14C)

Server

WLS_FORMS

WLS_REPORTS

AdminServer

AdminServer

AppDeployment

opss-rest

DMS Application#12.2.1.1.0

state-management-provider-memor

em

coherence-transaction-rar

Library

oracle.webcenter.composer#2.0@1

jsf1.2#1.2@1.2.9.0

jsf#2.0@1.0.0.0_2-2-8

adf.oracle.domain.webapp.apache.h

oracle.wsm.console.core.view#1.0@

orai18n-adf#11@11.1.1.1.0

adf.oracle.domain.webapp.apache.s

oracle.bi.adf.webcenter.sib#1.0@1

adf.oracle.domain.webapp.guava#1

adf.oracle.domain.webapp.regex#2

Name

Description

Author

Location

Name

Description

Author

Location

Name

Description

Author

Location

Name

Description

Author

Location

Name

Description

Author

Location

Name

Description

Author

Location

Name

Description

Author

Location

Basic WebLogic Server Domain

Create a basic WebLogic Server d

Oracle Corporation

D:\Oracle\Middleware\14120\wls

Oracle Reports Server

Oracle Reports Server Component

Oracle Corporation

D:\Oracle\Middleware\14120\Repo

Oracle Reports Bridge

Oracle Reports Bridge Component

Oracle Corporation

D:\Oracle\Middleware\14120\Repo

Oracle Reports Application

Oracle Reports Application Templa

Oracle Corporation

D:\Oracle\Middleware\14120\repo

Oracle Reports Tools

Oracle Reports Tools Component

Oracle Corporation

D:\Oracle\Middleware\14120\Repo

Oracle HTTP Server (Colocated)

Oracle HTTP Server Extension Te

Oracle Corporation

name in the left pane, or by using the Back button.

< Back



Next >

Create

Cancel


Calle 74 A # 22-31 Oficina 301 Bogotá D.C., Colombia – Teléfono: (+57) 601 345 3384
E-mail: info@euphoria-net.com http://www.euphoria-net.com

Página: 129



2.14 Error en despliegue divri en ambiente de pruebas weblogic 15c weblogicvr13.

El despliegue de divri, no está subiendo correctamente en pruebas. Se encuentra en el log error al encontrar el datasource



Se hacen ajustes al datasource,
Initial capacity: 0

Data Sources / Contactenos_divrIDS

Save

The connection pool within a JDBC data source contains a group of JDBC connections that applications reserve, use, and then return to the pool. The connection pool a WebLogic Server or when deploying the data source to a new target.
Use this page to define the configuration for this data source's connection pool.

General

Connection Pool

Oracle

ONS

Transaction

Diagnostics

Identity Options

Targets

Referenced By

General

Advanced

Test Configuration

Url

jdbc:oracle:thin:@(DESCRIPTION=(ADDRESS_

Driver Class Name

oracle.jdbc.OracleDriver

Password

Statement Cache Type

LRU

Statement Cache Size

10

Initial Capacity

0

Habilitar test connection en reserve

Test Configuration

Test Connections On Reserve

☐


Aplicar cambios y reiniciar manejado

Sin embargo el despliegue falló, por conflicto por contexto idéntico.


Se validan los despliegues y se encuentra que diviri-frontend está apuntando al backend

Calle 74 A # 22-31 Oficina 301 Bogotá D.C., Colombia – Teléfono: (+57) 601 345 3384
E-mail: info@euphoria-net.com http://www.euphoria-net.com


Página: 131



Se ajusta el despliegue





Se reinicia y ya ambas aplicaciones están arriba.



2.16 Monitoreo y validación de la integridad de los datos replicados servidor filesystem.

Realizamos una verificación del estado de la réplica de datos no estructurados hacia Oracle Cloud, como control para asegurar la exactitud en la copia de los archivos.



Realizamos una verificación del estado de la réplica de datos no estructurados hacia Oracle Cloud, como control para asegurar la exactitud en la copia de los archivos.

Filesystem	Size	Used	Avail	Use%	Mounted on
devtmpfs	172G	0	172G	0%	/dev
tmpfs	347G	7.8G	339G	3%	/dev/shm
tmpfs	172G	13M	172G	1%	/run
tmpfs	172G	0	172G	0%	/sys/fs/cgroup
/dev/mapper/VGEXaDb-LVDbSys1	15G	8.3G	6.7G	56%	/
/dev/mapper/VGEXaDbDisk.u01.20.img-LVDBDisk	20G	11G	9.0G	56%	/u01
/dev/mapper/VGEXaDb-LVDbKdump	20G	2.4G	18G	12%	/crashfiles
/dev/sda1	412M	133M	280M	33%	/boot
/dev/mapper/VGEXaDb-LVDbTmp	3.0G	62M	2.9G	3%	/tmp
/dev/mapper/VGEXaDb-LVDbVar1	5.0G	2.0G	3.0G	40%	/var
/dev/mapper/VGEXaDbDisk.u02_extra.img-LVDBDisk	540G	82G	435G	16%	/u02
/dev/mapper/VGEXaDbDisk.grid19.0.0.0.230718.img-LVDBDisk	50G	12G	38G	24%	/u01/app/grid/crsdata/exaccqnmndn01-grid
/dev/mapper/VGEXaDb-LVDbVarLog	18G	3.3G	15G	19%	/var/log
/dev/mapper/VGEXaDb-LVDbVarLogAudit	3.0G	186M	2.8G	7%	/var/log/audit
/dev/mapper/VGEXaDb-LVDbHome	4.0G	88M	4.0G	3%	/home
FILEORACLESVR01:/EXADATABACKUP	6.0T	5.9T	172G	98%	/backups
oracle_clusterware	128M	5.2M	123M	4%	/u01/app/grid/crsdata/exaccqnmndn01-db01/shm
/dev/asm/acfsvol01-107	6.0T	4.2T	1.9T	70%	/acfs01
tmpfs	35G	0	35G	0%	/run/user/1001
tmpfs	35G	0	35G	0%	/run/user/1000
tmpfs	35G	0	35G	0%	/run/user/2000

Se realiza depuración de los backups

[opc@exaccqnmndn01-db01 ~]\$ df -h					
Filesystem	Size	Used	Avail	Use%	Mounted on
devtmpfs	172G	0	172G	0%	/dev
tmpfs	347G	7.8G	339G	3%	/dev/shm
tmpfs	172G	13M	172G	1%	/run
tmpfs	172G	0	172G	0%	/sys/fs/cgroup
/dev/mapper/VGEXaDb-LVDbSys1	15G	8.3G	6.7G	56%	/
/dev/mapper/VGEXaDbDisk.u01.20.img-LVDBDisk	20G	12G	8.0G	56%	/u01
/dev/mapper/VGEXaDb-LVDbKdump	20G	2.4G	18G	12%	/crashfiles
/dev/sda1	412M	133M	280M	33%	/boot
/dev/mapper/VGEXaDb-LVDbTmp	3.0G	62M	2.9G	3%	/tmp
/dev/mapper/VGEXaDb-LVDbVar1	5.0G	2.0G	3.0G	40%	/var
/dev/mapper/VGEXaDbDisk.u02_extra.img-LVDBDisk	540G	88G	435G	16%	/u02
/dev/mapper/VGEXaDbDisk.grid19.0.0.0.230718.img-LVDBDisk	50G	12G	38G	24%	/u01/app/grid/crsdata/exaccqnmndn01-grid
/dev/mapper/VGEXaDb-LVDbVarLog	18G	3.3G	15G	19%	/var/log
/dev/mapper/VGEXaDb-LVDbVarLogAudit	3.0G	158M	2.8G	6%	/var/log/audit
/dev/mapper/VGEXaDb-LVDbHome	4.0G	93M	4.0G	3%	/home
FILEORACLESVR01:/EXADATABACKUP	6.0T	4.6T	1.5T	77%	/backups
oracle_clusterware	128M	5.2M	123M	4%	/u01/app/grid/crsdata/exaccqnmndn01-db01/shm
/dev/asm/acfsvol01-107	6.0T	2.9T	3.2T	48%	/acfs01
tmpfs	35G	0	35G	0%	/run/user/1001
tmpfs	35G	0	35G	0%	/run/user/1000
tmpfs	35G	0	35G	0%	/run/user/2000

Se libera 1.6TB de espacio

3 Gestión de recursos humanos

TIPO	CONCEPTO	CANTIDAD DE HORAS	VALOR CON IVA	VALOR TOTAL CON IVA
Ejecución bolsa de horas	Ver actividades	272	\$179.928	\$ 48.940.416

Para la ejecución de las horas relacionadas se contó con un grupo interdisciplinario conformado por un grupo de Administradores de base de datos Oracle e ingeniero de weblogic.

RECURSO	ROL
LUIS ALEX JIMENEZ ALVARADO	ING. DBA
SERGIO FELIPE GIRALDO CAMACHO	ING. DBA
GERMAN OCTAVIO ARDILA DIAZ	ING. WEBLOGIC

4 Consolidado de horas

MES	VIGENCIA 2023	VIGENCIA 2024	VIGENCIA 2025	VIGENCIA 2026
ENERO	-	248	280	272
FEBRERO	-	256	272	
MARZO	-	248	280	
ABRIL	-	248	272	
MAYO	-	248	288	
JUNIO	-	310	240	
JULIO	-	320	256	
AGOSTO	-	320	256	
SEPTIEMBRE	-	288	240	
OCTUBRE	-	400	256	
NOVIEMBRE	-	400	240	
DICIEMBRE	112	476	248	
Total horas	112	3.762	3.128	272

DESCRIPCIÓN	VIGENCIA 2023	VIGENCIA 2024	VIGENCIA 2025	VIGENCIA 2026
Total horas contratadas	256	3.762	3.128	1.805
Total horas consumidas en el periodo	112	476	248	272
Total horas consumidas a la fecha	112	3.762	3.128	272
Total saldo de horas	0 ***	0**	0****	1.533

*** Para la vigencia del 2023 se hizo una liberación por valor de \$25.928.064 que equivalen a 144 horas, motivo por el cual fueron liberadas de acuerdo con el documento "SOLICITUD LIBERACIÓN SALDOS CRP DE CONTRATOS" de fecha 20 de diciembre de 2023, la liberación se hizo debido a que se tenía planeado un consumo de 256 horas para el mes de diciembre 2023 y solo se consumieron 112 de horas, porque el contrato inició el día 20 de diciembre 2023 y no se alcanzó a consumir lo planeado.

** Para la vigencia del 2024 se hizo una liberación por valor de \$270.864, la reducción del saldo de la vigencia año 2024, obedece a que se tenía planeado un consumo de 3.762 horas con un valor total \$677.160.000, y para la vigencia 2024 se consumió la totalidad de las horas planeadas 3.762 con un valor de la hora a \$179.928,00, lo cual nos genera un saldo de \$270.864, que no se van a utilizar.

**** Para la vigencia del 2025 se hizo una liberación por valor de \$225.216, la reducción del saldo de la vigencia año 2025, obedece a que se tenía planeado un consumo de 3.128 horas con un valor total \$562.814.784, y para la vigencia 2025 se consumió la totalidad de las horas planeadas 3.762 con un valor de la hora a \$179.928,00, lo cual nos genera un saldo de \$225.216, que no se van a utilizar


ANALISIS Y CONCLUSIONES

Ejecución de tareas proyectadas sin novedad.

FIRMA: 
ELABORÓ: ING. José Marcelino Escallón Morales
CARGO: Representante Legal

FIRMA: 
REVISÓ: ING. William Alfonso Miranda Parada
CARGO: Profesional Defensa 14

FIRMA: 
REVISÓ: CR. Jaime Giovanny Rincon Sandoval
CARGO: Coordinador Grupo Sistemas de la Informacion DTICS

FIRMA: 
APROBÓ: CR. Adriana Maria Alvarez Moreno
CARGO: Directora de Tecnologías de la Información y las Comunicaciones TIC's . (E)