tactusoft / **loteriabogota**

Code Issues Pull requests Actions Projects Security and quality Insi

We are having a problem billing the locqum organization. Please update your payment method or call your payment provider for details on why the transaction failed.
You can always contact support with any questions.

Commit dfbe7a8

Juan Carlos Cifuent... committed 3 weeks ago

```
Implementación de 4 web service canal al sistema comercial
```

master

1 parent 8394704 commit dfbe7a8

17 files changed +626 -103 lines changed

Top

Filter files...

- backend/src/main/java/co/gov/loteriabogota/chanceapi
  - domain
    - port
      - in
        - ComercialSystemUseCase.java
      - out
        - ComercialSystemGateway.java
    - service
      - ComercialSystemServices.java
  - infrastructure/adapter
    - in/web
      - controller
        - ConnectionComercialSystemController.java
      - dto

AssignmentNumberRequest.java
AssignmentNumberResponse.java
DataNumberAsignacionResponse.java
DataNumberPayCancelConfirmResponse.java
DataNumberPayConfirmResponse.java
DataNumberSerieResponse.java
FindSeriesRequest.java
SeriesResponse.java
StatusPayCancelConfirmationRequest.java
StatusPayCancelConfirmationResponse.java
StatusPayConfirmationRequest.java
StatusPayConfirmationResponse.java

out/comercialSystem

ComercialSystemAdapter.java

17 files changed +626 -103 lines changed

Search within code

...pi/domain/port/in/ComercialSystemUseCase.java

```
@@ -5,11 +5,28 @@
5  5   import java.security.NoSuchAlgorithmException;
6  6   import java.util.List;
7  7
   8  + import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.AssignmentNumberRequest;
   9  + import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.AssignmentNumberResponse;
8  10  import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.FindSeriesRequest;
9  11  import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.SeriesResponse;
   12 + import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayCancelConfirmationRequest;
```

```
13  + import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayCancelConfirmationResponse;
14  + import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayConfirmationResponse;
15  + import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayConfirmationRequest;
10  16
    17  + /**
    18  +  * @author JuanCif
    19  +  */
11  20  public interface ComercialSystemUseCase {
12  21
13  22      SeriesResponse findSeries(FindSeriesRequest request) throws KeyManagementException, NoSuchAlgorithmException, KeyStoreException;
    23  +
    24  +     AssignmentNumberResponse assignmentNumber(AssignmentNumberRequest request) throws KeyManagementException, NoSuchAlgorithmException, KeyStoreException;
    25  +
    26  +     StatusPayConfirmationResponse payConfirmation(StatusPayConfirmationRequest request) throws KeyManagementException, NoSuchAlgorithmException, KeyStoreException;
    27  +
    28  +     StatusPayCancelConfirmationResponse payCancelConfirmation(StatusPayCancelConfirmationRequest request) throws KeyManagementException, NoSuchAlgorithmException, KeyStoreException;
    29  +
    30  +
14  31
15  32  }
```

…i/domain/port/out/ComercialSystemGateway.java

```
    @@ -3,13 +3,27 @@
3   3   import java.security.KeyManagementException;
4   4   import java.security.KeyStoreException;
5   5   import java.security.NoSuchAlgorithmException;
6       - import java.util.List;
7       -
```

```
      6   + import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.AssignmentNumberRequest;
      7   + import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.AssignmentNumberResponse;
 8    8      import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.FindSeriesRequest;
 9    9      import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.SeriesResponse;
     10   + import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayCancelConfirmationRequest;
     11   + import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayCancelConfirmationResponse;
     12   + import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayConfirmationResponse;
     13   + import co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayConfirmationRequest;
10   14
     15   + /**
     16   +  * @author JuanCif
     17   +  */
11   18     public interface ComercialSystemGateway {
12   19
13   20         SeriesResponse findSeries(FindSeriesRequest request) throws KeyManagementException, NoSuchAlgorithmException, KeyStoreException;
     21   +
     22   +     AssignmentNumberResponse assignmentNumber(AssignmentNumberRequest request) throws KeyManagementException, NoSuchAlgorithmException, KeyStoreException;
     23   +
     24   +     StatusPayConfirmationResponse payConfirmation(StatusPayConfirmationRequest request) throws KeyManagementException, NoSuchAlgorithmException, KeyStoreException;
     25   +
     26   +     StatusPayCancelConfirmationResponse payCancelConfirmation(StatusPayCancelConfirmationRequest request) throws KeyManagementException, NoSuchAlgorithmException, KeyStoreException;
     27   +
```

```
14  28
15  29      }
```

…i/domain/service/ComercialSystemServices.java

```
    @@ -3,40 +3,71 @@
3   3   import co.gov.loteriabogota.chanceapi.domain.exception.DomainException;
4   4   import co.gov.loteriabogota.chanceapi.domain.port.in.ComercialSystemUseCase;
5   5   import co.gov.loteriabogota.chanceapi.domain.port.out.ComercialSystemGateway;
6       - import co.gov.loteriabogota.chanceapi.domain.port.out.PaymentGateway;
        6   + import
            co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.AssignmentNumberRe
            quest;
        7   + import
            co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.AssignmentNumberRe
            sponse;
7   8   import
            co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.FindSeriesRequest;
8   9   import
            co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.SeriesResponse;
        10  + import
            co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayCancelCon
            firmationRequest;
        11  + import
            co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayCancelCon
            firmationResponse;
        12  + import
            co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayConfirmat
            ionResponse;
        13  + import
            co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayConfirmat
            ionRequest;
9   14
10  15  import org.springframework.stereotype.Service;
11  16  import org.springframework.transaction.annotation.Transactional;
12  17
13  18  import java.security.KeyManagementException;
14  19  import java.security.KeyStoreException;
15  20  import java.security.NoSuchAlgorithmException;
16      - import java.util.ArrayList;
17      - import java.util.List;
18  21
```

```
      22  +
      23  + /**
      24  +  * @author JuanCif
      25  +  */
19    26    @Service
20    27    public class ComercialSystemServices implements ComercialSystemUseCase {
21    28        private final ComercialSystemGateway comercialSystemGateway;
22    29
23        -     public ComercialSystemServices(ComercialSystemGateway comercialSystemGateway)
24        -     {
      30  +     public ComercialSystemServices(ComercialSystemGateway comercialSystemGateway) {
25    31            this.comercialSystemGateway = comercialSystemGateway;
26    32
27    33        }
28    34
29    35        @Override
30    36        @Transactional
31        -     public SeriesResponse findSeries(FindSeriesRequest request) throws
              KeyManagementException, NoSuchAlgorithmException, KeyStoreException {
32        -         SeriesResponse series;
33        -         if (request.numero() == null || request.sorteo() == null) {
34        -             throw new DomainException("Debe enviar un número");
35        -         }
36        -         else{
      37  +     public SeriesResponse findSeries(FindSeriesRequest request)
      38  +             throws KeyManagementException, NoSuchAlgorithmException,
              KeyStoreException {
      39  +         SeriesResponse series;
37    40                series = comercialSystemGateway.findSeries(request);
38        -         }
39        -         return  series;
      41  +         return series;
      42  +     }
      43  +
      44  +     @Override
      45  +     @Transactional
      46  +     public AssignmentNumberResponse assignmentNumber(AssignmentNumberRequest
              request)
      47  +             throws KeyManagementException, NoSuchAlgorithmException,
              KeyStoreException {
      48  +         AssignmentNumberResponse assignmentNumberResponse;
```

```
49  +            assignmentNumberResponse =
    comercialSystemGateway.assignmentNumber(request);
50  +        return assignmentNumberResponse;
40  51       }
41  52
42      -    }
53  +    @Override
54  +    @Transactional
55  +    public StatusPayConfirmationResponse
    payConfirmation(StatusPayConfirmationRequest request)
56  +            throws KeyManagementException, NoSuchAlgorithmException,
    KeyStoreException {
57  +        StatusPayConfirmationResponse statusConfirmationResponse;
58  +            statusConfirmationResponse =
    comercialSystemGateway.payConfirmation(request);
59  +        return statusConfirmationResponse;
60  +    }
61  +
62  +    @Override
63  +    @Transactional
64  +    public StatusPayCancelConfirmationResponse
    payCancelConfirmation(StatusPayCancelConfirmationRequest request) throws
    KeyManagementException, NoSuchAlgorithmException, KeyStoreException {
65  +        StatusPayCancelConfirmationResponse statusConfirmationResponse;
66  +            statusConfirmationResponse =
    comercialSystemGateway.payCancelConfirmation(request);
67  +        return statusConfirmationResponse;
68  +    }
69  +
70  +
71  +
72  +
73  + }
```

…ller/ConnectionComercialSystemController.java

```
    ...   @@ -1,8 +1,14 @@
1   1     package co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.controller;
2   2
3   3     import co.gov.loteriabogota.chanceapi.domain.port.in.ComercialSystemUseCase;
      4   + import
          co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.AssignmentNumberRe
```

```
                quest;
      5   +     import
                co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.AssignmentNumberRe
                sponse;
4     6         import
                co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.FindSeriesRequest;
5     7         import
                co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.SeriesResponse;
      8   +     import
                co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayConfirmat
                ionResponse;
      9   +     import
                co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayCancelCon
                firmationRequest;
      10  +     import
                co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayCancelCon
                firmationResponse;
      11  +     import
                co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto.StatusPayConfirmat
                ionRequest;
6     12        import jakarta.validation.Valid;
7     13
8     14        import java.security.KeyManagementException;
            @@ -12,6 +18,9 @@
12    18        import org.springframework.http.ResponseEntity;
13    19        import org.springframework.web.bind.annotation.*;
14    20
      21  +     /**
      22  +      * @author JuanCif
      23  +      */
15    24        @RestController
16    25        @RequestMapping("/api/connectionComercial")
17    26        public class ConnectionComercialSystemController {
            @@ -27,7 +36,29 @@ public ResponseEntity<SeriesResponse>
            getAvailableSeries(@Valid @RequestBody Fin
27    36                SeriesResponse availableSeries =
                comercialSystemUseCase.findSeries(request);
28    37                return ResponseEntity.ok(availableSeries);
29    38
30        -         }
      39  +         }
      40  +
```

```
41  +     @GetMapping("/assignment")
42  +     public ResponseEntity<AssignmentNumberResponse> getAssignmentNumero(@Valid
      @RequestBody AssignmentNumberRequest request) throws KeyManagementException,
      NoSuchAlgorithmException, KeyStoreException {
43  +         AssignmentNumberResponse numberAssignment =
      comercialSystemUseCase.assignmentNumber(request);
44  +         return ResponseEntity.ok(numberAssignment);
45  +
46  +     }
47  +
48  +
49  +     @PostMapping("/payConfirmation")
50  +     public ResponseEntity<StatusPayConfirmationResponse> payConfirmation(@Valid
      @RequestBody StatusPayConfirmationRequest request) throws KeyManagementException,
      NoSuchAlgorithmException, KeyStoreException {
51  +         StatusPayConfirmationResponse statusConfirmationResponse =
      comercialSystemUseCase.payConfirmation(request);
52  +         return ResponseEntity.ok(statusConfirmationResponse);
53  +
54  +     }
55  +
56  +     @PostMapping("/payCancel")
57  +     public ResponseEntity<StatusPayCancelConfirmationResponse> payCancel(@Valid
      @RequestBody StatusPayCancelConfirmationRequest request) throws
      KeyManagementException, NoSuchAlgorithmException, KeyStoreException {
58  +         StatusPayCancelConfirmationResponse statusConfirmationResponse =
      comercialSystemUseCase.payCancelConfirmation(request);
59  +         return ResponseEntity.ok(statusConfirmationResponse);
60  +
61  +     }
31  62
32  63    }
33  64
```

…apter/in/web/dto/AssignmentNumberRequest.java

```
    @@ -0,0 +1,17 @@
1   + package co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto;
2   +
3   + import jakarta.validation.constraints.NotBlank;
4   + import jakarta.validation.constraints.Size;
5   +
```

```
6   + /**
7   +  * @author JuanCif
8   +  */
9   + public record AssignmentNumberRequest(
10  +         @NotBlank @Size(max = 150) String distribuidor,
11  +         @NotBlank String numero,
12  +         @NotBlank String serie,
13  +         @NotBlank String sorteo,
14  +         @NotBlank String token,
15  +         @NotBlank String estado
16  +
17  + ) {}
```

…pter/in/web/dto/AssignmentNumberResponse.java

```
    @@ -0,0 +1,17 @@
1   + package co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto;
2   +
3   + import java.util.List;
4   +
5   + import jakarta.validation.constraints.NotBlank;
6   +
7   + /**
8   +  * @author JuanCif
9   +  */
10  + public record AssignmentNumberResponse(
11  +         @NotBlank String estado,
12  +         @NotBlank String codigo,
13  +         @NotBlank String codigoAuditoria,
14  +         @NotBlank String mensaje,
15  +         List <DataNumberAsignacionResponse> data
16  +
17  + ) {}
```

…/in/web/dto/DataNumberAsignacionResponse.java

```
    @@ -0,0 +1,11 @@
1   + package co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto;
2   +
3   + /**
4   +  * @author JuanCif
5   +  */
6   + public record DataNumberAsignacionResponse(
```

```
7   +         String NUMERO,
8   +         String SERIE,
9   +         String SORTEO,
10  +         Integer TOTAL_ASIGNADAS
11  + ) {}
```

…b/dto/DataNumberPayCancelConfirmResponse.java

```
•••   @@ -0,0 +1,10 @@
1   + package co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto;
2   +
3   + /**
4   +  * @author JuanCif
5   +  */
6   + public record DataNumberPayCancelConfirmResponse(
7   +         String NUMERO,
8   +         String SERIE,
9   +         String SORTEO
10  + ) {}
```

…/in/web/dto/DataNumberPayConfirmResponse.java

```
•••   @@ -0,0 +1,11 @@
1   + package co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto;
2   +
3   + /**
4   +  * @author JuanCif
5   +  */
6   + public record DataNumberPayConfirmResponse(
7   +         String NUMERO,
8   +         String SERIE,
9   +         String SORTEO,
10  +         Integer FRACCIONES_PROCESADAS
11  + ) {}
```

…apter/in/web/dto/DataNumberSerieResponse.java

```
•••   @@ -1,12 +1,12 @@
1   1     package co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto;
2   2
3       - import java.util.UUID;
4   3
4   + /**
```

```
     5   +  * @author JuanCif
     6   +  */
5    7      public record DataNumberSerieResponse(
6    8              String NUMERO,
7    9              String SERIE,
8    10             String SORTEO,
9          -        Integer FRACCIONES_DISPONIBLES,
10         -        Integer TOTAL_FRACCIONES,
11         -        String ESTADO
     11  +        Integer FRACCIONES_DISPONIBLES
12   12     ) {}
```

…ure/adapter/in/web/dto/FindSeriesRequest.java

```
     @@ -3,6 +3,10 @@
3    3      import jakarta.validation.constraints.NotBlank;
4    4      import jakarta.validation.constraints.Size;
5    5
     6   +
     7   + /**
     8   +  * @author JuanCif
     9   +  */
6    10     public record FindSeriesRequest(
7    11             @NotBlank @Size(max = 150) String distribuidor,
8    12             @NotBlank String token,
```

…ucture/adapter/in/web/dto/SeriesResponse.java

```
     @@ -2,7 +2,14 @@
2    2
3    3      import java.util.List;
4    4
     5   + /**
     6   +  * @author JuanCif
     7   +  */
     8   +
5    9      public record SeriesResponse(
6    10             String estado,
     11  +        String codigo,
     12  +        String codigoAuditoria,
     13  +        String mensaje,
7    14             List <DataNumberSerieResponse> data
```

```
8   15    ) {}
```

…b/dto/StatusPayCancelConfirmationRequest.java

```
•••   @@ -0,0 +1,15 @@
1   + package co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto;
2   +
3   + import jakarta.validation.constraints.NotBlank;
4   + import jakarta.validation.constraints.Size;
5   +
6   + /**
7   +  * @author JuanCif
8   +  */
9   + public record StatusPayCancelConfirmationRequest(
10  +         @NotBlank @Size(max = 150) String distribuidor,
11  +         @NotBlank String numero,
12  +         @NotBlank String serie,
13  +         @NotBlank String sorteo,
14  +         @NotBlank String token
15  + ) {}
```

…/dto/StatusPayCancelConfirmationResponse.java

```
•••   @@ -0,0 +1,17 @@
1   + package co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto;
2   +
3   + import java.util.List;
4   +
5   + import jakarta.validation.constraints.NotBlank;
6   +
7   +
8   + /**
9   +  * @author JuanCif
10  +  */
11  + public record StatusPayCancelConfirmationResponse(
12  +         @NotBlank String estado,
13  +         @NotBlank String codigo,
14  +         @NotBlank String codigoAuditoria,
15  +         @NotBlank String mensaje,
16  +         List<DataNumberPayCancelConfirmResponse> data
17  + ) {}
```

…/in/web/dto/StatusPayConfirmationRequest.java

```
@@ -0,0 +1,16 @@
+ package co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto;
+
+ import jakarta.validation.constraints.NotBlank;
+ import jakarta.validation.constraints.Size;
+
+ /**
+  * @author JuanCif
+  */
+ public record StatusPayConfirmationRequest(
+         @NotBlank @Size(max = 150) String distribuidor,
+         @NotBlank String numero,
+         @NotBlank String serie,
+         @NotBlank String sorteo,
+         @NotBlank String token,
+         @NotBlank String fracciones
+ ) {}
```

…in/web/dto/StatusPayConfirmationResponse.java

```
@@ -0,0 +1,16 @@
+ package co.gov.loteriabogota.chanceapi.infrastructure.adapter.in.web.dto;
+
+ import java.util.List;
+
+ import jakarta.validation.constraints.NotBlank;
+
+ /**
+  * @author JuanCif
+  */
+ public record StatusPayConfirmationResponse(
+         @NotBlank String estado,
+         @NotBlank String codigo,
+         @NotBlank String codigoAuditoria,
+         @NotBlank String mensaje,
+         List<DataNumberPayConfirmResponse> data
+ ) {}
```

…t/comercialSystem/ComercialSystemAdapter.java

Load Diff

Large diffs are not rendered by default.

Comments 0

Lock conversation

Comment

Subscribe You're not receiving notifications from this thread.