tactusoft / loteriabogota

Code Issues Pull requests Actions Projects Security and quality Insi

We are having a problem billing the locqum organization. Please update your payment method or call your payment provider for details on why the transaction failed.
You can always contact support with any questions.

Commit cc92a1e

Juan Carlos Cifuent... committed 2 weeks ago

```
Ajuste a la url de conexión y manejo de librerias deprecadas
```

master (#1)

1 parent 4819b0c commit cc92a1e

6 files changed +25 -35 lines changed

Top

Filter files...

- backend
  - pom.xml
  - src/main/java/co/gov/loteriabogota/loteriabackend
    - domain
      - port/in
        - ComercialSystemUseCase.java
      - service
        - ComercialSystemServices.java
        - PaymentService.java
    - infrastructure/adapter
      - in/web/dto
        - DataPlanPrizeResponse.java
      - out/comercialSystem

ComercialSystemAdapter.java

6 files changed +25 -35 lines changed

Search within code

backend/pom.xml

```
@@ -1,7 +1,7 @@
<?xml version="1.0" encoding="UTF-8"?>
- <project xmlns="http://maven.apache.org/POM/4.0.0"
+ <project xmlns="http://maven.apache.org/POM/5.1.0"
          xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
-         xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
https://maven.apache.org/xsd/maven-4.0.0.xsd">
+         xsi:schemaLocation="http://maven.apache.org/POM/5.1.0
https://maven.apache.org/xsd/maven-5.1.0.xsd">
    <modelVersion>4.0.0</modelVersion>

    <parent>
```

…nd/domain/port/in/ComercialSystemUseCase.java

```
@@ -3,8 +3,6 @@
import java.security.KeyManagementException;
import java.security.KeyStoreException;
import java.security.NoSuchAlgorithmException;
- import java.util.List;
-
import
co.gov.loteriabogota.loteriabackend.infrastructure.adapter.in.web.dto.ActiveGiveawa
yRequest;
import
co.gov.loteriabogota.loteriabackend.infrastructure.adapter.in.web.dto.ActiveGiveawa
yResponse;
import
co.gov.loteriabogota.loteriabackend.infrastructure.adapter.in.web.dto.AssignmentNum
berRequest;
```

…d/domain/service/ComercialSystemServices.java

```
@@ -1,6 +1,5 @@
```

```
1  1   package co.gov.loteriabogota.loteriabackend.domain.service;
2  2
3     - import co.gov.loteriabogota.loteriabackend.domain.exception.DomainException;
4  3   import co.gov.loteriabogota.loteriabackend.domain.port.in.ComercialSystemUseCase;
5  4   import co.gov.loteriabogota.loteriabackend.domain.port.out.ComercialSystemGateway;
6  5   import
       co.gov.loteriabogota.loteriabackend.infrastructure.adapter.in.web.dto.ActiveGiveawa
       yRequest;
```

…riabackend/domain/service/PaymentService.java

```
      @@ -21,7 +21,6 @@
21 21   import java.math.BigDecimal;
22 22   import java.util.ArrayList;
23 23   import java.util.List;
24    - import java.util.UUID;
25 24
26 25   @Service
27 26   public class PaymentService implements PaymentUseCase {
```

…adapter/in/web/dto/DataPlanPrizeResponse.java

```
      @@ -5,9 +5,9 @@
5  5    */
6  6   public record DataPlanPrizeResponse(
7  7           String codigoPlan,
8     -         String CodigoPremio,
   8   +         String codigoPremio,
9  9           String nombre,
10    -         Integer valorBruto,
11    -         Integer valorNeto,
12    -         Integer retefuente
   10  +         String retefuente,
   11  +         String valorBruto,
   12  +         String valorNeto
13 13   ) {}
```

…t/comercialSystem/ComercialSystemAdapter.java

```
      @@ -19,6 +19,7 @@
```

```
19  19    import co.gov.loteriabogota.loteriabackend.infrastructure.adapter.in.web.dto.StatusPayCancelConfirmationResponse;
20  20    import co.gov.loteriabogota.loteriabackend.infrastructure.adapter.in.web.dto.StatusPayConfirmationResponse;
21  21    import co.gov.loteriabogota.loteriabackend.infrastructure.adapter.in.web.dto.StatusPayConfirmationRequest;
      22  +
22  23    import org.apache.hc.client5.http.impl.classic.CloseableHttpClient;
23  24    import org.apache.hc.client5.http.impl.classic.HttpClients;
24  25    import org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManagerBuilder;
          @@ -35,7 +36,6 @@
35  36    import com.fasterxml.jackson.core.type.TypeReference;
36  37    import com.fasterxml.jackson.databind.ObjectMapper;
37  38    import java.io.ByteArrayInputStream;
38      -   import java.io.IOException;
39  39    import java.security.KeyManagementException;
40  40    import java.security.KeyStoreException;
41  41    import java.security.NoSuchAlgorithmException;
          @@ -64,7 +64,7 @@ public ComercialSystemAdapter(
64  64                      this.baseUrl = baseUrl;
65  65              }
66  66
67      -           @SuppressWarnings({ "unchecked", "null" })
      67  +           @SuppressWarnings({ "unchecked", "null", "deprecation"})
68  68              @Override
69  69              public SeriesResponse findSeries(FindSeriesRequest request)
70  70                              throws KeyManagementException, NoSuchAlgorithmException, KeyStoreException {
          @@ -139,18 +139,17 @@ public SeriesResponse findSeries(FindSeriesRequest request)
139 139
140 140                                   series = new SeriesResponse(estado, codigo, codigoAuditoria, mensaje, dataNumeroSerie);
141 141
142     -                       } catch (IOException e1) {
      142 +                       } catch (Exception e1) {
143 143                                   System.err.println(e1.getMessage());
```

```
144  144                                  series = new SeriesResponse("Error",
     e1.getCause().toString(), null, e1.getMessage(),
145  145                                                  null);
146       -                               series = null;
147  146                          }
148  147                  }
149  148                  return series;
150  149
151  150          }
152  151
153       -          @SuppressWarnings({ "unchecked", "null" })
     152  +          @SuppressWarnings({ "unchecked", "null", "deprecation" })
154  153          @Override
155  154          public AssignmentNumberResponse assignmentNumber(AssignmentNumberRequest
     request)
156  155                          throws KeyManagementException, NoSuchAlgorithmException,
     KeyStoreException {
          @@ -227,17 +226,16 @@ public AssignmentNumberResponse
          assignmentNumber(AssignmentNumberRequest request
227  226                                  assignmentNumberResponse = new
     AssignmentNumberResponse(estado, codigo, codigoAuditoria,
228  227                                                  mensaje, dataNumeroSerie);
229  228
230       -                      } catch (IOException e1) {
     229  +                      } catch (Exception e1) {
231  230                                  System.err.println(e1.getMessage());
232  231                                  assignmentNumberResponse = new
     AssignmentNumberResponse("Error",
233  232                                                  e1.getCause().toString(), null,
     e1.getMessage(), null);
234       -                              assignmentNumberResponse = null;
235  233                          }
236  234                  }
237  235                  return assignmentNumberResponse;
238  236          }
239  237
240       -          @SuppressWarnings({ "unchecked", "null" })
     238  +          @SuppressWarnings({ "unchecked", "null", "deprecation" })
241  239          @Override
242  240          public StatusPayConfirmationResponse
     payConfirmation(StatusPayConfirmationRequest request)
```

```
243  241                          throws KeyManagementException, NoSuchAlgorithmException,
     KeyStoreException {
          @@ -315,18 +313,17 @@ public StatusPayConfirmationResponse
          payConfirmation(StatusPayConfirmationReques
315  313                                  statusConfirmationResponse = new
     StatusPayConfirmationResponse(estado, codigo,
316  314                                                  codigoAuditoria, mensaje, data);
317  315
318       -                      } catch (IOException e1) {
     316  +                      } catch (Exception e1) {
319  317                                  System.err.println(e1.getMessage());
320  318                                  statusConfirmationResponse = new
     StatusPayConfirmationResponse("Error",
321  319                                                  e1.getCause().toString(), null,
     e1.getMessage(), null);
322       -                              statusConfirmationResponse = null;
323  320                          }
324  321                  }
325  322                  return statusConfirmationResponse;
326  323
327  324          }
328  325
329       -          @SuppressWarnings({ "unchecked", "null" })
     326  +          @SuppressWarnings({ "unchecked", "null", "deprecation" })
330  327          @Override
331  328          public StatusPayCancelConfirmationResponse
     payCancelConfirmation(StatusPayCancelConfirmationRequest request)
332  329                          throws KeyManagementException, NoSuchAlgorithmException,
     KeyStoreException {
          @@ -402,18 +399,17 @@ public StatusPayCancelConfirmationResponse
          payCancelConfirmation(StatusPayCancel
402  399                                  statusConfirmationResponse = new
     StatusPayCancelConfirmationResponse(estado, codigo,
403  400                                                  codigoAuditoria, mensaje, data);
404  401
405       -                      } catch (IOException e1) {
     402  +                      } catch (Exception e1) {
406  403                                  System.err.println(e1.getMessage());
407  404                                  statusConfirmationResponse = new
     StatusPayCancelConfirmationResponse("Error",
408  405                                                  e1.getCause().toString(), null,
     e1.getMessage(), null);
```

```
409       -                                 statusConfirmationResponse = null;
410  406                                }
411  407                            }
412  408                            return statusConfirmationResponse;
413  409
414  410                    }
415  411
416       -                @SuppressWarnings({ "unchecked", "null" })
     412  +                @SuppressWarnings({ "unchecked", "null", "deprecation" })
417  413                    @Override
418  414                    public ActiveGiveawayResponse activeGiveaway(ActiveGiveawayRequest
                            request)
419  415                                throws KeyManagementException, NoSuchAlgorithmException,
                            KeyStoreException {
                        @@ -444,7 +440,7 @@ public ActiveGiveawayResponse
                        activeGiveaway(ActiveGiveawayRequest request)
444  440
445  441                            try {
446  442                                    response = restClient.post()
447       -
                            .uri("/cancelarCompra/api/cancelarCompra/cancelar")
     443  +
                            .uri("/SorteosActivos/resources/sorteosActivos/consultar")
448  444                                                .contentType(MediaType.APPLICATION_JSON)
449  445                                                .accept(MediaType.APPLICATION_JSON)
450  446                                                .body(body)
                        @@ -485,17 +481,16 @@ public ActiveGiveawayResponse
                        activeGiveaway(ActiveGiveawayRequest request)
485  481                                    activeGiveawayResponse = new
                            ActiveGiveawayResponse(estado, codigo,
486  482                                                    codigoAuditoria, mensaje, data);
487  483
488       -                        } catch (IOException e1) {
     484  +                        } catch (Exception e1) {
489  485                                System.err.println(e1.getMessage());
490  486                                activeGiveawayResponse = new
                            ActiveGiveawayResponse("Error",
491  487                                                    e1.getCause().toString(), null,
                            e1.getMessage(), null);
492       -                                activeGiveawayResponse = null;
493  488                            }
494  489                    }
```

```
495  490                     return activeGiveawayResponse;
496  491             }
497  492
498       -         @SuppressWarnings({ "unchecked", "null" })
     493  +         @SuppressWarnings({ "unchecked", "null", "deprecation" })
499  494             @Override
500  495             public PlanPrizeResponse planPrize(PlanPrizeRequest request)
501  496                             throws KeyManagementException, NoSuchAlgorithmException,
                KeyStoreException {
                @@ -506,7 +501,7 @@ public PlanPrizeResponse planPrize(PlanPrizeRequest
                request)
506  501                                     "codigoDistribuidor", request.distribuidor(),
507  502                                     "tokenBase64", request.token());
508  503
509       -                 var sslContext = SSLContexts.custom()
     504  +                var sslContext = SSLContexts.custom()
510  505                                     .build();
511  506
512  507                     var socketFactory = SSLConnectionSocketFactoryBuilder.create()
                @@ -521,13 +516,13 @@ public PlanPrizeResponse planPrize(PlanPrizeRequest
                request)
521  516                     CloseableHttpClient httpClient = HttpClients.custom()
522  517                                     .setConnectionManager(connectionManager)
523  518                                     .build();
524       -
     519  +
525  520                     restClient = RestClient.builder().requestFactory(new
                HttpComponentsClientHttpRequestFactory(httpClient))
526  521                                     .baseUrl(baseUrl).build();
527  522
528  523                     try {
529  524                             response = restClient.post()
530       -
                .uri("/cancelarCompra/api/cancelarCompra/cancelar")
     525  +
                .uri("/PlanPremios/resources/planPremios/consultar")
531  526                                             .contentType(MediaType.APPLICATION_JSON)
532  527                                             .accept(MediaType.APPLICATION_JSON)
533  528                                             .body(body)
                @@ -568,13 +563,12 @@ public PlanPrizeResponse planPrize(PlanPrizeRequest
                request)
```

```
568   563                                   planPrizeResponse = new PlanPrizeResponse(estado,
          codigo,
569   564                                                         codigoAuditoria, mensaje, data);
570   565
571       -                       } catch (IOException e1) {
      566 +                       } catch (Exception e1) {
572   567                                   System.err.println(e1.getMessage());
573   568                                   planPrizeResponse = new PlanPrizeResponse("Error",
574       -                                                       e1.getCause().toString(), null,
          e1.getMessage(), null);
575       -                                   planPrizeResponse = null;
      569 +                                                     e1.getCause().toString(), null,
          e1.getMessage(), null);
576   570                           }
577   571                   }
578   572                   return planPrizeResponse;
579   573           }
580       - }
      574 + }
```

Comments 0

Lock conversation

Comment

Subscribe You're not receiving notifications from this thread.