We are having a problem billing the locqum organization. Please update your payment method or call your payment provider for details on why the transaction failed.
You can always contact support with any questions.

Commit 0c67b77

claude committed last month Verified

```
feat: registro, inicio de sesion y edicion de perfil

Backend:
- User model: agrega firstName, lastName, phone, birthDate
- DB migration V9: nuevas columnas en tabla users
- AuthUseCase/AuthService: nuevo endpoint register con OTP
- RegisterRequest DTO para registro con email, otp, firstName, lastName
- UserUseCase/UserService: updateProfile ahora acepta documentNumber, birthDate, phone
- UserResponse incluye todos los campos nuevos

Frontend:
- Nuevo RegisterComponent: formulario con email (x2 confirmacion), nombres, apellidos -> OTP
- LoginComponent: agrega link a registro
- ProfileComponent: editar documento, fecha nacimiento, celular
- MainLayout: header con botones Iniciar sesion y Registrarse
- Ruta /auth/register agregada
- UserProfile model actualizado con nuevos campos

https://claude.ai/code/session_01WTbEJHa9nd8kVVoKCirXH8
```

master


1 parent fab9ab5 commit 0c67b77

20 files changed +445 -32 lines changed

Top

Filter files...

- backend/src/main
  - java/co/gov/loteriabogota/loteriabackend
    - domain
      - model


User.java
port/in
AuthUseCase.java
UserUseCase.java
service
AuthService.java
UserService.java
infrastructure/adapter
in/web
controller
AuthController.java
UserController.java
dto
RegisterRequest.java
UpdateProfileRequest.java
UserResponse.java
out/persistence
adapter
UserPersistenceAdapter.java
entity
UserEntity.java
resources/db/migration
V9__add_user_profile_fields.sql
frontend/src/app
app.routes.ts
core/auth
auth.models.ts
auth.service.ts
features
auth
login.component.ts

register.component.ts

profile

profile.component.ts

layouts/main-layout

main-layout.component.ts

20 files changed +445 -32 lines changed ↑ Top Search within code

…abogota/loteriabackend/domain/model/User.java

```
@@ -3,13 +3,18 @@
3  3   import co.gov.loteriabogota.loteriabackend.domain.vo.DocumentId;
4  4   import co.gov.loteriabogota.loteriabackend.domain.vo.Email;
5  5   import java.time.Instant;
   6 + import java.time.LocalDate;
6  7   import java.util.UUID;
7  8
8  9   public class User {
9  10
10 11      private UUID id;
11 12      private Email email;
   13 +    private String firstName;
   14 +    private String lastName;
12 15      private String name;
   16 +    private String phone;
   17 +    private LocalDate birthDate;
13 18      private DocumentId documentId;
14 19      private KycLevel kycLevel;
15 20      private Instant createdAt;
@@ -29,12 +34,37 @@ public static User createBasic(Email email) {
29 34          return new User(UUID.randomUUID(), email, KycLevel.BASIC);
30 35      }
31 36
   37 +    public static User createWithName(Email email, String firstName, String
       lastName) {
   38 +        User user = new User(UUID.randomUUID(), email, KycLevel.BASIC);
   39 +        user.setFirstName(firstName);
   40 +        user.setLastName(lastName);
   41 +        user.setName(firstName + " " + lastName);
   42 +        return user;
```

```
     43  +      }
     44  +
     45  +      public String getFullName() {
     46  +          if (firstName != null && lastName != null) {
     47  +              return firstName + " " + lastName;
     48  +          }
     49  +          if (firstName != null) return firstName;
     50  +          if (name != null) return name;
     51  +          return null;
     52  +      }
     53  +
32   54          public UUID getId() { return id; }
33   55          public void setId(UUID id) { this.id = id; }
34   56          public Email getEmail() { return email; }
35   57          public void setEmail(Email email) { this.email = email; }
     58  +      public String getFirstName() { return firstName; }
     59  +      public void setFirstName(String firstName) { this.firstName = firstName; }
     60  +      public String getLastName() { return lastName; }
     61  +      public void setLastName(String lastName) { this.lastName = lastName; }
36   62          public String getName() { return name; }
37   63          public void setName(String name) { this.name = name; }
     64  +      public String getPhone() { return phone; }
     65  +      public void setPhone(String phone) { this.phone = phone; }
     66  +      public LocalDate getBirthDate() { return birthDate; }
     67  +      public void setBirthDate(LocalDate birthDate) { this.birthDate = birthDate; }
38   68          public DocumentId getDocumentId() { return documentId; }
39   69          public void setDocumentId(DocumentId documentId) { this.documentId =
           documentId; }
40   70          public KycLevel getKycLevel() { return kycLevel; }
```

…oteriabackend/domain/port/in/AuthUseCase.java

```
          @@ -8,6 +8,8 @@ public interface AuthUseCase {
8    8
9    9           AuthResult verifyOtp(Email email, String otpCode);
10   10
     11  +      AuthResult register(Email email, String otpCode, String firstName, String
           lastName);
     12  +
11   13          AuthResult refreshToken(String refreshToken);
12   14
```

```
13  15      record AuthResult(String accessToken, String refreshToken, boolean newUser) {}
    ...
```

…oteriabackend/domain/port/in/UserUseCase.java

```
    ...     @@ -1,11 +1,12 @@
1   1       package co.gov.loteriabogota.loteriabackend.domain.port.in;
2   2
3   3       import co.gov.loteriabogota.loteriabackend.domain.model.User;
    4   +   import java.time.LocalDate;
4   5       import java.util.UUID;
5   6
6   7       public interface UserUseCase {
7   8
8   9           User getUserById(UUID id);
9   10
10      -       User updateProfile(UUID id, String name);
    11  +       User updateProfile(UUID id, String documentNumber, LocalDate birthDate, String
                phone);
11  12      }
```

…oteriabackend/domain/service/AuthService.java

```
    ...     @@ -1,5 +1,6 @@
1   1       package co.gov.loteriabogota.loteriabackend.domain.service;
2   2
    3   +   import co.gov.loteriabogota.loteriabackend.domain.exception.DomainException;
3   4       import co.gov.loteriabogota.loteriabackend.domain.exception.InvalidOtpException;
4   5       import co.gov.loteriabogota.loteriabackend.domain.model.User;
5   6       import co.gov.loteriabogota.loteriabackend.domain.port.in.AuthUseCase;
        ⋮
        ⋮       @@ -59,6 +60,30 @@ public AuthResult verifyOtp(Email email, String otpCode) {
        ⋮
59  60              return new AuthResult(accessToken, refreshToken, newUser);
60  61          }
61  62
    63  +       @Override
    64  +       public AuthResult register(Email email, String otpCode, String firstName,
                String lastName) {
    65  +           String stored = otpStore.find(email)
    66  +                   .orElseThrow(InvalidOtpException::new);
    67  +
    68  +           if (!stored.equals(otpCode)) {
    69  +               throw new InvalidOtpException();
```

```
70  +         }
71  +
72  +         otpStore.remove(email);
73  +
74  +         if (userRepository.findByEmail(email).isPresent()) {
75  +             throw new DomainException("Ya existe una cuenta con este correo. Usa
      iniciar sesion.");
76  +         }
77  +
78  +         User user = User.createWithName(email, firstName, lastName);
79  +         user = userRepository.save(user);
80  +
81  +         String accessToken =
      jwtProvider.generateAccessToken(user.getId().toString());
82  +         String refreshToken =
      jwtProvider.generateRefreshToken(user.getId().toString());
83  +
84  +         return new AuthResult(accessToken, refreshToken, true);
85  +     }
86  +
87          @Override
88          public AuthResult refreshToken(String refreshToken) {
89              String userId = jwtProvider.validateAndGetSubject(refreshToken);
```

…oteriabackend/domain/service/UserService.java

```
@@ -6,7 +6,10 @@
6   6   import co.gov.loteriabogota.loteriabackend.domain.port.out.UserRepository;
7   7   import org.springframework.stereotype.Service;
8   8
    9   + import co.gov.loteriabogota.loteriabackend.domain.vo.DocumentId;
    10  +
9   11  import java.time.Instant;
    12  + import java.time.LocalDate;
10  13  import java.util.UUID;
11  14
12  15  @Service
@@ -25,9 +28,17 @@ public User getUserById(UUID id) {
25  28      }
26  29
27  30      @Override
```

```
28      -     public User updateProfile(UUID id, String name) {
     31 +     public User updateProfile(UUID id, String documentNumber, LocalDate birthDate,
          String phone) {
29    32            User user = getUserById(id);
30      -         user.setName(name);
     33 +         if (documentNumber != null) {
     34 +             user.setDocumentId(new DocumentId("CC", documentNumber));
     35 +         }
     36 +         if (birthDate != null) {
     37 +             user.setBirthDate(birthDate);
     38 +         }
     39 +         if (phone != null) {
     40 +             user.setPhone(phone);
     41 +         }
31    42            user.setUpdatedAt(Instant.now());
32    43            return userRepository.save(user);
33    44        }
     ...
```

…adapter/in/web/controller/AuthController.java

```
          @@ -31,6 +31,15 @@ public ResponseEntity<AuthResponse> verifyOtp(@Valid
          @RequestBody OtpVerifyReque
31    31                result.accessToken(), result.refreshToken(), result.newUser()));
32    32        }
33    33
     34 +     @PostMapping("/register")
     35 +     public ResponseEntity<AuthResponse> register(@Valid @RequestBody
          RegisterRequest request) {
     36 +         AuthUseCase.AuthResult result = authUseCase.register(
     37 +                 new Email(request.email()), request.otpCode(),
     38 +                 request.firstName(), request.lastName());
     39 +         return ResponseEntity.ok(new AuthResponse(
     40 +                 result.accessToken(), result.refreshToken(), result.newUser()));
     41 +     }
     42 +
34    43        @PostMapping("/refresh")
35    44        public ResponseEntity<AuthResponse> refresh(@Valid @RequestBody
          RefreshTokenRequest request) {
36    45            AuthUseCase.AuthResult result =
          authUseCase.refreshToken(request.refreshToken());
```

…adapter/in/web/controller/UserController.java

```
@@ -32,15 +32,19 @@ public ResponseEntity<UserResponse>
getProfile(Authentication auth) {
32  32      public ResponseEntity<UserResponse> updateProfile(Authentication auth,
33  33                                                         @Valid @RequestBody
UpdateProfileRequest request) {
34  34          UUID userId = UUID.fromString(auth.getPrincipal().toString());
35      -       User user = userUseCase.updateProfile(userId, request.name());
    35  +       User user = userUseCase.updateProfile(userId, request.documentNumber(),
request.birthDate(), request.phone());
36  36          return ResponseEntity.ok(toResponse(user));
37  37      }
38  38
39  39      private UserResponse toResponse(User user) {
40  40          return new UserResponse(
41  41                  user.getId(),
42  42                  user.getEmail().value(),
43      -               user.getName(),
    43  +               user.getFirstName(),
    44  +               user.getLastName(),
    45  +               user.getDocumentId() != null ? user.getDocumentId().number() :
null,
    46  +               user.getBirthDate(),
    47  +               user.getPhone(),
44  48                  user.getKycLevel().name()
45  49          );
46  50      }
    ...
```

…cture/adapter/in/web/dto/RegisterRequest.java

```
    ...  @@ -0,0 +1,11 @@
    1   + package co.gov.loteriabogota.loteriabackend.infrastructure.adapter.in.web.dto;
    2   +
    3   + import jakarta.validation.constraints.NotBlank;
    4   + import jakarta.validation.constraints.Size;
    5   +
    6   + public record RegisterRequest(
    7   +         @NotBlank @jakarta.validation.constraints.Email String email,
    8   +         @NotBlank @Size(min = 6, max = 6) String otpCode,
    9   +         @NotBlank @Size(max = 100) String firstName,
```

```
10  +         @NotBlank @Size(max = 100) String lastName
11  + ) {}
```

…/adapter/in/web/dto/UpdateProfileRequest.java

```
    @@ -1,8 +1,10 @@
1   1   package co.gov.loteriabogota.loteriabackend.infrastructure.adapter.in.web.dto;
2   2
3       - import jakarta.validation.constraints.NotBlank;
4   3   import jakarta.validation.constraints.Size;
    4   + import java.time.LocalDate;
5   5
6   6   public record UpdateProfileRequest(
7       -         @NotBlank @Size(max = 150) String name
    7   +         @Size(max = 30) String documentNumber,
    8   +         LocalDate birthDate,
    9   +         @Size(max = 20) String phone
8   10  ) {}
```

…tructure/adapter/in/web/dto/UserResponse.java

```
    @@ -1,10 +1,15 @@
1   1   package co.gov.loteriabogota.loteriabackend.infrastructure.adapter.in.web.dto;
2   2
    3   + import java.time.LocalDate;
3   4   import java.util.UUID;
4   5
5   6   public record UserResponse(
6   7           UUID id,
7   8           String email,
8       -         String name,
    9   +         String firstName,
    10  +         String lastName,
    11  +         String documentNumber,
    12  +         LocalDate birthDate,
    13  +         String phone,
9   14          String kycLevel
10  15  ) {}
```

…rsistence/adapter/UserPersistenceAdapter.java

```
    @@ -41,6 +41,10 @@ private User toDomain(UserEntity entity) {
41  41          user.setId(entity.getId());
```

```
42  42            user.setEmail(new Email(entity.getEmail()));
43  43            user.setName(entity.getName());
    44  +         user.setFirstName(entity.getFirstName());
    45  +         user.setLastName(entity.getLastName());
    46  +         user.setPhone(entity.getPhone());
    47  +         user.setBirthDate(entity.getBirthDate());
44  48            if (entity.getDocumentType() != null && entity.getDocumentNumber() != null)
      {
45  49                user.setDocumentId(new DocumentId(entity.getDocumentType(),
      entity.getDocumentNumber()));
46  50            }
      @@ -55,6 +59,10 @@ private UserEntity toEntity(User user) {
55  59            entity.setId(user.getId());
56  60            entity.setEmail(user.getEmail().value());
57  61            entity.setName(user.getName());
    62  +         entity.setFirstName(user.getFirstName());
    63  +         entity.setLastName(user.getLastName());
    64  +         entity.setPhone(user.getPhone());
    65  +         entity.setBirthDate(user.getBirthDate());
58  66            if (user.getDocumentId() != null) {
59  67                entity.setDocumentType(user.getDocumentId().type());
60  68                entity.setDocumentNumber(user.getDocumentId().number());
```

…dapter/out/persistence/entity/UserEntity.java

```
      @@ -3,6 +3,7 @@
3   3     import co.gov.loteriabogota.loteriabackend.domain.model.KycLevel;
4   4     import jakarta.persistence.*;
5   5     import java.time.Instant;
    6   + import java.time.LocalDate;
6   7     import java.util.UUID;
7   8
8   9     @Entity
      @@ -18,6 +19,18 @@ public class UserEntity {
18  19        @Column(length = 150)
19  20        private String name;
20  21
    22  +     @Column(name = "first_name", length = 100)
    23  +     private String firstName;
    24  +
    25  +     @Column(name = "last_name", length = 100)
```

```
26  +     private String lastName;
27  +
28  +     @Column(length = 20)
29  +     private String phone;
30  +
31  +     @Column(name = "birth_date")
32  +     private LocalDate birthDate;
33  +
21  34        @Column(name = "document_type", length = 10)
22  35        private String documentType;
23  36
          @@ -51,6 +64,14 @@ void onUpdate() {
51  64        public void setEmail(String email) { this.email = email; }
52  65        public String getName() { return name; }
53  66        public void setName(String name) { this.name = name; }
    67  +     public String getFirstName() { return firstName; }
    68  +     public void setFirstName(String firstName) { this.firstName = firstName; }
    69  +     public String getLastName() { return lastName; }
    70  +     public void setLastName(String lastName) { this.lastName = lastName; }
    71  +     public String getPhone() { return phone; }
    72  +     public void setPhone(String phone) { this.phone = phone; }
    73  +     public LocalDate getBirthDate() { return birthDate; }
    74  +     public void setBirthDate(LocalDate birthDate) { this.birthDate = birthDate; }
54  75        public String getDocumentType() { return documentType; }
55  76        public void setDocumentType(String documentType) { this.documentType =
          documentType; }
56  77        public String getDocumentNumber() { return documentNumber; }
```

…/db/migration/V9__add_user_profile_fields.sql

```
•••   @@ -0,0 +1,7 @@
1   + ALTER TABLE users ADD COLUMN first_name VARCHAR(100);
2   + ALTER TABLE users ADD COLUMN last_name VARCHAR(100);
3   + ALTER TABLE users ADD COLUMN phone VARCHAR(20);
4   + ALTER TABLE users ADD COLUMN birth_date DATE;
5   +
6   + -- Migrate existing name data to first_name
7   + UPDATE users SET first_name = name WHERE name IS NOT NULL;
```

frontend/src/app/app.routes.ts

```
@@ -29,6 +29,10 @@ export const routes: Routes = [
29  29            path: 'login',
30  30            loadComponent: () => import('@features/auth/login.component').then(m => m.LoginComponent),
31  31          },
    32  +       {
    33  +         path: 'register',
    34  +         loadComponent: () => import('@features/auth/register.component').then(m => m.RegisterComponent),
    35  +       },
32  36        ],
33  37      },
34  38      { path: '**', redirectTo: '' },
    ...
```

frontend/src/app/core/auth/auth.models.ts

```
@@ -7,6 +7,10 @@ export interface AuthResponse {
7   7   export interface UserProfile {
8   8     id: string;
9   9     email: string;
10      -   name: string | null;
        10  +   firstName: string | null;
        11  +   lastName: string | null;
        12  +   documentNumber: string | null;
        13  +   birthDate: string | null;
        14  +   phone: string | null;
11  15    kycLevel: 'BASIC' | 'INTERMEDIATE' | 'FULL';
12  16  }
```

frontend/src/app/core/auth/auth.service.ts

```
@@ -37,6 +37,17 @@ export class AuthService {
37  37        );
38  38      }
39  39
    40  +   register(email: string, otpCode: string, firstName: string, lastName: string): Observable<AuthResponse> {
    41  +     return this.http.post<AuthResponse>(`${environment.apiUrl}/auth/register`, {
    42  +       email,
    43  +       otpCode,
    44  +       firstName,
```

```
45  +       lastName,
46  +     }).pipe(
47  +       tap((res) => this.setTokens(res)),
48  +     );
49  +   }
50  +
40  51    refreshToken(): Observable<AuthResponse> {
41  52      const token = this.refreshTokenValue();
42  53      return this.http.post<AuthResponse>(`${environment.apiUrl}/auth/refresh`, {
```

…tend/src/app/features/auth/login.component.ts

```
    @@ -1,5 +1,5 @@
1   1   import { Component, signal } from '@angular/core';
2       - import { Router } from '@angular/router';
    2   + import { Router, RouterLink } from '@angular/router';
3   3   import { FormsModule } from '@angular/forms';
4   4   import { AuthService } from '@core/auth/auth.service';
5   5   import { OtpInputComponent } from '@shared/components/otp-input/otp-
        input.component';
        @@ -11,7 +11,7 @@ type Step = 'email' | 'otp';
11  11  @Component({
12  12    selector: 'app-login',
13  13    standalone: true,
14      -   imports: [FormsModule, OtpInputComponent, SpinnerComponent,
        ErrorMessageComponent],
    14  +   imports: [FormsModule, RouterLink, OtpInputComponent, SpinnerComponent,
        ErrorMessageComponent],
15  15    template: `
16  16      @if (loading()) {
17  17        <app-spinner />
        @@ -42,6 +42,12 @@ type Step = 'email' | 'otp';
42  42            >
43  43              Enviar codigo
44  44            </button>
    45  +         <p class="text-center text-sm text-gray-500">
    46  +           No tienes cuenta?
    47  +           <a routerLink="/auth/register" class="text-loteria-red font-semibold
        hover:underline">
    48  +             Registrate
```

```
49  +             </a>
50  +           </p>
45  51          </div>
46  52        }
47  53
```

…d/src/app/features/auth/register.component.ts

```
    @@ -0,0 +1,162 @@
1   + import { Component, signal } from '@angular/core';
2   + import { Router, RouterLink } from '@angular/router';
3   + import { FormsModule } from '@angular/forms';
4   + import { AuthService } from '@core/auth/auth.service';
5   + import { OtpInputComponent } from '@shared/components/otp-input/otp-input.component';
6   + import { SpinnerComponent } from '@shared/components/spinner/spinner.component';
7   + import { ErrorMessageComponent } from '@shared/components/error-message/error-message.component';
8   +
9   + type Step = 'form' | 'otp';
10  +
11  + @Component({
12  +   selector: 'app-register',
13  +   standalone: true,
14  +   imports: [FormsModule, RouterLink, OtpInputComponent, SpinnerComponent, ErrorMessageComponent],
15  +   template: `
16  +     @if (loading()) {
17  +       <app-spinner />
18  +     } @else {
19  +       @if (error()) {
20  +         <app-error-message [message]="error()!" />
21  +       }
22  +
23  +       @if (step() === 'form') {
24  +         <div class="space-y-4">
25  +           <h2 class="text-xl font-bold text-center">Crear cuenta</h2>
26  +           <p class="text-sm text-gray-500 text-center">Completa tus datos para registrarte</p>
27  +
28  +           <input
```

```
29  +              type="text"
30  +              [(ngModel)]="firstName"
31  +              placeholder="Nombres"
32  +              class="w-full px-4 py-3 border-2 border-gray-200 rounded-xl
33  +                     focus:border-loteria-red focus:outline-none transition-colors"
34  +            />
35  +            <input
36  +              type="text"
37  +              [(ngModel)]="lastName"
38  +              placeholder="Apellidos"
39  +              class="w-full px-4 py-3 border-2 border-gray-200 rounded-xl
40  +                     focus:border-loteria-red focus:outline-none transition-colors"
41  +            />
42  +            <input
43  +              type="email"
44  +              [(ngModel)]="email"
45  +              placeholder="Correo electronico"
46  +              class="w-full px-4 py-3 border-2 border-gray-200 rounded-xl
47  +                     focus:border-loteria-red focus:outline-none transition-colors"
48  +            />
49  +            <input
50  +              type="email"
51  +              [(ngModel)]="emailConfirm"
52  +              placeholder="Confirmar correo electronico"
53  +              class="w-full px-4 py-3 border-2 border-gray-200 rounded-xl
54  +                     focus:border-loteria-red focus:outline-none transition-colors"
55  +              (keydown.enter)="requestOtp()"
56  +            />
57  +
58  +            @if (email() && emailConfirm() && email() !== emailConfirm()) {
59  +              <p class="text-red-500 text-xs">Los correos no coinciden</p>
60  +            }
61  +
62  +            <button
63  +              (click)="requestOtp()"
64  +              [disabled]="!isFormValid()"
65  +              class="w-full bg-loteria-red text-white py-3 rounded-xl font-semibold
66  +                     hover:bg-loteria-red-dark transition-colors disabled:opacity-50
      disabled:cursor-not-allowed"
67  +            >
68  +              Enviar codigo de verificacion
69  +            </button>
```

```
+
+           <p class="text-center text-sm text-gray-500">
+             Ya tienes cuenta?
+             <a routerLink="/auth/login" class="text-loteria-red font-semibold
  hover:underline">
+               Iniciar sesion
+             </a>
+           </p>
+         </div>
+       }
+
+       @if (step() === 'otp') {
+         <div class="space-y-4">
+           <h2 class="text-xl font-bold text-center">Codigo de verificacion</h2>
+           <p class="text-sm text-gray-500 text-center">
+             Ingresa el codigo enviado a {{ email() }}
+           </p>
+           <app-otp-input (otpComplete)="verifyAndRegister($event)" />
+           <button
+             (click)="step.set('form')"
+             class="w-full text-sm text-loteria-red hover:underline text-center"
+           >
+             Volver al formulario
+           </button>
+         </div>
+       }
+     }
+   `,
+ })
+ export class RegisterComponent {
+   readonly step = signal<Step>('form');
+   readonly firstName = signal('');
+   readonly lastName = signal('');
+   readonly email = signal('');
+   readonly emailConfirm = signal('');
+   readonly loading = signal(false);
+   readonly error = signal<string | null>(null);
+
+   constructor(
+     private readonly auth: AuthService,
+     private readonly router: Router,
+   ) {}
```

```
111 +
112 +   isFormValid(): boolean {
113 +     return (
114 +       this.firstName().trim().length > 0 &&
115 +       this.lastName().trim().length > 0 &&
116 +       this.email().includes('@') &&
117 +       this.email() === this.emailConfirm()
118 +     );
119 +   }
120 +
121 +   requestOtp(): void {
122 +     if (!this.isFormValid()) return;
123 +
124 +     this.loading.set(true);
125 +     this.error.set(null);
126 +
127 +     this.auth.requestOtp(this.email()).subscribe({
128 +       next: () => {
129 +         this.loading.set(false);
130 +         this.step.set('otp');
131 +       },
132 +       error: (err) => {
133 +         this.loading.set(false);
134 +         this.error.set(err.error?.message ?? 'Error al enviar el codigo');
135 +       },
136 +     });
137 +   }
138 +
139 +   verifyAndRegister(code: string): void {
140 +     this.loading.set(true);
141 +     this.error.set(null);
142 +
143 +     this.auth.register(this.email(), code, this.firstName().trim(),
    this.lastName().trim()).subscribe({
144 +       next: () => {
145 +         this.auth.loadProfile().subscribe({
146 +           next: () => {
147 +             this.loading.set(false);
148 +             this.router.navigate(['/']);
149 +           },
150 +           error: () => {
151 +             this.loading.set(false);
```

```
+            this.router.navigate(['/']);
+          },
+        });
+      },
+      error: (err) => {
+        this.loading.set(false);
+        this.error.set(err.error?.message ?? 'Error al registrar');
+      },
+    });
+  }
+}
```

…src/app/features/profile/profile.component.ts

```
@@ -1,4 +1,4 @@
- import { Component, inject, signal } from '@angular/core';
+ import { Component, inject, signal, OnInit } from '@angular/core';
  import { HttpClient } from '@angular/common/http';
  import { FormsModule } from '@angular/forms';
  import { rxResource } from '@angular/core/rxjs-interop';

@@ -33,30 +33,65 @@ interface Ticket {
              <span class="material-icons text-2xl text-loteria-red">person</span>
            </div>
            <div class="flex-1">
-             <p class="font-bold text-lg">{{ auth.currentUser()?.name || 'Usuario' }}</p>
+             <p class="font-bold text-lg">{{ getUserName() }}</p>
              <p class="text-sm text-gray-500">{{ auth.currentUser()?.email }}</p>
            </div>
            <app-kyc-badge [level]="auth.kycLevel()" />
          </div>
        </div>

-       <!-- Update name -->
+       <!-- Edit profile -->
        <div class="bg-white rounded-xl shadow-sm p-4 space-y-3">
-         <h2 class="font-semibold">Actualizar perfil</h2>
-         <input
-           type="text"
-           [(ngModel)]="name"
-           placeholder="Tu nombre completo"
```

```
50        -           class="w-full px-4 py-2 border-2 border-gray-200 rounded-lg
51        -                  focus:border-loteria-red focus:outline-none"
52        -         />
      45  +         <h2 class="font-semibold">Editar perfil</h2>
      46  +
      47  +         <div>
      48  +           <label class="text-xs text-gray-500 mb-1 block">Numero de documento (CC)
          </label>
      49  +           <input
      50  +             type="text"
      51  +             [(ngModel)]="documentNumber"
      52  +             placeholder="Ej: 1234567890"
      53  +             maxlength="30"
      54  +             class="w-full px-4 py-2 border-2 border-gray-200 rounded-lg
      55  +                    focus:border-loteria-red focus:outline-none"
      56  +           />
      57  +         </div>
      58  +
      59  +         <div>
      60  +           <label class="text-xs text-gray-500 mb-1 block">Fecha de
          nacimiento</label>
      61  +           <input
      62  +             type="date"
      63  +             [(ngModel)]="birthDate"
      64  +             class="w-full px-4 py-2 border-2 border-gray-200 rounded-lg
      65  +                    focus:border-loteria-red focus:outline-none"
      66  +           />
      67  +         </div>
      68  +
      69  +         <div>
      70  +           <label class="text-xs text-gray-500 mb-1 block">Numero celular</label>
      71  +           <input
      72  +             type="tel"
      73  +             [(ngModel)]="phone"
      74  +             placeholder="Ej: 3001234567"
      75  +             maxlength="20"
      76  +             class="w-full px-4 py-2 border-2 border-gray-200 rounded-lg
      77  +                    focus:border-loteria-red focus:outline-none"
      78  +           />
      79  +         </div>
      80  +
      81  +         @if (saveSuccess()) {
```

```
      82  +           <p class="text-green-600 text-sm">Perfil actualizado correctamente</p>
      83  +         }
      84  +         @if (saveError()) {
      85  +           <p class="text-red-500 text-sm">{{ saveError() }}</p>
      86  +         }
      87  +
53    88            <button
54        -           (click)="updateName()"
55        -           [disabled]="!name()"
      89  +           (click)="updateProfile()"
      90  +           [disabled]="saving()"
56    91            class="bg-loteria-red text-white px-6 py-2 rounded-lg text-sm font-
          semibold
57    92                   hover:bg-loteria-red-dark transition-colors disabled:opacity-50"
58    93            >
59        -           Guardar
      94  +           {{ saving() ? 'Guardando...' : 'Guardar cambios' }}
60    95            </button>
61    96          </div>
62    97

          @@ -108,19 +143,66 @@ interface Ticket {

108   143       </div>
109   144     `,
110   145   })
111       - export class ProfileComponent {
      146 + export class ProfileComponent implements OnInit {
112   147     readonly auth = inject(AuthService);
113   148     private readonly http = inject(HttpClient);
114   149
115       -   readonly name = signal('');
      150 +   readonly documentNumber = signal('');
      151 +   readonly birthDate = signal('');
      152 +   readonly phone = signal('');
      153 +   readonly saving = signal(false);
      154 +   readonly saveSuccess = signal(false);
      155 +   readonly saveError = signal<string | null>(null);
116   156
117   157     readonly ticketsResource = rxResource({
118   158       loader: () => this.http.get<Ticket[]>(`${environment.apiUrl}/tickets`),
119   159     });
120   160
```

```
121 -   updateName(): void {
122 -     this.http.put(`${environment.apiUrl}/users/me`, { name: this.name()
      }).subscribe({
123 -       next: () => this.auth.loadProfile().subscribe(),
161 +   ngOnInit(): void {
162 +     const user = this.auth.currentUser();
163 +     if (user) {
164 +       this.documentNumber.set(user.documentNumber ?? '');
165 +       this.birthDate.set(user.birthDate ?? '');
166 +       this.phone.set(user.phone ?? '');
167 +     }
168 +   }
169 +
170 +   getUserName(): string {
171 +     const user = this.auth.currentUser();
172 +     if (user?.firstName && user?.lastName) {
173 +       return user.firstName + ' ' + user.lastName;
174 +     }
175 +     if (user?.firstName) return user.firstName;
176 +     return 'Usuario';
177 +   }
178 +
179 +   updateProfile(): void {
180 +     this.saving.set(true);
181 +     this.saveSuccess.set(false);
182 +     this.saveError.set(null);
183 +
184 +     const body: Record<string, string | null> = {};
185 +     if (this.documentNumber()) body['documentNumber'] = this.documentNumber();
186 +     if (this.birthDate()) body['birthDate'] = this.birthDate();
187 +     if (this.phone()) body['phone'] = this.phone();
188 +
189 +     this.http.put(`${environment.apiUrl}/users/me`, body).subscribe({
190 +       next: () => {
191 +         this.auth.loadProfile().subscribe({
192 +           next: () => {
193 +             this.saving.set(false);
194 +             this.saveSuccess.set(true);
195 +           },
196 +           error: () => {
197 +             this.saving.set(false);
198 +             this.saveSuccess.set(true);
```

```
      199  +           },
      200  +         });
      201  +       },
      202  +       error: (err) => {
      203  +         this.saving.set(false);
      204  +         this.saveError.set(err.error?.message ?? 'Error al actualizar el perfil');
      205  +       },
124   206         });
125   207       }
126   208     }
```

…/layouts/main-layout/main-layout.component.ts

```
          @@ -23,7 +23,9 @@ import { AuthService } from '@core/auth/auth.service';
23    23
24    24            <div class="flex items-center gap-3">
25    25              @if (auth.isAuthenticated()) {
26        -             <span class="text-sm text-white/80">{{ auth.currentUser()?.email }}
            </span>
      26  +             <a routerLink="/profile" class="text-sm text-white/80 hover:text-white
            transition-colors">
      27  +               {{ auth.currentUser()?.firstName || auth.currentUser()?.email }}
      28  +             </a>
27    29                <button
28    30                  (click)="auth.logout()"
29    31                  class="text-sm text-white/80 hover:text-white transition-colors"
          @@ -33,10 +35,16 @@ import { AuthService } from '@core/auth/auth.service';
33    35              } @else {
34    36                <a
35    37                  routerLink="/auth/login"
      38  +               class="text-sm text-white/80 hover:text-white transition-colors"
      39  +             >
      40  +               Iniciar sesion
      41  +             </a>
      42  +             <a
      43  +               routerLink="/auth/register"
36    44                  class="bg-loteria-gold text-loteria-dark px-4 py-1.5 rounded-full
            text-sm font-semibold
37    45                         hover:bg-loteria-gold-light transition-colors"
38    46                >
39        -               Registrar
      47  +               Registrarse
```

```
40  48                </a>
41  49              }
42  50            </div>
```

Comments 0

Lock conversation

Comment

Subscribe You're not receiving notifications from this thread.