Outlook

RE: 06565449: PO981/ Order Confirmation S10092707

Desde North America CS Group <supportna@lgcgroup.com>
Fecha Lun 27/07/2026 8:38
Para Fabian Mosquera Espitia <compras@quimitronica.com>
CC Hernan Velandia <gerencia@quimitronica.com>; Alejandra Vega <comercial.avega@quimitronica.com>; felipe.saspadini@lgcgroup.com <felipe.saspadini@lgcgroup.com>

1 archivo adjunto (743 KB)
InvoiceTRC 105189385.pdf;

Hello Fabian,

Attached is the final invoice for this order.

Thank you,

Lisa

Lisa | Customer Service Supervisor, LGC Standards
North America Customer Experience Center | 276 Abby Road, Manchester, NH 03103 USA
+1 603 622 7660 I supportna@lgcgroup.com
24/7 ordering/tracking availability via a web account at www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------
From: Fabian Mosquera Espitia [compras@quimitronica.com]
Sent: 7/21/2026, 6:36 PM
To: supportna@lgcgroup.com
Cc: gerencia@quimitronica.com; comercial.avega@quimitronica.com; felipe.saspadini@lgcgroup.com
Subject: RE: 06565449: PO981/ Order Confirmation S10092707

EXTERNAL EMAIL

Dear Team,

I hope you are doing well.

Could you please provide us with the final invoice for this order, including the following items?

- **TRC-P295500-10MG** × 4
- **TRC-Z650000-25MG** × 4

Kind regards,

Fabian Mosquera
Supply chain Analyst
Quimitronica SAS
Carrera 49B # 93-93, Bogotá, Colombia
Phone: 316 019 0530
analista.compras@quimitronica.com
www.quimitronica.com

De: North America CS Group <supportna@lgcgroup.com>
Enviado: jueves, 2 de julio de 2026 15:30
Para: Fabian Mosquera Espitia <compras@quimitronica.com>
Cc: Fabian Mosquera <analista.compras@quimitronica.com>; Alejandra Vega <comercial.avega@quimitronica.com>; felipe.saspadini@lgcgroup.com <felipe.saspadini@lgcgroup.com>; Hernan Velandia <gerencia@quimitronica.com>
Asunto: 06565449: PO981/ Order Confirmation S10092707

Dear Fabian,

We have received export permit for your purchase of our items TRC-P295500-10MG and TRC-Z650000-25MG. Your order will be released for shipment and will be shipped out in about 7 business days.

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!

Christie Wong | Customer Service Specialise
LGC Standards – North America
US & Canada Toll Free: **1-800-727-9240**
supportna@lgcgroup.com | www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------
From: North America CS Group [supportna@lgcgroup.com]
Sent: 23/06/2026, 16:02
To: compras@quimitronica.com
Cc: analista.compras@quimitronica.com; gerencia@quimitronica.com; comercial.avega@quimitronica.com; felipe.saspadini@lgcgroup.com
Subject: 06565449: PO981/ Order Confirmation S10092707

Dear Fabian,

Thank you for your email.

We received a valid permit from your company on May 16, as the previous one had expired. Accordingly, we anticipate receiving the export permit from Health Canada between mid- to late July. Sometimes we receive export permit earlier. We will release your order for shipment as soon as we receive permit from Health Canada.

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!

Christie Wong | Customer Service Specialise
LGC Standards – North America
US & Canada Toll Free: **1-800-727-9240**
supportna@lgcgroup.com | www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------
From: Fabian Mosquera Espitia [compras@quimitronica.com]
Sent: 23/06/2026, 12:19
To: supportna@lgcgroup.com
Cc: comercial.avega@quimitronica.com; analista.compras@quimitronica.com; gerencia@quimitronica.com; felipe.saspadini@lgcgroup.com
Subject: RE: 06565449: PO981/ Order Confirmation S10092707

EXTERNAL EMAIL

Hello everyone,

I would like to know the progress of this process. I would appreciate any update you can provide.

Kind regards,

Fabian Mosquera
Supply chain Analyst
Quimitronica SAS
Carrera 49B # 93-93, Bogotá, Colombia
Phone: 316 019 0530
analista.compras@quimitronica.com

www.quimitronica.com

De: North America CS Group <supportna@lgcgroup.com>
Enviado: martes, 19 de mayo de 2026 09:55
Para: Julieth Sanchez <compras@quimitronica.com>
Cc: Fabian Mosquera <analista.compras@quimitronica.com>; Alejandra Vega <comercial.avega@quimitronica.com>; felipe.saspadini@lgcgroup.com <felipe.saspadini@lgcgroup.com>; Hernan Velandia <gerencia@quimitronica.com>
Asunto: 06565449: PO981/ Order Confirmation S10092707

Dear Julieth,

Good morning!

We anticipate receiving export permit of TRC-P295500-10MG and TRC-Z650000-25MG from Health Canada around July 21, 2026.

Please note that the export permit for TRC-D449718-25MG expires on July 22, we will need to ship it at least 1 - 2 weeks before the permit expires, do you approve shipping this item this month?

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!

Christie Wong | Customer Service Specialise
LGC Standards – North America
US & Canada Toll Free: **1-800-727-9240**
supportna@lgcgroup.com | www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------
From: North America CS Group [supportna@lgcgroup.com]
Sent: 15/05/2026, 12:00
To: compras@quimitronica.com
Cc: analista.compras@quimitronica.com; gerencia@quimitronica.com; comercial.avega@quimitronica.com; felipe.saspadini@lgcgroup.com
Subject: 06565449: PO981/ Order Confirmation S10092707

Dear Julieth,

Good afternoon and thank you for providing update import permit for item TRC-P295500-10MG and TRC-Z650000-25MG.

We have forwarded your import document to our compliance team for **review** and export permit application. If anything is missing from your documents, we will get back to you.

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!

Christie Wong | Customer Service Specialise
LGC Standards – North America
US & Canada Toll Free: **1-800-727-9240**
supportna@lgcgroup.com | www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------
From: Julieth Sanchez [compras@quimitronica.com]
Sent: 15/05/2026, 10:12
To: supportna@lgcgroup.com
Cc: comercial.avega@quimitronica.com; analista.compras@quimitronica.com; gerencia@quimitronica.com; felipe.saspadini@lgcgroup.com
Subject: RE: 06565449: PO981/ Order Confirmation S10092707

EXTERNAL EMAIL

Dear all,

Please find attached the import certificates listed below, which are valid until 08/25/2026:

- TRC-P295500-10MG – Certificate No. 2026-354-CI
- TRC-Z650000-25MG – Certificate No. 2026-355-CI

This is to proceed with the shipment dispatch to Colombia.

Please let us know if any additional information is required.

Best regards,

Cordialmente,

Julieth Sánchez López

Coordinador de Compras

Quimitronica SAS

Carrera 49B # 93-93, Bogotá, Colombia

Phone: +57 (601) 5343848 / 316 019 0530

ZIP Code 111211

compras@quimitronica.com

www.quimitronica.com

[Image is no longer available]

Este mensaje es confidencial, está amparado por secreto profesional y no puede ser usado ni divulgado por personas distintas de su(s) destinatarios(s). Si recibió esta transmisión por error, por favor avise al remitente. Este mensaje y sus anexos han sido sometidos a programas anti-virus y entendemos que no contienen virus ni otros defectos. En todo caso, el destinatario debe verificar que este mensaje no está afectado por virus y por tanto QUIMITRONICA SAS. no es responsable por daños derivados del uso de este mensaje.

[Image is no longer available]

De: North America CS Group <supportna@lgcgroup.com>
Enviado el: viernes, 1 de mayo de 2026 2:14 p. m.
Para: Julieth Sanchez <compras@quimitronica.com>
CC: Fabian Mosquera <analista.compras@quimitronica.com>; Hernan Velandia <gerencia@quimitronica.com>; Alejandra Vega <comercial.avega@quimitronica.com>; felipe.saspadini@lgcgroup.com
Asunto: 06565449: PO981/ Order Confirmation S10092707

Dear **Julieth Sánchez López,**

Good afternoon!

Thank you for your response. Could you advise when you expect to receive a new license of TRC-P295500-10MG??????? and TRC-Z650000-25MG?

Please note that we had received export permit to release your purchase for TRC-D449718-25MG, 3,4-Dihydroharmine x 5. The export permit valid until July 22nd, 2026. We must ship out at least one week before the permit expired otherwise you will need to reapply a new import permit.

Please let me know if you approve to ship TRC-D449718-25MG alone.

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!

Christie Wong | Customer Service Specialise
LGC Standards – North America
US & Canada Toll Free: **1-800-727-9240**
supportna@lgcgroup.com | www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------
From: Julieth Sanchez [compras@quimitronica.com]
Sent: 30/04/2026, 16:20
To: comercial.avega@quimitronica.com; analista.compras@quimitronica.com; gerencia@quimitronica.com; felipe.saspadini@lgcgroup.com
Cc: supportna@lgcgroup.com
Subject: RE: 06565449: PO981/ Order Confirmation S10092707

EXTERNAL EMAIL

Dear Felipe

We are currently in the process of obtaining a new extension of our license, as the current one is valid only until May. According to the guidance provided by the TRC team, it is necessary for the license and permits to have a validity period of more than one month.

At this time, we are working on securing this extension, which would be valid until August 2026.

Additionally, the order remains active, and we require the products as soon as possible.

We appreciate your support and remain attentive to any comments.

Kind regards,

Cordialmente,

Julieth Sánchez López

Coordinador de Compras

Quimitronica SAS

Carrera 49B # 93-93, Bogotá, Colombia

Phone: +57 (601) 5343848 / 316 019 0530

ZIP Code 111211

compras@quimitronica.com

www.quimitronica.com

[Image is no longer available]

Este mensaje es confidencial, está amparado por secreto profesional y no puede ser usado ni divulgado por personas distintas de su(s) destinatarios(s). Si recibió esta transmisión por error, por favor avise al remitente. Este mensaje y sus anexos han sido sometidos a programas anti-virus y entendemos que no contienen virus ni otros defectos. En todo caso, el destinatario debe verificar que este mensaje no está afectado por virus y por tanto QUIMITRONICA SAS. no es responsable por daños derivados del uso de este mensaje.

[Image is no longer available]

De: Felipe Saspadini <Felipe.Saspadini@LGCGroup.com>
Enviado el: jueves, 30 de abril de 2026 12:56 p. m.
Para: Alejandra Vega <comercial.avega@quimitronica.com>; Fabian Mosquera <analista.compras@quimitronica.com>; Julieth Sanchez <compras@quimitronica.com>; Hernan Velandia <gerencia@quimitronica.com>

CC: SupportNA <SupportNA@LGCGroup.com>
Asunto: Re: 06565449: PO981/ Order Confirmation S10092707

Hi Quimitronica team!

Do you believe you are able to share confirmation by the end of the day or tomorrow morning please?

Thank you!

Felipe

[Image is no longer available]

Felipe Saspadini | Commercial Manager, LATAM

LGC | 276 Abby Road | Manchester | NH | 03103 | USA

Mob: +55 11 94314 1373

Felipe.Saspadini@LGCGroup.com | www.lgcstandards.com

[Image is no longer available][Image is no longer available][Image is no longer available][Image is no longer available][Image is no longer available]

Science for a safer world

[Image is no longer available]

From: North America CS Group <supportna@lgcgroup.com>
Sent: Thursday, April 30, 2026 1:37 PM
To: analista.compras@quimitronica.com <analista.compras@quimitronica.com>; compras@quimitronica.com

<compras@quimitronica.com>; Hernan Velandia <gerencia@quimitronica.com>
Cc: compras@quimitronica.com <compras@quimitronica.com>; comercial.avega@quimitronica.com <comercial.avega@quimitronica.com>; Felipe Saspadini <Felipe.Saspadini@LGCGroup.com>; Hernan Velandia <gerencia@quimitronica.com>
Subject: 06565449: PO981/ Order Confirmation S10092707

EXTERNAL EMAIL

Dear Hernan,

Greetings!

Please let us know if your purchase for TRC-P295500-10MG; TRC-D449718-25MG and TRC-Z650000-25MG is still active.

We received export permit from Health Canada to release the item TRC-D449718-25MG but there is issue with your documents on the rest of two items as the permit was issued in Spanish and had expired in 2025. Please advise if you are applying update documents for the pending items. Thank you.

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!

Christie Wong | Customer Service Specialise
LGC Standards – North America
US & Canada Toll Free: **1-800-727-9240**
supportna@lgcgroup.com | www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------
From: North America CS Group [supportna@lgcgroup.com]
Sent: 22/04/2026, 14:18
To: gerencia@quimitronica.com; analista.compras@quimitronica.com; compras@quimitronica.com
Cc: compras@quimitronica.com; comercial.avega@quimitronica.com; felipe.saspadini@lgcgroup.com; gerencia@quimitronica.com

Subject: 06565449: PO981/ Order Confirmation S10092707

Dear Hernan, Fabian,

Greetings!

Please provide us update of your order PO981.

Your submitted permit was issued both Spanish and English for TRC-P295500-10MG x 4 and TRC-Z650000-25MG x 4 which is not acceptable. If this is the permit you wish to submit, Health Canada will require a certified English translation in order to proceed with the review.

In addition, as the current permit expires in 2025, an updated permit valid for 2026 is required. Please provide the above documents; otherwise, we will be unable to apply for the export permit with Health Canada to proceed with your order.

For item TRC-D449718-25MG, we have received export permit to release this item. Please let us know if you wish to ship this item alone.

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!

Christie Wong | Customer Service Specialise
LGC Standards – North America
US & Canada Toll Free: **1-800-727-9240**
supportna@lgcgroup.com | www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------
From: North America CS Group [supportna@lgcgroup.com]
Sent: 15/04/2026, 12:32
To: gerencia@quimitronica.com
Cc: compras@quimitronica.com; comercial.avega@quimitronica.com; felipe.saspadini@lgcgroup.com
Subject: 06565449: PO981/ Order Confirmation S10092707

Dear Hernan,

Good afternoon!

We have received confirmation from the Compliance Team that a permit issued in both Spanish and English is not acceptable. If this is the permit you wish to submit, Health Canada will require a certified English translation in order to proceed with the review.

In addition, as the current permit expires in 2025, an updated permit valid for 2026 is required. Please provide the above documents; otherwise, we will be unable to apply for the export permit with Health Canada to proceed with your order.

Meanwhile, please approve shipping TRC-D449718-25MG while we are waiting your revise permit for rest of two items.

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!

Christie Wong | Customer Service Specialise
LGC Standards – North America
US & Canada Toll Free: **1-800-727-9240**
supportna@lgcgroup.com | www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------
From: North America CS Group [supportna@lgcgroup.com]
Sent: 14/04/2026, 16:12
To: gerencia@quimitronica.com
Cc: compras@quimitronica.com; comercial.avega@quimitronica.com; felipe.saspadini@lgcgroup.com
Subject: 06565449: PO981/ Order Confirmation S10092707

Dear **Hernán Velandia,**

Thank you for your response.

We would like to clarify that our Compliance Team did not take two months to review your submitted documents. All documents were reviewed and completed within two days in February. Based on this review, we applied for an export permit with Health Canada only item TRC-D449718-25MG that was approved by them. Please note that Health Canada typically requires approximately 60 business days (excluding public holidays, Sat. Sun.) to process an export permit.

Once we received Health Canada's response regarding the remaining two items, TRC-P295500-10MG and TRC-Z650000-25MG we notified you immediately on February 18. At that time, we understood that you might be in the process of applying for a revised permit, as some countries require a longer timeframe to issue revised permits.

We can seek further guidance from Health Canada regarding the acceptance of the Spanish version; however, we cannot guarantee that it will be approved. We will keep you updated within the next two days.

Meanwhile, please approve shipping TRC-D449718-25MG while we are waiting your revise permit for rest of two items.

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!

Christie Wong | Customer Service Specialise
LGC Standards – North America
US & Canada Toll Free: **1-800-727-9240**
supportna@lgcgroup.com | www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------
From: Hernan Velandia [gerencia@quimitronica.com]
Sent: 14/04/2026, 13:14
To: supportna@lgcgroup.com
Cc: compras@quimitronica.com; comercial.avega@quimitronica.com; felipe.saspadini@lgcgroup.com
Subject: Controled Substances Review (06565449: PO981/ Order Confirmation S10092707)

EXTERNAL EMAIL

Dear Christine,

We are surprised to see such response after almost 2 months on an preliminary review from your compliance team. There is much room for improvement...

Regarding your requests we urge you to revise the following comments in blue:

- The document in the zip file is in Spanish. We require a certified translated copy to English or French.

The documents are both in Spanish and English. The substances, the validity of the permits and much of the information is in English. Could we have a second opinion on that? These permits have been used in Germany without any trouble.

[Image is no longer available]

- The permits expired in 2025. We need a new permit with a valid expiry date, and it needs to be translated in English or French.

The permits were issued in November 2025 and valid thru 27 Feb 2026, please revise.

[Image is no longer available]

We appreciate your urgent response.

Sincerely,

Hernán Velandia

CEO

Quimitronica SAS

Cra 49B # 93-93, Bogotá, Colombia

Phone: +57 1 534 3848

ZIP Code 111211

gerencia@quimitronica.com

www.quimitronica.com

[Image is no longer available]

De: North America CS Group <supportna@lgcgroup.com>
Enviado el: miércoles, 8 de abril de 2026 9:09 a. m.
Para: Fabian Mosquera <analista.compras@quimitronica.com>
CC: Julieth Sanchez <compras@quimitronica.com>; Alejandra Vega <comercial.avega@quimitronica.com>; Dany Rozo <analista.logistica2@quimitronica.com>; felipe.saspadini@lgcgroup.com; Hernan Velandia <gerencia@quimitronica.com>
Asunto: 06565449: PO981/ Order Confirmation S10092707

Dear Fabian,

Thank you for your patience and providing us your permits for TRC-P295500-10MG (Phencyclidine Hydrochloride) and TRC-Z650000-25MG (Zolpidem).

Our Compliance has identified there are issues with the permits:

- The document in the zip file is in Spanish. We require a certified translated copy to English or French.
- The permits expired in 2025. We need a new permit with a valid expiry date, and it needs to be translated in English or French.

Kindly provide update permits for above. Thank you.

Should you need further assistance, please do not hesitate to contact us.

Christie Wong | Customer Service Specialise
LGC Standards – North America
US & Canada Toll Free: **1-800-727-9240**
supportna@lgcgroup.com | www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------
From: North America CS Group [supportna@lgcgroup.com]
Sent: 20/02/2026, 12:03
To: analista.compras@quimitronica.com
Cc: gerencia@quimitronica.com; compras@quimitronica.com; comercial.avega@quimitronica.com; analista.logistica2@quimitronica.com; felipe.saspadini@lgcgroup.com

Subject: 06565449: PO981/ Order Confirmation S10092707

Dear Fabian,

Thank you for your prompt respond and import documents for TRC-D449718-25MG and TRC-Z650000-25MG.

We have forwarded your import document to our compliance team for **review** and export permit application. If anything is missing from your documents, we will get back to you.

Please review checklist below to ensure all required info has been provided. The application time is 30-45 business days from Health Canada.

Please be informed the Expected Ship Date on Order Confirmation is an estimation. It is subject to change depending on the receipt of your complete documentation.

Checklist of Requirements for Controlled Substance Orders Shipping Internationally:

1. **Import permit OR No Objection Letter from your government if not controlled**
2. **Electronic copy of Purchase Order signed by authorized individual from your company**
3. **Name and Contact email for Authorized Individual, (the order will be shipped to their attention).**
4. **The ship to address on the PO must match the importer on the import document including postal code. This address will be used on the Health Canada application for export permits, and cannot be changed at a later time.**
5. **Controlled orders are shipped via FedEx**
6. **DHL cannot be used to ship Controlled Substances**

****** Please note TRC does not accept returns of the controlled substances*******

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!

Christie Wong | Customer Service Specialise
LGC Standards – North America
US & Canada Toll Free: **1-800-727-9240**
supportna@lgcgroup.com | www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------

From: Fabian Mosquera [analista.compras@quimitronica.com]
Sent: 20/02/2026, 09:47
To: supportna@lgcgroup.com
Cc: compras@quimitronica.com; comercial.avega@quimitronica.com; gerencia@quimitronica.com; analista.logistica2@quimitronica.com; felipe.saspadini@lgcgroup.com
Subject: RE: 06565449: PO981

EXTERNAL EMAIL

Dear,
Please find attached the duly approved license for your review and corresponding processing.
Kind regards,

Fabian Mosquera
Supply chain Analyst
Quimitronica SAS
Carrera 49B # 93-93, Bogotá, Colombia
Phone: 316 019 0530
analista.compras@quimitronica.com
www.quimitronica.com

De: North America CS Group <supportna@lgcgroup.com>
Enviado el: viernes, 20 de febrero de 2026 9:34 a. m.
Para: Fabian Mosquera <analista.compras@quimitronica.com>
CC: Hernan Velandia <gerencia@quimitronica.com>; Julieth Sanchez <compras@quimitronica.com>; Alejandra Vega <comercial.avega@quimitronica.com>; Dany Rozo <analista.logistica2@quimitronica.com>; felipe.saspadini@lgcgroup.com
Asunto: 06565449: PO981

Dear Fabian,

Thank you for confirming the partial shipment. We submitted our export permit application to Health Canada yesterday. Please be reminded to provide us with the import licence for the remaining items.

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!

Christie Wong | Customer Service Specialise
LGC Standards – North America
US & Canada Toll Free: **1-800-727-9240**
supportna@lgcgroup.com | www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------
From: Fabian Mosquera [analista.compras@quimitronica.com]
Sent: 19/02/2026, 15:49
To: supportna@lgcgroup.com
Cc: compras@quimitronica.com; comercial.avega@quimitronica.com; gerencia@quimitronica.com; analista.logistica2@quimitronica.com; felipe.saspadini@lgcgroup.com
Subject: RE: 06565449: Your order PO981

EXTERNAL EMAIL

Dear all,
Kind regards.
Please proceed with the partial shipment of the goods.
Kind regards,

Fabian Mosquera
Supply chain Analyst
Quimitronica SAS
Carrera 49B # 93-93, Bogotá, Colombia
Phone: 316 019 0530
analista.compras@quimitronica.com
www.quimitronica.com

De: North America CS Group <supportna@lgcgroup.com>
Enviado el: miércoles, 18 de febrero de 2026 10:47 a. m.
Para: Fabian Mosquera <analista.compras@quimitronica.com>
CC: Hernan Velandia <gerencia@quimitronica.com>; Julieth Sanchez <compras@quimitronica.com>; Alejandra Vega <comercial.avega@quimitronica.com>; Dany Rozo <analista.logistica2@quimitronica.com>; felipe.saspadini@lgcgroup.com
Asunto: 06565449: Your order PO981

Dear Fabian,

Thank you for your response and submitted document for TRC-D449718-25MG which is an export-controlled item in Canada, therefore, we will require to apply export permit with Health Canada.

Do you approve shipping your order partially? If yes, we will begin applying for the export permit for TRC-D449718-25MG as the processing time with Health Canada is 35–45 days. We will wait for your revised permit for TRC-P295500-10MG and TRC-Z650000-25MG.

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!

Christie Wong | Customer Service Specialise
LGC Standards – North America
US & Canada Toll Free: **1-800-727-9240**
supportna@lgcgroup.com | www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------
From: Fabian Mosquera [analista.compras@quimitronica.com]
Sent: 17/02/2026, 16:52
To: compras@quimitronica.com; supportna@lgcgroup.com
Cc: comercial.avega@quimitronica.com; analista.logistica2@quimitronica.com; gerencia@quimitronica.com; felipe.saspadini@lgcgroup.com
Subject: RE: 06565449: Quotation Request/ Please response for your order PO981

EXTERNAL EMAIL

Hi Christie,

I confirm that we will proceed with the PO. Please accept our apologies for the delay; we were conducting an internal review.

In Colombia, this permit is initially granted for 6 months and may then be extended through two additional 3-month extensions. The extension you mentioned is the one that is currently close to expiration. We are already managing the second extension with the corresponding authorities; however, as indicated, this extension is only granted for an additional 3-month period.

Regarding item TRC-D449718-25MG, please find attached the document confirming that this product is not controlled in Colombia; therefore, the shipment can be processed without any issues.
Kind regards,

Fabian Mosquera
Supply chain Analyst
Quimitronica SAS
Carrera 49B # 93-93, Bogotá, Colombia
Phone: 316 019 0530
analista.compras@quimitronica.com
www.quimitronica.com

De: North America CS Group <supportna@lgcgroup.com>
Enviado el: miércoles, 11 de febrero de 2026 3:27 p. m.
Para: Julieth Sanchez <compras@quimitronica.com>
CC: Fabian Mosquera <analista.compras@quimitronica.com>; Alejandra Vega <comercial.avega@quimitronica.com>; Dany Rozo <analista.logistica2@quimitronica.com>; felipe.saspadini@lgcgroup.com; Hernan Velandia <gerencia@quimitronica.com>
Asunto: 06565449: Quotation Request/ Please response for your order PO981

Dear Hernan,

We hope you are doing well.

Can you advise if you still wish to proceed with the order of PO981? Your order will be canceled if we don't receive any response from you this week.

Please share revised permit with update validity and permit of 3,4-Dihydroharmine.

1. **Permit validity**: The permit is valid only until **Feb 27, 2026**, which does not provide sufficient time for us to apply for the export permit with Health Canada. Please submit a permit with **at least six months of validity**.
2. **Missing Line 2 permit**: The permit for item TRC-D449718-25MG, 3,4-Dihydroharmine is still missing. Please confirm whether you would like to keep this item on your order.

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!

Christie Wong | Customer Service Specialise
LGC Standards – North America
US & Canada Toll Free: **1-800-727-9240**
supportna@lgcgroup.com | www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------
From: North America CS Group [supportna@lgcgroup.com]
Sent: 05/02/2026, 15:26
To: compras@quimitronica.com
Cc: analista.compras@quimitronica.com; comercial.avega@quimitronica.com; analista.logistica2@quimitronica.com; felipe.saspadini@lgcgroup.com; gerencia@quimitronica.com
Subject: 06565449: PO981 permit update

Dear Hernan,

We hope you are doing well!

Have you received our previous email?

Please share revised permit with update validity and permit of 3,4-Dihydroharmine.

1. **Permit validity**: The permit is valid only until **Feb 27, 2026**, which does not provide sufficient time for us to apply for the export permit with Health Canada. Please submit a permit with **at least six months of validity**.
2. **Missing Line 2 permit**: The permit for item TRC-D449718-25MG, 3,4-Dihydroharmine is still missing. Please confirm whether you would like to keep this item on your order.

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!



---------- Original Message ----------
From: North America CS Group [supportna@lgcgroup.com]
Sent: 26/01/2026, 10:56
To: compras@quimitronica.com
Cc: analista.compras@quimitronica.com; gerencia@quimitronica.com; comercial.avega@quimitronica.com; analista.logistica2@quimitronica.com; felipe.saspadini@lgcgroup.com
Subject: 06565449: Quotation Request

Dear **Julieth Sánchez López,**

Thank you for sharing the revised document/permit for your order. However, we still identified the following issues:

1. **Permit validity**: The permit is valid only until **Feb 27, 2026**, which does not provide sufficient time for us to apply for the export permit with Health Canada. Please submit a permit with **at least six months of validity**.
2. **Missing Line 2 permit**: The permit for item TRC-D449718-25MG, 3,4-Dihydroharmine is still missing. Please confirm whether you would like to keep this item on your order.

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!

Christie Wong | Customer Service Specialise
LGC Standards – North America
US & Canada Toll Free: **1-800-727-9240**
supportna@lgcgroup.com | www.lgcstandards.com

Science for a Safer World

---------- Original Message ----------
From: Julieth Sanchez [compras@quimitronica.com]
Sent: 22/01/2026, 11:04
To: supportna@lgcgroup.com
Cc: comercial.avega@quimitronica.com; analista.compras@quimitronica.com; analista.logistica2@quimitronica.com; gerencia@quimitronica.com; felipe.saspadini@lgcgroup.com
Subject: RE: 06565449: Quotation Request

EXTERNAL EMAIL

Dear Riley,

Please accept my apologies for the delay in sending the documentation. We have attached the digital copies.

This will allow you to proceed with the shipment.

Cordialmente,

Julieth Sánchez López
Coordinador de Compras
Quimitronica SAS
Carrera 49B # 93-93, Bogotá, Colombia
Phone: +57 (601) 5343848 / 316 019 0530
ZIP Code 111211
compras@quimitronica.com
www.quimitronica.com
[Image is no longer available]

Este mensaje es confidencial, está amparado por secreto profesional y no puede ser usado ni divulgado por personas distintas de su(s) destinatarios(s). Si recibió esta transmisión por error, por favor avise al remitente. Este mensaje y sus anexos han sido sometidos a programas anti-virus y entendemos que no contienen virus ni otros defectos. En todo caso, el destinatario debe verificar que este mensaje no está afectado por virus y por tanto QUIMITRONICA SAS. no es responsable por daños derivados del uso de este mensaje.

[Image is no longer available]

De: North America CS Group <supportna@lgcgroup.com>
Enviado el: viernes, 31 de octubre de 2025 1:25 p. m.
Para: Julieth Sanchez <compras@quimitronica.com>
CC: Fabian Mosquera <analista.compras@quimitronica.com>; Alejandra Vega <comercial.avega@quimitronica.com>; Dany Rozo <analista.logistica2@quimitronica.com>; felipe.saspadini@lgcgroup.com; Hernan Velandia <gerencia@quimitronica.com>
Asunto: 06565449: Quotation Request

Dear Julieth,

Thank you for your email.

Regarding your order S10092707, our compliance team has identified an issue with the documentation provided:

1. The postal code for Toronto Research Chemicals Inc. (TRC) on the import permit is incorrect. Please kindly provide an amended import permit reflecting the correct exporter address: **Toronto Research Chemicals Inc.**
   101 Milani Boulevard, Vaughan, Ontario, L4H 4M4, Canada

Additionally, we are still awaiting a scanned copy of the import permit for item **TRC-D449718-25MG**.

To summarize, we kindly request:

1. A revised import permit for items **TRC-P295500-10MG** and **TRC-Z650000-25MG** with the correct TRC postal code.
2. An import permit for item **TRC-D449718-25MG**.

We look forward to receiving the updated documentation.

****** Please note TRC does not accept returns of the controlled substances*******

Should you need further assistance, please do not hesitate to contact us.

Thank you for choosing LGC Standards!

Best regards,

Christie Wong | Order Management Specialist I Operations - Customer service LGC Standards
LGC | TRC 101 Milani Boulevard | Vaughan, Ontario | L4H 4M4 | Canada
Tel: 416-665-9696 | Email: SupportNA@LGCgroup.com
www.lgcgroup.com | www.lgcstandards.com

We are relocating to a **new**, **expanded Chemistry Center of Excellence** in Vaughan, ON to better serve you.
This new facility enables us to enhance our offerings and continue growing together.

Read more about our new home here >>

---------- Original Message ----------
From: TRC - Customer Service (LGC) [orders.trc@lgcgroup.com]
Sent: 26/09/2025, 10:55
To: compras@quimitronica.com
Cc: analista.compras@quimitronica.com; comercial.avega@quimitronica.com; analista.logistica2@quimitronica.com; felipe.saspadini@lgcgroup.com; gerencia@quimitronica.com
Subject:

thread::9haUv5h_ePmRW5g-D8APFVg::