
Health o meter®

Professional

Models 844KL / 844KL-USB
Digital Floor Scale



User Instructions

Para ver las instrucciones de uso en español visita www.homscales.com

PELSTAR, LLC 9500 West 55th St. McCook, IL 60525-7110 USA www.homscales.com

Health o meter® Professional 844KL

© Pelstar, LLC 2023

weigheasier®

Please register your scale for warranty coverage at:
www.homscales.com

For User Instructions updates and revisions please go to:
www.homscales.com

P/N UM844KL_844KL-USB REV20230131

CAUTIONS AND WARNINGS / SPECIFICATIONS / CERTIFICATIONS / SERVICE

Cautions and Warnings

To prevent injury and damage to your scale, please follow these instructions very carefully.

- Do not transport the scale with anything on the platform.
- For accurate weighing, the scale must be placed on a flat, stable surface.
- For accurate weighing, verify proper operation according to the procedure described in this manual before each use.
- Do not use in the presence of flammable materials.

In no event whatsoever shall Pelstar, LLC be liable for damages or injuries arising from or connected with the assembly, use, or misuse of its products.

Specifications

This digital floor scale displays weight in pounds, kilograms or stones. It also features a weight hold that allows the weight measurement to stay displayed for 5 seconds after stepping off scale. Each precision scale is designed to provide accurate, reliable and repeatable weight measurements and provides features that make the weighing process simple, fast and convenient. This scale is set up to determine the weight of a stationary patient.

Capacity and Resolution	Capacity: 440 lb / 200 kg / 31 st Resolution: 0.1 lb / 0.05 kg / 0.125 lb	
Environmental	Operating temperatures: 10°C to 35°C (50°F to 95°F) Storage temperatures: 0°C to 50°C (32°F to 125°F) Atmospheric Pressure: 500hPa to 1060hPa Maximum Humidity: 85% RH in use or in storage	
Physical Dimensions	Platform Size: Width: 12 5/8" (321 mm) Depth: 12 5/8" (321 mm) Height: 1 7/8" (48 mm)	Product Footprint: Width: 12 5/8" (321 mm) Depth: 12 5/8" (321 mm) Height: 1 7/8" (48 mm) Weight: 4 lb (1.8 kg)

Certifications

ISO 9001:2015 CERTIFIED ISO13485:2016 CERTIFIED	Pelstar, LLC has been officially certified as the manufacturer of Health o meter® Professional medical devices. The Pelstar, LLC quality assurance system covers the development, production, sales and service of medical scales and measuring systems.

Customer Service Information

This scale is shipped assembled in one carton. Carefully inspect the carton for shipping damage before unpacking. If damage is found, contact Customer Service.
For further information or telephone support, please contact Customer Service at:
Telephone: 1 (800) 815-6615 Email: HomProCS@homscales.com

Note: This scale has been factory calibrated and cannot be calibrated by the user.

seca 213

Estadiómetro móvil




- Montaje rápido y sencillo sin fijación a pared.
- Con amplia base que le otorga estabilidad.
- Fácil lectura del resultado, incluso durante la medición.
- Confortable y fácil de transportar.

seca
Precisión para la salud

seca 213:

El método confortable para medir la talla en cualquier sitio.



El estadiómetro móvil seca 213 es particularmente adecuado para aplicaciones que requieran desplazamientos; por ejemplo, para medir la estatura de niños y adolescentes en el marco de revisiones médicas escolares, para las tareas de cuidadores de enfermos y ancianos, de trabajadores de la salud y también para consultorios médicos y hospitales con departamentos de pediatría y medicina juvenil. Desmontado en varias piezas, este estadiómetro se transporta con facilidad a cualquier sitio.

Montaje rápido y sencillo sin fijación a pared.

Consistente de varias piezas, el tallímetro desmontable del estadiómetro seca 213 se monta rápida y fácilmente, y con unas pocas maniobras se fija firmemente a la amplia y sólida base, sin necesidad de asegurarlo en una pared.



s grandes ventanas scalas en ambos os facilitan la lectura.

ca de base grande ólida, para una ición segura.


Su amplia y sólida placa de base permite usarlo donde se necesite.

El estadiómetro seca 213 se puede usar en cualquier sitio requerido, gracias a la posición firme y segura que le confiere su amplia y sólida placa de base. Con esta propiedad, el estadiómetro seca 213 es la herramienta ideal para todos los profesionales que necesitan usar tallímetros confiables en sitios que cambian con frecuencia.



Asa integrada y bloqueo seguro de todas las piezas para un transporte sencillo.

Bolsa seca 412 para un transporte más cómodo.



Lectura precisa de los resultados de medición.

La corredera se desliza con gran suavidad, facilitando enormemente el ajuste del amplio tope para la cabeza. Otro detalle muy bien elaborado es la escala de fácil lectura: situada en el lateral del tallímetro, permite consultar la talla ya durante la medición; de esta manera, asegura resultados precisos hasta una talla de 205 cm.

Confortable y fácil de transportar.

Es sumamente práctico, no sólo porque el tallímetro se puede desmontar en unos instantes, sino también por el asa incorporada que permite trasladar el estadiómetro seca 213 cómoda y fácilmente a cualquier sitio.

seca 213

Datos técnicos

- Alcance de medición: 20–205 cm, 20–205 cm / 8–81"
- División: 1 mm, 1 mm / 1/8"
- Dimensiones, estadiómetro (AxAxP): 337 x 2.130 x 590 mm / 13.3 x 83.9 x 23.2"
- Dimensiones para transportar (AxAxP): 337 x 177 x 624 mm / 13.3 x 7 x 24.6"
- Peso: 2.4 kg / 5.3 lbs
- Opcional: bolso de transporte seca 412

Reservado el derecho a realizar modificaciones.

201121309011

seca gmbh & co. kg • Hammer Steindamm 9–25 • 22089 Hamburgo • Alemania • Teléfono +49 40 20 00 00 0 • Telefax +49 40 20 00 00 50 • www.seca.com